

BACITRACIN- bacitracin ointment
Dynarex Corporation

1161 Bacitracin NDC 67777-116-10
1162 Bacitracin NDC 67777-116-20
1163 Bacitracin NDC 67777-116-30

Active Ingredient

Bacitracin (500 units in each gram)

Purpose

First Aid Antibiotic

Use

First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For External Use Only

Do not use

- In the eyes or apply over large areas of the body
- If you are allergic to any of the ingredients
- Longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other information

Store at room temperature

Inactive ingredients

Drug Facts

Active Ingredient
Bacitracin (500 units in each gram).....**Purpose**
First Aid Antibiotic

Use(s)
■ First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only

Do not use
■ In the eyes or over large areas of the body
■ If you are allergic to any of the ingredients
■ Longer than 1 week unless directed by a doctor

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if the condition persists or gets worse, or if a rash or other allergic reaction develops.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Directions
■ Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) onto the area 1 to 3 times daily. May be covered with a sterile bandage.

Other Information
■ Store at room temperature 15°-30°C (59°-86°F)
■ Tamper evident. Do not use if seal is damaged.

Inactive Ingredients
Hard Paraffin, Liquid Paraffin, White Soft Paraffin

**BACITRACIN
OINTMENT USP**
FIRST AID ANTIBIOTIC

LOT
L L L L L
Y Y Y Y - M M - D D
Y Y Y Y - M M - D D



**BACITRACIN
OINTMENT USP**

FIRST AID ANTIBIOTIC

Net Wt. 0.5 oz. (14.2 g)



Manufactured for:
Dynarex Corporation
10 Glenshaw Street
Orangeburg, NY 10962
USA • www.dynarex.com
Made In India R220126



SYMBOL GLOSSARY
For an explanation of symbols used in Dynarex packaging, visit dynarex.com/symbols.php

Keep this box for complete **Drug Facts**

Reorder No. 1162

1162 Bacitracin Ointment

Label



1163 Bacitracin Ointment

BACITRACIN				
bacitracin ointment				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67777-116	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BACITRACIN (UNII: 58H6RW052I) (BACITRACIN - UNII:58H6RW052I)		BACITRACIN	500 [USP'U] in 1000 mg	
Inactive Ingredients				
Ingredient Name				Strength
WHITE PETROLATUM (UNII: B6E5W8RQJ4)				
PARAFFIN (UNII: I9O0E3H2ZE)				
MINERAL OIL (UNII: T5L8T28FGP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:67777-116-20	72 in 1 CASE	09/12/2016	
1	NDC:67777-116-21	14000 mg in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:67777-116-10	1728 in 1 CASE	09/12/2016	
2	NDC:67777-116-11	144 in 1 BOX		
2		900 mg in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:67777-116-30	72 in 1 CASE	09/12/2016	
3	NDC:67777-116-31	1 in 1 BOX		
3		28400 mg in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	09/12/2016	

Labeler - Dynarex Corporation (008124539)

Revised: 11/2024

Dynarex Corporation