BERKLEY AND JENSEN CHILDRENS ALLERGY RELIEF- loratadine tablet, chewable BJWC

BJWC Allergy Relief Drug Facts

Active ingredient (in each tablet)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-

Directions

chew or crush tablets completely before swallowing

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.4 mg per tablet
- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

artificial grape flavor, aspartame, colloidal silicon dioxide, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments?

1-800-934-1204

Principal Display Panel

Compare to the Active Ingredient in Children's Claritin® Chewables

 $\text{berkley jensen}_{\, \mathbb{R}}$

2 YEARS AND OLDER

children's

NON-DROWSY*

ALLERGY RELIEF

LORATADINE CHEWABLE TABLETS, 5 mg

ANTIHISTAMINE

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF:

- SNEEZING
- RUNNY NOSE
- ITCHY, WATERY EYES
- ITCHY THROAT OR NOSE

40 CHEWABLE TABLETS

GRAPE FLAVOR

*When taken as directed. See Drug Facts Panel.

ACTUAL SIZE

GLUTEN



100% Money-Back Guarantee. broduct comes with our Every Ber M ey Je nsen

Marlborough, MA 0 1752 320 Campus Drive Bi's Wholesale Club, Inc. Distributed by:

Health Care LLC, distributor of Children's Claritin ® Chewables. This product is not manufactured or distributed by Bayer

Questions or comments? 1-800-934-1 204

microcrystalline cell ulose, sodiu m starch glycolate, aluminum lake, magnesiumstearab, mannitol, artificial grape flavor, aspartame, colloidalaili con dioxide, D&C red #27 aluminum lake,FD&C blue #2 aluminum lake manaeaismastasangan ala munimula thactive ingredients

■ atore between 20° to 25°C (68° to 77°F)

■ phenylketonurics contains phenyla anine 1.4 mg
pertablet потьстют пі тэльО

consumers with liver or kidney disease	sak a doctor
children under 2 years of age	зак в досрг
children 2 to under 6 years of age	chew 1 tablet daily, not more than 1 tablet in 24 hours
adults and children 6 years and over	chew 2 tablets daily, not more than 2 tablets in 24 hours

■ chew or crush tablets completely before swallowing Directions

Drug Facts (confinued)

medical help orcontact a Poison Control Center right away (1-80 0-222-1 222). Kee pout of reach of children. In case of overdose, get professional before use.

It breginant or breast-feed in 9, ask a heal h

broduct occurs. Seek medical h dp right away. Stop use and a sk a doctor if an allergic reaction to this

drowsiness.

directed. Taking more than directed may cause When using this product do not take more than

different dose.

disease. Your doctor should determine if you need a Ask a doctor before use if you have liveror kidney fils productor any of its ingredients

Do not a se if you have ever had an allergic reaction to sвишием

> ■ itching of the nose or throat Burzæus∎ ≡і́сілу, ука̀≥гу еуеѕ esou y nose

p.v.a. or other up per respiratory all ergies. Uses temporarily relieves these symptoms due to hay

əni matsiri in Agm 2 ənibætara Active in gredient (in each tablet) əsodınd

грид Евсіг

END OTHER OPEN



ALLERGY RELIEF

LORATADINE CHEWABLE TABLETS, 5mg

ANTIHISTAMINE

Compare to the Active Ingredient in Children's Claritin® Chewables**



2 YEARS AND OLDER children's

NON-DROWSY*

LORATADINE CHEWABLE TABLETS, 5mg

ANTIHISTAMINE **INDOOR & OUTDOOR ALLERGIES**

24 HOUR RELIEF OF: SNEEZING • RUNNY NOSE
 ITCHY, WATERY EYES
 ITCHY THROAT OR NOSE

40 **CHEWABLE TABLETS**

*When taken as directed. See Drug Facts Panel.



ACTUAL SIZE



BERKLEY AND JENSEN CHILDRENS ALLERGY RELIEF

loratadine tablet, chewable

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68391-301

Route of Administration ORAL

Active Ingredient/Active Moiety

•		
Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AIO3BO7QN) (LORATADINE - UNII:7AIO3BO7QN)	LORATADINE	5 mg

Inactive Ingredients		
Ingredient Name	Strength	
ASPARTAME (UNII: Z0H242BBR1)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
D&C RED NO. 27 (UNII: 2LRS185U6K)		
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MANNITOL (UNII: 30WL53L36A)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
STEARIC ACID (UNII: 4FLV7Z65AP)		

Product Characteristics			
Color	PURPLE (light)	Score	no score
Shape	ROUND	Size	8mm
Flavor	GRAPE	Imprint Code	L3Y8
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68391-301- 49	40 in 1 CARTON	01/25/2022	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210033	01/25/2022	

Labeler - BJWC (159082692)

Revised: 10/2023 BJWC