

4151 FIRST AID KIT- 4151 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

4151 First Aid Kit (Eye Wash, Hand Sanitizer, bagged components - SF00004420)

Active ingredient

Sterile Water 99%

Purpose

Eyewash

Uses

- For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water

Warnings

For external use only- Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive Ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions?

Call **1-800-430-5490**

Honeywell Safety Products USA, Inc. Smithfield, RI 02917

First Aid Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream

Purpose

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream

Directions

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

Questions

1-800-430-5490

BZK Antiseptic Wipe**Active ingredient**

Benzalkonium chloride 0.13%

BZK**Purpose**

First aid antiseptic

BZK**Uses**

Antiseptic cleansing of face, hands, and body without soap and water

BZK**Warnings**

For external use only

BZK**Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK**Directions**

- .tear open packet and use as a washcloth

BZK

Other information

- store at room temperature 15 ° to 30 ° C (59 ° - 86 °F)
- do not reuse towelette

BZK

Inactive ingredients

water

BZK

Questions

1-800-430-5490

Aypanal

Active ingredient

Acetaminophen 325 mg

Aypanal

Purpose

Pain reliever/fever reducer

Aypanal

Uses

- temporarily relieves minor aches and pains due to the common cold and headache
- temporarily reduces fever

Ask a doctor before use if you have

liver disease

Aypanal

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: more than 4,000 mg in 24 hours, which is the maximum daily amount - child takes

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening
blisters
rash

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if

you are taking the blood thinning drug warfarin

if pregnant or breast feeding

ask a health professional before use

Keep out of reach of children

Keep out of reach of children

Overdose Warning

Overdose warning: In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Aypanal

Directions

- do not take more than directed (see overdose warning) adults and children 12 years of age or older
- take two tablets every 4-6 hours while symptoms last
- do not take more than directed (see overdose warning)

adults and children 12 years of age or older

- take two tablets every 4-6 hours while symptoms last
- do not take more than 12 tablets in 24 hours
- children 6 to under 12 years of age
- take 1 tablet every 4-6 hours while symptoms last
- do not take more than 5 tablets in 24 hours
- children under 6 years
- consult a doctor

Aypanal

Other information

store at room temperature 15 ° to 30 ° C (59 ° - 86 °F) TAMPER EVIDENT PACKETS- DO NOT USE IF OPEN OR TORN

Aypanal

Inactive ingredients

corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid.

Aypanal

Questions or Comments?

1-800-430-5490

Sting Relief

Active ingredient

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief

Purpose

Antiseptic

Topical pain relief

Sting Relief

Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Sting Relief

Directions

- **adults and children 2 years and older:** Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting relief

Questions or Comments

1-800-430-5490

Neomycin Antibiotic Ointment

Active ingredient

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin Antibiotic Ointment

Purpose

First aid antibiotic

Neomycin Antibiotic Ointment

Uses

first aid to help prevent infection in - minor cuts - scrapes - burns

Neomycin Antibiotic Ointment

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Neomycin Antibiotic Ointment

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin Antibiotic Ointment

Other information

store at 15 ° to 25 °C (59 ° to 77 °F)

Neomycin Antibiotic Ointment

Inactive ingredient

petrolatum

Neomycin Antibiotic Ointment

Questions

1-800-430-5490

Hand Sanitizer

Active ingredient

Ethyl alcohol 62%

Hand Sanitizer

Purpose

Antiseptic handwash

Hand Sanitizer

Uses

- for hand washing to decrease bacteria on skin
- recommended for repeated use

Hand Sanitizer

Warnings

For external use only

Flammable, keep away from fire or flame

When using this product

- do not use in the eyes
- discontinue use if irritation and redness develops
- If condition persists for more than 72 hours consult a doctor.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hand Sanitizer

Directions

- wet hands thoroughly with product and allow to dry without wiping

Hand Sanitizer

Other information

- place a quarter size amount into one hand, spread over both hands to wrist and rub into skin until dry
- store at 15 ° to 25 ° C (59 ° to 77 ° F)

Hand Sanitizer

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, dl-alpha tocopheryl acetate, fragrance, PEG-60 almond glycerides, propylene glycol, purified water .

Hand Sanitizer

Questions or Comments

1-800-275-3433 info@waterjel.com

4151

SF00004420 Kit Contents

1 EYE DRESS PKT W/4 ADH STRIPS
1 TWEEZER PLASTICS 4"
1 FIRST AID GUIDE ASHI
10 HAND SANITIZER 0.9G WJ BULK
2 GAUZE CLEAN-WRAP BDGE N/S 2"
1 GAUZE CLEAN-WRAP BDGE N/S 3"
2 ABD COMBINE PAD 5" X 9"
1 CPR FILTERSHIELD 77-100
1 BAGGED COMP MISC
1 1 OZ, BUFF EYEWASH
1 SCISSOR BDGE 4" RED PLS HDL
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
2 PR LRG NITRILE GLVES ZIP BAG
2 1" X 3" PLASTIC BANDS 16/BAG
2 TAPE ADHESIVE 1/2 X 2.5 125133
1 WATER-JEL BURN DRESSING 4 X 4
1 ADH BNDG PLASTIC EX-LG 4"X 2"
1 KIT, PP 16 UNIT FA
1 LBL CONTENTS ANSI 2015 CL A
1 TRI BNDG NON WOVEN 40"X40"X56"
1 COLD PACK UNIT 4"X6" BULK
4 GAUZE PADS 3"X3" 12PLY
3 WOVEN FINGERTIP BANDAGE 2"
2 WOVEN KNUCKLE BANDAGE

Eye Wash Package label

Visible top when label is closed

Hinge Area	<p>Drug Facts Active ingredient Sterile water 99% Purpose Eyewash Uses For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water. Warnings For external use only Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard. Do not use • if solution changes color or becomes cloudy • if you have open wounds in or near the eyes, get medical help right away. Stop use and consult a doctor if • you experience eye pain • changes in vision • continued redness or irritation of the eye • condition worsens or persists</p>	<p>Drug Facts (continued) Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away. Directions • flush the affected area as needed • control the rate of flow of solution by pressure on the bottle • if necessary, continue flushing with emergency eyewash as shown Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p>
	<p>eyesaline Honeywell EYEWASH Sterile Isotonic Solution 1 fl. oz. (30 mL)</p>	

Top Panel
3/32" from die edges

<p>Datos de medicamento Ingrediente Activo Agua esteril 99% Propósito Lavajos Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, contaminantes aéreos, o agua de cloruro. Advertencias Solo para el uso externo Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Una vez abierto, No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca de los ojos, obtenga ayuda médica de inmediato. Deje de usar y consulte a un médico si usted • experimenta dolor de ojo • cambio de visión • rojiz continuo o irritación en el ojo • la condición empeora o persiste</p>	<p>Datos de medicamento (continuado) Manténgase fuera del alcance de los niños En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente. Instrucciones • enjuague el área afectada según se necesita • controle el chorro haciendo presión en la botella • si es necesario, sique enjuagado con un lavajos o ducta de emergencia Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p>
<p>eyesaline Honeywell LAVAJOS Solución Isotónica Esteril 30 mL (1 fl. oz.)</p>	

Back
1/8" from die edges



Label Patent Number
Can be anywhere on the label at 3.5pt minimum (use any dark color on that layer)

<p>Information Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée. Advertissements Pour usage externe seulement Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jeter. Ne pas utiliser • si la solution a changé de couleur ou si elle est troublee • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin Cesser d'utiliser la solution et consulter un médecin • vous ressentez une douleur oculaire • si votre vision change • rougeur ou irritation persistante des yeux • condition empire ou persiste</p>	<p>Information (suite) Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison. Mode d'emploi • rincer la zone touchée selon les besoins • régler le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche Ingédients eau distillée, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium. Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p>
<p>eyesaline Honeywell LAVAGE OCULAIRE La Solution Isotonique Stérile 30 mL (1 fl. oz.)</p>	



Base
3/32" from die edges

Printable Text Area

First Aid Burn Cream Principal Display Panel



Principal Display Panel



Aypanal
Principal Display Panel

Honeywell

AYPANAL

Acetaminophen 325 mg


Pain Reliever-Fever Reducer

25 Packets (2 Tablets Per Packet)
Quantity 50 Tablets

PACKAGE NOT CHILD-RESISTANT

UNIT NO. 35225AP

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917



77225-01 Rev.B

Drug Facts

Active ingredient (in each tablet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer

Uses - temporarily relieves minor aches and pains due to the common cold and headache
 - temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if
 • adult takes more than 4,000 mg acetaminophen in 24 hours, which is the maximum daily amount
 • child takes more than 5 doses in 24 hours, which is the maximum daily amount
 • taken with other drugs containing acetaminophen
 • adults has 3 or more alcoholic drinks every day while using this product

Drug Facts (continued)

Directions - do not take more than directed (see warnings)


<p>Children under 6 years - consult a doctor</p> <p>Children 6 to under 12 years - take 1 tablet every 4 to 6 hours while symptoms last - do not take more than 5 tablets in 24 hours</p> <p>12 years and older - take 2 tablets every 4 to 6 hours while symptoms last - do not take more than 12 tablets in 24 hours</p> <p>Directions - do not take more than directed (see warnings)</p>	<p>Overdose warning: In case of accidental harm or contact a Poison Control center right away. For more information, call 1-800-430-5490.</p> <p>Keep out of reach of children</p> <p>If repairs or breaks, including: - fever gets worse or lasts more than 3 days - redness or swelling is present - new symptoms occur</p> <p>Stop use and ask a doctor if: - pain gets worse or lasts more than 5 days in children under 12 years - pain gets worse or lasts more than 3 days in adults</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</p> <p>Ask a doctor before use if you have liver disease.</p> <p>Do not use with any other drug containing acetaminophen (see precautions).</p> <p>If skin reaction occurs, stop use and seek medical help right away. - skin redness - blisters - rash</p>
--	--

Other information - store at room temperature 15-30°C (59-86°F)
 - TAPESEAL EVIDENT PACKETS - DO NOT USE IF OPEN OR TORN

Inactive ingredients corn starch, microcrystalline cellulose, polydextrose, sodium starch glycolate, stearic acid


Questions or comments? 1-800-430-5490

Sting Relief Principal Display Panel



825366 Rev B

Honeywell 032043P




Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Honeywell 032043P



Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Drug Facts

Active Ingredients	Purpose
Ethyl alcohol 50.0%	First aid antiseptic
Lidocaine HCl 2.0%	Topical analgesic

Uses - first aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.

Warnings
For external use only.
 Flammable, keep away from fire or flame.

Do not use • over large areas of the body • in eyes • over raw or blistered areas

Stop use and ask a doctor • if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.
 If swallowed get medical help or contact Poison Control center right away.

Directions
 • adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily.
 • children under 2 years of age: consult a doctor.


Inactive Ingredients
 benzalkonium chloride, menthol, purified water

Questions or comments? 1-800-430-5490

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

www.honeywellsafety.com

USA
1-800-430-5490
0-401-943-4460



Made in USA
Packaged in Mexico

Neomycin Antibiotic Ointment Principal Display Panel

822568-25

**Neomycin First
aid antibiotic**

020126-25

Neomycin
First aid antibiotic
Neomycin sulfate
First aid antibiotic

Distributed by:
Honeywell Safety Products
USA, Inc. Smithfield,
RI 02917

25 Packets, Net Wt 1/32 oz (0.9 g) each

Neomycin First aid antibiotic

822568-25

Drug Facts

Active ingredient (in each gram) **Purpose**
Neomycin sulfate (equivalent to 3.5 mg neomycin) First aid antibiotic

Use first aid to help prevent infection in minor • cuts • scrapes • burns

Warnings

For external use only

Allergy alert • do not use if you are allergic to any of the ingredients

Do not use • in the eyes • over large areas of the body

Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops
• you need to use longer than one week

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• clean the affected area
• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
• may be covered with a sterile bandage

Other information store at 15° to 25°C (59° to 77°F)

Inactive ingredient petrolatum

Questions or comments? 1-800-430-5490

**Hand Sanitizer
Principal Display Panel**



INSTANT

Hand Sanitizer

**Antiseptic Gel
With Vitamin E & Aloe**

Kills 99.9% of Germs

Without Water

240mL - (8 fl oz)

**4151 Kit Label
SF00004420**



Maine Drilling & Blasting

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4151 FIRST AID KIT

4 151 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4151
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4151-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	3 PACKET	6
Part 3	6 POUCH	2.4 mL
Part 4	10 PACKET	9 g
Part 5	10 PACKET	9 g
Part 6	10 PACKET	14 mL
Part 7	10 PACKET	13 mL

Part 1 of 7

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 2 of 7

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information

Item Code (Source) NDC:0498-2001

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-2001-01	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	04/10/2012	

Part 3 of 7

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EP3A)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC mono graph not final	part348	12/23/2017	

Part 4 of 7

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYL PARABEN (UNII: A218C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/20/2017	

Part 5 of 7**NEOMYCIN**

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/31/2010	

Part 6 of 7**ANTISEPTIC TOWELETTE**

benzalkonium chloride liquid

Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/21/2017	

Part 7 of 7

INSTANT HAND SANITIZER

alcohol liquid

Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
TRIISOPROPANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0K00R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.3 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	04/15/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4151)

Establishment

Name	Address	ID/FEI	Business Operations
Ultra Seal Corporation		085752004	manufacture(0498-2001)

Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0903, 0498-0730, 59898-420)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc		167518617	manufacture(0498-0100)

Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0501)

Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America Inc		874965262	manufacture(0498-0733)