

LIDOMAX- lidomax gel
Oncora Pharma, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Lidomax™ (Lidocaine Hydrochloride) Topical Gel 2%

DESCRIPTION

Lidomax™ is a topical gel containing Lidocaine Hydrochloride 2%, a local anesthetic. It is intended for topical application to intact skin.

INDICATIONS AND USAGE

Lidomax™ is indicated for topical analgesia as directed by a healthcare provider.

WARNINGS

For external use only. Not for ophthalmic use. Avoid contact with eyes. Do not use if allergic to lidocaine or any components of the formulation. Keep out of reach of children.

DOSAGE AND ADMINISTRATION

Apply a thin layer to the affected area 3 to 4 times daily or as directed by a healthcare provider. For external use only.

HOW SUPPLIED

Lidomax™ (Lidocaine HCl 2%) is supplied as a clear topical gel in a 3 oz (85 g) tube.
NDC 85477-304-07

PRINCIPAL DISPLAY PANEL

Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).
[See USP Controlled Room Temperature].
Keep container tightly closed.

NDC: 85477-304-07
For RX only



KEEP OUT OF REACH OF CHILDREN
FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.

Net Wt. 3 oz. (85g)



DIRECTIONS: Apply Lidomax to the skin 3 to 4 times daily or as directed by a healthcare provider.

WARNINGS: Do not use this product if you are allergic to any of the ingredients. Avoid contact with eyes.

STORAGE: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F). [See USP Controlled Room Temperature].

Active Ingredients: Lidocaine HCl 2%

Inactive Ingredients: Aqua (Water), Hydroxyethylcellulose, Phenoxyethanol, Ethylhexylglycerin, Sodium hydroxide, Lactic acid.



Manufactured for:
Oncora Pharma
Dallas, TX, 75228

pdp

LIDOMAX

lidomax gel

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:85477-304
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
HYDROXYETHYLCELLULOSE (UNII: T4V6TWG28D)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
LACTIC ACID (UNII: 33X04XA5AT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85477-304-07	85 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/26/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/26/2026	

Labeler - Oncora Pharma, LLC (119482542)

Revised: 2/2026

Oncora Pharma, LLC