NUVICARE DAYTIME AND NIGHTTIME COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride, doxylamine succinate NUVICARE LLC

-----

### Nuvicare DayTime and NightTime Cold and Flu Softgel Combo Pack

#### **Drug Facts**

#### **Active ingredients**

#### Active ingredients in DayTime (in each softgel)

Acetaminophen 325mg

Dextromethorphan HBr 10mg

Phenylephrine HCI 5mg

# Active ingredients in NightTime (in each softgel)

Acetaminophen 325mg

Dextromethorphan HBr 15mg

Doxylamine Succinate 6.25 mg

# **Purpose**

# **DayTime**

Acetaminophen 325mg	Pain reliever/fever reducer
Dextromethorphan HBr 10mg	Cough suppressant
Phenylephrine HCl 5mg	Nasal decongestant

# **NightTime**

Acetaminophen 325mg	Pain reliever/fever reducer
Dextromethorphan HBr 15mg	Cough suppressant
Doxylamine succinate 6.25 mg.	Antihistamine

#### Uses:

temporarily relieves common cold/flu symptoms:

- nasal congestion (DayTime Only)
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains

- fever
- Runny nose and sneezing (NightTime only)

#### Warning

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

 $\blacksquare$  more than 4 doses in 24 hrs, which is the maximum daily amount for this product  $\blacksquare$  with other drugs containing acetaminophen  $\blacksquare$  3 or more alcoholic drinks every day while using this product.

**Allergy Alert:** acetamenophen may cause severe skin recations. Symptoms may include:

 $\blacksquare$  skin reddening  $\blacksquare$  blisters  $\blacksquare$  rash. if a skin reactions occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleep (NightTime Only).

# Ask a doctor before use if you have

- liver disease
- Glaucoma (NightTime Only)
- cough that occurs with too much phlegm (mucus)
- trouble urinating due to enlarged prostate gland
- a breathing problem, persistent or chronic cough as occurs with smoking, asthma, or emphysema and (**NightTime Only**) chronic Bronchitis
- heart disease
- diabetes (DayTime Only)
- thyroid disease (DayTime Only)
- high blood pressure (DayTime Only)

### Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers (NightTime Only)
- taking the blood thinning drug warfarin

# When using this product-do not use more than directed. In addition when using NightTime:

- excitability may occur, especially in children
- marked drowsiness may occur
- · avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machiner
- alcohol, sedative and tranquilizers may increase drowsiness

#### Stop use and ask a doctor if

- you get nervous, dizzy or sleepless (DayTime Only)
- pain, cough or nasal congestion (DayTime only) may get worse or last more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health care professional before use.

# Keep out of reach of children.

**OVERDOSE WARNING:** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults and for children even if you do not notice any signs or symptoms. # 1 (800) 222-1222

#### **Directions**

- take only as directed- see **OVERDOSE WARNING**
- do not exceed 8 softgels per 24 hrs.
- Take softgels with water

	<b>DayTime</b>	NightTime
Adults and children age 12 yrs and over	2 softgels every 4 hrs.	2 softgels every 6 hrs.
Children 4 to under 12 yrs	ask a doctor	ask a doctor
Children under 4 yrs	do not use	do not use

Read each label carefully before taking Daytime and Nighttime products.

#### Other information

- store between 15-30°C (59-86 °F)
- avoid excessive heat, cold and humidity


#### Inactive ingredients

(**Daytime**) FD&C Red No. 40, FD&C Yellow No. 6, Gelatin, Glycerin, Polyethylene glycol-400, Povidone (PVPK-30), Propylene glycol, Purified water, Sorbitol sorbitan solution

(**Nighttime**) D&C Yellow No. 10, FD&C Blue No. 1, Gelatin, Glycerin, Polyethylene glycol-400, Povidone (PVPK-30), Propylene glycol, Purified water, Sorbitol sorbitan solution

#### **Questions or Comments?**

Call 1 (718) 337-8733 or email: support@nuvicare.com





#### **NUVICARE DAYTIME AND NIGHTTIME COLD AND FLU**

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride, doxylamine succinate kit

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84324-020

#### **Packaging**

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:84324-020-	1 in 1 CARTON; Type 1: Convenience Kit of Co- Package	06/09/2025	

#### **Ouantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	1 BLISTER PACK	6
Part 2	1 BLISTER PACK	6

# Part 1 of 2

# **NUVICARE DAYTIME COLD AND FLU SOFTGEL**

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

### **Product Information**

Item Code (Source) NDC:84324-018

**Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS 297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients		
Ingredient Name	Strength	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
POVIDONE (UNII: FZ989GH94E)		
Gelatin (UNII: 2G86QN327L)		
Sorbitol (UNII: 506T60A25R)		
GLYCERIN (UNII: PDC6A3C0OX)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		

Product Characteristics			
Color	red	Score	no score
Shape	capsule (Oblong)	Size	18mm
Flavor		Imprint Code	SD14
Contains			

Pa	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/09/2025	

# Part 2 of 2

## **NUVICARE NIGHTTIME COLD AND FLU SOFTGEL**

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled

Product Information		
Item Code (Source)	NDC:84324-019	
Route of Administration	ORAL	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg	
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg	

Inactive Ingredients		
Ingredient Name	Strength	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
POVIDONE (UNII: FZ 989GH94E)		
Gelatin (UNII: 2G86QN327L)		
Sorbitol (UNII: 506T60A25R)		
GLYCERIN (UNII: PDC6A3C0OX)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)		

Product Characteristics			
Color	green	Score	no score
Shape	capsule (Oblong)	Size	19mm
Flavor		Imprint Code	SD15
Contains			

Pa	ckaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	6 in 1 BLISTER PACK; Type 0: Not a Combination
-	Product

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M012	06/09/2025	

# **Marketing Information**

Marketing App	lication Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug M012		06/09/2025	

# Labeler - NUVICARE LLC (119257565)

# Registrant - NUVICARE LLC (119257565)

Revised: 6/2025 NUVICARE LLC