

**KANDESN CC CREAM FAIR- sunscreen broad spectrum spf30 cream
Sunrider Manufacturing L.P.**

Kandesn CC Cream Fair

USES:

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreased the risk of skin cancer and early skin aging caused by the sun.

DIRECTIONS:

- apply liberally 15 minutes before sun exposure
- Reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

ACTIVE INGREDIENTS:

Titanium Dioxide 9.48%

Zinc Oxide 4.6%

OTHER INGREDIENTS:

Water (Deionized)

Caprylic/Capric Triglyceride,

Octyldodecyl Neopentanoate,

VP/Eicosene Copolymer,

Cyclopentasiloxane,

Glyceryl Stearate,

PEG-100 Stearate,

Squalane (Veg. Origin),

Cetyl Alcohol,

Alumina,

Dimethicone,

Olea Europaea (Olive) Fruit Oil,

Persea Gratissima (Avocado) Oil,

Simmondsia Chinensis (Jojoba) Seed Oil,

Tocopheryl Acetate (Natural),

Phenoxyethanol,
Glycerin,
Magnesium Aluminum Silicate,
Phenyl Trimethicone,
Citric Acid,
Hexyldecanol,
Iron Oxides (CI 77491, 77492, 77499),
Ticaxan Xanthan Powder,
Cyclomethicone,
Propylene Glycol,
Trisodium EDTA,
Triethoxycaprylylsilane,
d-Tocopherol (Vitamin E),
Lysine PCA,
Ethylhexylglycerin,
Natural Scent Green Tea,
Cucumber Sage,
Ceramide-3,
Panicum Miliaceum (Millet) Seed Extract,
Sodium Benzoate Powder NF,
Silica,
Cellulose Gum,
Phospholipids,
TEA-Carbomer,
Melon Berry,
Avena Sativa (Oat) Kernel Protein,
Sodium Polyacrylate,
Ruscus Aculeatus Root Extract (Butcherbroom),
Symphytum Officinale Rhizome (Comfrey) Root Extract,
Hydrolyzed Wheat Protein,
Plantago Ovata (Plantain) Seed Extract,
Ceratonia Siliqua (Carob) Gum,
Potassium Sorbate,

Proline,
Serine,
Glutamine,
Leucine,
Fragrances

WARNINGS:

FOR EXTERNAL USE ONLY

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

KEEP OUT OF REACH OF CHILDREN. If product is swallowed, get medical help or contact a Poison Control Center right away.

Packaging

Box



Drug Facts

(continued)

Inactive ingredients

Water (Deionized), Caprylic/Capric Triglyceride, Octylododecyl Neopentanoate, VP/Eicosene Copolymer, Cyclopentasiloxane, Glyceryl Stearate, PEG-100 Stearate, Squalene (veg. Origin), Cetyl Alcohol, Alumina, Dimethicone, Olea Europaea (Olive) Fruit Oil, Persea Gratissima (Avocado) Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Tocopheryl Acetate (Natural), Phenoxethylanol, Glycerin, Magnesium Aluminum Silicate, Polyhydroxystearic Acid, Phenyl Trimethicone, Citric Acid, Hexyl Decanoate, Iron Oxides (CI 77491, 77492, 77499), Tixoon Xanthan Powder, Cycloheximide, Propylene Glycol, Trisodium EDTA, Triethoxycaprylylsilane, d-Tocopherol (Vitamin E), Lysine PCA, Ethylhexylglycerin, Natural/Scent Green Tea, Cucumber Sage, Ceanoth-3, Pancreum Milaceum (Millet) Seed Extract, Sodium Benzazolate Powder NF, Silica, Cellulose Gum, Phospholipids, TEA-Carbomer, Melon Berry, Avena Sativa (Oat) Kernel Protein, Sodium Polyacrylate, Ruscus Aculeatus Root Extract (Butcherbroom), Symphytum Officinale Rhizome (Comfrey) Root Extract, Hydrolyzed Wheat Protein, Plantago Ocreata (Plantain) Seed Extract, Cerebisia Siliqua (Carob) Gum, Potassium Sorbate, Proline, Serine, Glutamine, and Leucine.

Other information

- protect this product from excessive heat and direct sun

Questions or comments?

Call 1-310-781-8096



SUNRIDER®

Recommendation:

Wear it alone or apply over your favorite moisturizer. For gentle, efficient removal, use any makeup remover. For moderate coverage, smooth on bare skin or mix with your moisturizer. For full coverage, wear under a foundation.



the
beauty
within™

Manufactured by
Sunrider Manufacturing, L.P.
Midlothian, Texas 76065
USA



US S870750034

Kandesn®

CC
CREAM

SUNSCREEN
BROAD SPECTRUM
SPF 30

fair

1.25 fl. oz. / 37 mL

Drug Facts

Active Ingredients Purpose

Titanium Dioxide	9.48%	Sunscreen
Zinc Oxide	4.6%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor



Please recycle.

2009147 r1

Tube

Kandesn®

CC
CREAM
SUNSCREEN
BROAD SPECTRUM
SPF 30



fair

1.25 fl. oz. / 37 mL

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun

Manufactured by
Sunrider Manufacturing, L.P.
Midlothian, Texas 76065, USA
Product Inquiry: 1-310-781-8096



SUNRIDER®

US S870750134

KANDESAN CC CREAM FAIR

sunscreen broad spectrum spf30 cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62191-118
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	114 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	55 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
OLEA EUROPAEA (OLIVE) FRUIT OIL (UNII: 6UYK2WLW1E)	
PERSEA GRATISSIMA (AVOCADO) OIL (UNII: 6VNO72PFC1)	
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL (UNII: 724GKU717M)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CITRIC ACID (UNII: 2968PHW8QP)	
HEXYLDECANOL (UNII: 151Z7P1317)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TRISODIUM EDTA (UNII: 420IP921MB)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.DELTA.-TOCOPHEROL (UNII: JU84X1I10N)	
LYSINE PCA (UNII: 89WUG4A348)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
SAGE (UNII: 065C5D077J)	
CERAMIDE 3 (UNII: 4370DF050B)	
MILLET (UNII: TJR6B3R47P)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
CELLULOSE GUM (UNII: K679OBS311)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
CARBOMER (UNII: 0A5MM307FC)	
MELON (UNII: 5CIT1X6U5V)	
OATMEAL (UNII: 8PI54V663Y)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
RUSCUS ACULEATUS ROOT (UNII: ZW12V95I1Q)	

COMFREY ROOT (UNII: M9VVZ08EKQ)
HYDROLYZED WHEAT PROTEIN (ENZYMATIC, 3000 MW) (UNII: J2S07SB0YL)
PLANTAGO OVATA SEED (UNII: UD50RBY30F)
CAROB (UNII: 5MG5Z946UO)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
PROLINE (UNII: 9DLQ4CIU6V)
SERINE (UNII: 452VLY9402)
GLUTAMINE (UNII: 0RH81L854J)
LEUCINE (UNII: GMW67QNF9C)
WATER (UNII: 059QF0KO0R)
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)
GLYCERYL STEARATE (UNII: 230OU9XXE4)
PEG-100 STEARATE (UNII: YD01N1999R)
SQUALANE (UNII: GW89575KF9)
CETYL ALCOHOL (UNII: 936JST6JCN)
DIMETHICONE (UNII: 92RU3N3Y1O)
ALUMINA (UNII: LMI26O6933)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62191-118-01	1 in 1 PACKAGE	12/20/2021	
1		41.75 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part352	09/01/2016	

Labeler - Sunrider Manufacturing L.P. (786951475)

Revised: 12/2025

Sunrider Manufacturing L.P.