

**RODAN AND FIELDS REVERSE 4 BROAD SPECTRUM SPF 50 PLUS SUNSCREEN-
avobenzone, homosalate, octisalate, octocrylene cream**

Rodan & Fields

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

RODAN AND FIELDS REVERSE 4 BROAD SPECTRUM SPF 50+ SUNSCREEN

RODAN AND FIELDS REVERSE 4 BROAD SPECTRUM SPF 50+ SUNSCREEN

Active ingredients

Avobenzone 3 %
Homosalate 10%
Octisalate 5%
Octocrylene 2.6%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply a dime-sized amount evenly over entire face, avoiding the eye area. Use every morning and apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating

- Reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Inactive ingredients

Water, Dipropylene Glycol, Caprylyl Methicone, Dicaprylyl Carbonate, PEG/PPG-17/6 Copolymer, Potassium Cetyl Phosphate, Methyl Glucose Sesquistearate, Hydrogenated Palm Glycerides, Polyacrylate-15, Polyacrylate-17, Alcohol, Butylene Glycol, Adenosine, Dunaliella Salina Extract, Euterpa Olearacea (Acai) Fruit Extract, Portulaca Olearacea Extract, Morus Alba (Mulberry) Extract, Camellia Sinensis (Green Tea) Leaf Extract, Dipotassium Glycyrrhizate, Panthenol, Tocopheryl Acetate, Caprylyl Glycol, Glyceryl Stearate, Hydrogenated Polydecene, PEG-100 Stearate, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Polysorbate 80, Cetyl Alcohol, PEG-10 Dimethicone, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Phenoxyethanol, Potassium Hydroxide, Disodium EDTA, Fragrance

Other information

Protect this product from excessive heat and direct sun.

Step 4 in the REVERSE Regimen for Brown Spots, Dullness and Sun Damage. Advanced formula prevents future discoloration by shielding pigment-stimulating UV rays. Contains SHIELD^{rf} sunscreen technology, an exclusive complex of stabilized avobenzone (a key UVA blocker) and colorless carotenoids (free radical fighting antioxidants) to visibly decelerate the signs of photoaging that appear over time. Antioxidants vitamin E and green tea provide additional protection from free radicals, while licorice extract and mulberry help to brighten dull skin. Use as part of the REVERSE Regimen for best results.

Developed by Stanford trained dermatologists Dr. Katie Rodan and Dr. Kathy Fields. visit rodanandfields.com Manufactured for Rodan and Fields, LLC 11 Maiden Lane, Suite 400, San Francisco, CA 94108. Made in the USA Please Recycle.

QUESTIONS OR COMMENTS

1-888-995-5656

RODAN + FIELDS REVERSE 4 Broad Spectrum SPF 50+ Sunscreen RODAN + FIELDS DERMATOLOGISTS 50 mL / 1.7 Fl.Oz.

RODAN AND FIELDS REVERSE 4 BROAD SPECTRUM SPF 50+ SUNSCREEN 50ml (14222-0420-1)

RODAN+FIELDS®
REVERSE

4

Broad Spectrum
SPF 50+ Sunscreen

Eye Mark

PURPOSE: To help prevent skin discolorations due to sun exposure.

DIRECTIONS: After using REVERSE Deep Exfoliating Wash, Skin Lightening Toner and Skin Lightening Treatment, apply a generous dime-sized amount evenly over the entire face every morning. Reapply every 2 to 3 hours when exposed to the sun. Avoid the eye area.

ACTIVE INGREDIENTS: Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 2.6% Sunscreens

WARNINGS: For external use only. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Manufactured for Rodan & Fields, LLC
111 Maiden Lane, Suite 400 San Francisco, CA 94108
Made in USA 8500-05-0010-CA Please Recycle
visit rodanandfields.com

QUESTIONS OR COMMENTS 1-888-995-5656

50 mL/1.7 FL.Oz.

Drug Facts	
Active ingredients	Purpose
Avobenzone 3% Homosalate 10% Octisalate 5% Octocrylene 2.6%	Sunscreen
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. 	
Warnings For external use only.	
Do not use on damaged or broken skin.	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> Apply a dime-sized amount evenly over entire face, avoiding the eye area. Use every morning and apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply at least every 2 hours. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeve shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor. 	
Inactive ingredients	
Water, Dipropylene Glycol, Caprylyl ▶	

Drug Facts (continued)
Methicone, Dicaprylyl Carbonate, PEG/PPG-17/6 Copolymer, Potassium Cetyl Phosphate, Methyl Glucose Sesquistearate, Hydrogenated Palm Glycerides, Polyacrylate-15, Polyacrylate-17, Alcohol, Butylene Glycol, Adenosine, Dunaliella Salina Extract, Euterpa Oleracea (Acai) Fruit Extract, Portulaca Oleracea Extract, Morus Alba (Mulberry) Extract, Camellia Sinensis (Green Tea) Leaf Extract, Dipotassium Glycyrrhizate, Panthenol, Tocopheryl Acetate, Caprylyl Glycol, Glycerol Stearate, Hydrogenated Polydecene, PEG-100 Stearate, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Polysorbate 80, Cetyl Alcohol, PEG-10 Dimethicone, Acylates/C10-30 Alkyl Acrylate Crosspolymer, Phenoxethanol, Potassium Hydroxide, Disodium EDTA, Fragrance.
Other information
Protect this product from excessive heat and direct sun.

RODAN+FIELDS
REVERSE

**4 Broad Spectrum
SPF 50+
Sunscreen**

RODAN+FIELDS
DERMATOLOGISTS

50 mL / 1.7 Fl.Oz.

Step 4 in the REVERSE Regimen for Brown Spots, Dullness and Sun Damage. Advanced formula prevents future discoloration by shielding pigment-stimulating UV rays. Contains SHIELD^{RF} sunscreen technology, an exclusive complex of stabilized avobenzone (a key UVA blocker) and colorless carotenoids (free radical fighting antioxidants) to visibly decelerate the signs of photoaging that appear over time. Antioxidants vitamin E and green tea provide additional protection from free radicals, while licorice extract and mulberry help to brighten dull skin. Use as part of the REVERSE Regimen for best results.

Developed by Stanford trained dermatologists Dr. Katie Rodan and Dr. Kathy Fields.

[visit rodanandfields.com](http://visit.rodanandfields.com)

Manufactured for Rodan & Fields, LLC
111 Maiden Lane, Suite 400
San Francisco, CA 94108
Made in the USA RVSS050
8000-05-0010-0A Please Recycle

QUESTIONS OR COMMENTS
1-888-995-5656

RODAN AND FIELDS REVERSE 4 BROAD SPECTRUM SPF 50 PLUS SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-0420
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	26 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
CAPRYLYL TRISILOXANE (UNII: Q95M2PIKJL)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
PEG/PPG-17/6 COPOLYMER (UNII: P5QZM4T259)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
HYDROGENATED PALM GLYCERIDES (UNII: YCZ8EM144Q)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ADENOSINE (UNII: K72T3FS567)	
DUNALIELLA SALINA (UNII: F401DKI9A6)	
ACAI (UNII: 46AM2VJ0AW)	
PURSLANE (UNII: M6S840WYG5)	
WHITE MULBERRY (UNII: MN25R0HH5A)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	
PANTHENOL (UNII: WV9CM0O67Z)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-0420-1	1 in 1 CARTON	12/19/2017	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/16/2012	

Labeler - Rodan & Fields (051659584)

Establishment

Name	Address	ID/FEI	Business Operations
Englewood Lab, Inc.		080366903	manufacture(14222-0420)

Establishment

Name	Address	ID/FEI	Business Operations
Englewood Lab Korea Co., Ltd.		690104005	manufacture(14222-0420)

Revised: 1/2020

Rodan & Fields