

CLARINS BROAD SPECTRUM SPF 50 SUNSCREEN BODY- avobenzonone, homosalate, octinoxate, octisalate, cream
Laboratoires Clarins

CLARINS - BROAD SPECTRUM SPF 50+ Sunscreen Body Lotion Spray

Drug facts

Active ingredients

AVOBENZONONE 3%,
HOMOSALATE 10%,
OCTINOXATE 7.5%,
OCTISALATE 5%,
OCTOCRYLENE 10%

Purpose

Sunscreen

Uses:

• helps prevent sunburn • if used as directed with other sun protection measures (see

Directions)

, decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only.

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

• apply liberally 15 minutes before sun exposure • apply to all skin exposed to the sun • children under 6 months: Ask a doctor

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating

Other information:

• protect this product from excessive heat and direct sun


Questions or comments?

Call 1-866-325-2746 Monday-Friday 9am to 6:30pm ET

Inactive ingredients

AQUA/WATER/EAU . BUTYLOCTYL SALICYLATE . STYRENE/ACRYLATES COPOLYMER . BUTYLENE GLYCOL . POLYGLYCERYL-6 STEARATE . POLYESTER-7 . NEOPENTYL GLYCOL DIHEPTANOATE . ALOE BARBADENSIS LEAF JUICE . DIETHYLHEXYL SYRINGYLIDENEMALONATE . PARFUM/FRAGRANCE . POLYSILICONE-15 . MANNITOL . POTASSIUM CETYL PHOSPHATE . PHENOXYETHANOL . PEG-8 LAURATE . DIMETHICONE . GLYCERIN . POLYGLYCERYL- 6 BEHENATE . DISODIUM EDTA . ETHYLHEXYLGLYCERIN . TOCOPHERYL ACETATE . POLYACRYLATE CROSSPOLYMER-6 . SODIUM DEHYDROACETATE . CAPRYLIC/CAPRIC TRIGLYCERIDE . TOCOPHEROL . DIMETHICONOL . CYCLODEXTRIN . PISUM SATIVUM (PEA) EXTRACT . CASSIA ALATA LEAF EXTRACT . FAEX EXTRACT/YEAST EXTRACT/EXTRAIT DE LEVURE . DEXTRIN . HYDROLYZED ADANSONIA DIGITATA EXTRACT . BHT . OLEA EUROPAEA (OLIVE) LEAF EXTRACT . T-BUTYL ALCOHOL . PLATANUS OCCIDENTALIS BARK EXTRACT . CITRIC ACID . POTASSIUM SORBATE . SODIUM BENZOATE. [S2031C]

Package Labeling:



Sunscreen Body Lotion Spray
Broad Spectrum SPF 50+

Sun care for all skin types in all circumstances (whatever your destination or activity).

- Moisturizes and protects against the harmful effects of the sun.
- Fluid spray for ease of application.
- Leaves skin soft without any white marks.

Clarins Exclusive Multi-Protection:

- [SunFilterComplex]: a combination of sun filters to provide optimal protection against UVA/UVB.
- [SunPlantComplex]: five plant extracts to help prevent the visible signs of early photoaging.

Leche solar hidratante en spray
cuerpo Amplio Espectro SPF 50+

El tratamiento para todas las pieles y todas las ocasiones (cualquiera que sea el destino y la actividad realizada).

- Hidrata y protege de los efectos nocivos del sol.
- Textura fluida que se extiende fácilmente gracias a su spray.
- Deja la piel suave, sin marcas blancas.

Multi-Protección Exclusiva Clarins:

- [SunFilterComplex]: combinación de filtros solares para una protección óptima contra los rayos UVA/UVB.
- [SunPlantComplex]: cinco extractos de plantas para ayudar a prevenir los signos visibles del fotoenvejecimiento prematuro.

Drug facts (continued) / Información sobre el producto (continuación)

Inactive ingredients / Ingredientes inactivos: AQUAWATER/EAU - BUTYLOCTYL SALICYLATE - STYRENE/ACRYLATES COPOLYMER - BUTYLENE GLYCOL - POLYGLYCERYL-6 STEARATE - POLYESTER-7 - NEOPENTYL GLYCOL DIHEPTANOATE - ALOE BARBADENSIS LEAF JUICE - DIETHYLHEXYL SYRINGYLIDENEMALONATE - PARFUM/FRAGRANCE - POLYSILOXANE-15 - MANNITOL - POTASSIUM CETYL PHOSPHATE - PHENOXYETHANOL - PEG-8 LAURATE - DIMETHICONE - GLYCERIN - POLYGLYCERYL-6 BEHENATE - DISODIUM EDTA - ETHYLHEXYL GLYCERIN - TOCOPHERYL ACETATE - POLYACRYLATE CROSSPOLYMER-6 - SODIUM DEHYDROACETATE - CAPRYLIC/CAPRIC TRIGLYCERIDE - TOCOPHEROL - DIMETHICONOL - CYCLODEXTRIN - PISUM SATIVUM (PEA) EXTRACT - CASSIA ALATA LEAF EXTRACT - FAEX EXTRACT/YEAST EXTRACT/EXTRAIT DE LEVURE - DEXTRIN - HYDROLYZED ADANSONIA DIGITATA EXTRACT -

BHT - OLEA EUROPAEA (OLIVE) LEAF EXTRACT - T-BUTYL ALCOHOL - PLATANUS OCCIDENTALIS BARK EXTRACT - CITRIC ACID - POTASSIUM SORBATE - SODIUM BENZOATE. [S2031C]

CET ARTICLE NE PEUT ÊTRE VENDU
QUE PAR LES DÉPOSITAIRES
AGRÉÉS CLARINS
EXCLUSIVE SALE THROUGH
AUTHORIZED RETAILERS

Drug facts

Active ingredients	Purpose
AVOBENZONE 3%	Sunscreen
HOMOSALATE 10%	Sunscreen
OCTINOXATE 7.5%	Sunscreen
OCTISALATE 5%	Sunscreen
OCTOCRYLENE 10%	Sunscreen

Uses:

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only.

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Other information:

- protect this product from excessive heat and direct sun

Questions or comments?

Call 1-866-325-2746
Monday-Friday 9am to 6:30pm ET



[SUNPLANTCOMPLEX]
ENRICHÉ EN EXTRAITS
DE PLANTES
ENRICHED
WITH PLANT EXTRACTS



PACKAGINGS
ÉCO-PENSÉS
ECO-FRIENDLY
PACKAGING

SUN CARE
MULTI CELLULAR PROTECTION

CLARINS
PARIS

50+



BROAD SPECTRUM
SPF 50+

Lait-en-Spray
Solaire Corps
Hydratation, confort

Sunscreen
Body Lotion Spray
Hydratation, confort

150 mL - 5 Fl. Oz.

Información sobre el producto

Ingredientes activos	Función
AVOBENZONE 3%	Protección solar
HOMOSALATE 10%	Protección solar
OCTINOXATE 7.5%	Protección solar
OCTISALATE 5%	Protección solar
OCTOCRYLENE 10%	Protección solar

Uso:

- ayuda a prevenir los enrojecimientos
- si se utiliza como se recomienda, con otras medidas de protección (ver Instrucciones), disminuye el riesgo de cáncer de piel y de envejecimiento prematuro de la piel ocasionado por el sol

Advertencia:

Para uso externo únicamente.

No utilizar

- en la piel lastimada.

Al utilizar este producto

- evitar el contacto con los ojos. Enjuagar con agua para retirarlo.

Interrumpir la utilización y consultar con un médico

- en caso de irritación.

Mantener fuera del alcance de los niños. En caso de ingestión, acudir al médico o llamar al servicio nacional de información toxicológica de inmediato.

Instrucciones:

- aplicar generosamente 15 minutos antes de la exposición al sol
- aplicar en toda la piel que va a ser expuesta al sol
- para niños menores de 6 meses, consultar con un médico
- **Recomendaciones sobre protección solar.** La exposición al sol incrementa el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, utilizar con regularidad un protector solar con SPF 15 o superior, así como otras medidas de protección tales como:
 - limitar el tiempo de la exposición, especialmente entre 10 a.m. y 2 p.m.
 - utilizar camiseta de manga larga, pantalón, gorra y gafas de sol
- repetir la aplicación por lo menos cada 2 horas
- utilizar un protector solar resistente al agua en caso de nadar o transpirar

Información adicional:

- proteger este producto del calor excesivo y del sol directo

¿Preguntas o comentarios?

Llama al 1-866-325-2746
de lunes a viernes de 9 a.m. a 6:30 p.m. hora del este.

www.clarins.com

WITH PLANT EXTRACTS

AUX EXTRAITS DE PLANTES

WITH PLANT EXTRACTS

OC507004

CLARINS - 92200 Neuilly-sur-Seine

95300 Pontoise - France

Made in France



REF 80107456



3 666057 246081

EMPLACEMENT
N° DE LOT



CLARINS
PARIS

50+

BROAD SPECTRUM
SPF 50+

**Lait-en-Spray
Solaire Corps**
Hydratation, confort

**Sunscreen
Body Lotion Spray**
Hydration, confort

Warnings: for external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. **Directions:** apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Children under 6 months: ask a doctor.

Questions or comments?

Call 1-866-325-2746

Monday-Friday 9am to 6:30pm ET

ACTIVE INGREDIENTS/INGREDIENTES ACTIVOS: AVOBENZONE 3% · HOMOSALATE 10% · OCTINOXATE 7.5% · OCTISALATE 5% · OCTOCRYLENE 10%.

Advertencia: para uso externo únicamente. No utilizar en la piel lastimada. Al utilizar este producto, evitar el contacto con los ojos. Enjuagar con agua para retirarlo. Interrumpir la utilización y consultar con un médico en caso de irritación. Mantener fuera del alcance de los niños. **Uso:** aplicar generosamente 15 minutos antes de la exposición al sol. Repetir la aplicación por lo menos cada 2 horas. Utilizar un protector solar resistente al agua en caso de nadar o transpirar. Para niños menores de 6 meses, consultar con un médico.

¿Preguntas o comentarios?

Llama al 1-866-325-2746

de lunes a viernes de 9 a.m. a 6:30 p.m. hora del este.



CLARINS - 92200 Neuilly-sur-Seine
95300 Pontoise - France
Made in France

150 mL

5 Fl. Oz.

CLARINS BROAD SPECTRUM SPF 50 SUNSCREEN BODY

avobenzon, homosalate, octinoxate, octisalate, cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58668-9922
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
STYRENE (UNII: 44LJ2U959V)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYGLYCERYL-6 STEARATE (UNII: ETY9Q81E2T)	
POLYESTER-7 (UNII: 0841698D2F)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
MANNITOL (UNII: 3OWL53L36A)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
DIMETHICONE (UNII: 92RU3N3Y10)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-6 BEHENATE (UNII: 4T2L7QI313)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CYCLODEXTRINS (UNII: 7E6SK9QDT8)	
PEA (UNII: W4X7H8GYFM)	
SENNA ALATA LEAF (UNII: 4BXR6YZN92)	
YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
OLEA EUROPAEA LEAF (UNII: MJ95C3OH47)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
PLATANUS OCCIDENTALIS BARK (UNII: 85RMN3QGSE)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)

SODIUM BENZOATE (UNII: OJ245FE5EU)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58668-9922-1	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2024	

Labeler - Laboratoires Clarins (266317555)

Revised: 12/2023

Laboratoires Clarins