

DRAMAMINE - N- meclizine hydrochloride tablet
Medtech Products Inc.

Dramamine-N Nausea

Drug Facts

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Use

for prevention and treatment of these symptoms associated with motion sickness:

■ nausea ■ vomiting ■ dizziness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor

Ask a doctor before use if you have

■ a breathing problem such as emphysema or chronic bronchitis

■ glaucoma

■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking

sedatives or tranquilizers

When using this product

■ drowsiness may occur

■ avoid alcoholic drinks

■ alcohol, sedatives, and tranquilizers may increase drowsiness

■ be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a doctor before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take first dose one hour before activity that may result in nausea
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- store at room temperature 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous lactose, corn starch, colloidal silicon dioxide, D&C yellow no. 10 aluminum lake, magnesium stearate, microcrystalline cellulose

Questions?

1-800-382-7219 Dramamine.com

PRINCIPAL DISPLAY PANEL

Dramamine®-N

Meclizine Hydrochloride Tablets/Antiemetic

10 Tablets

NEW! FROM THE
MAKERS OF
Dramamine

Meclizine
Hydrochloride
/ Antiemetic

LONG LASTING FORMULA

Dramamine-N

THE NAUSEA SPECIALIST™

Relieves & Prevents **NAUSEA** DIZZINESS & VOMITING

LONG LASTING FORMULA

Dramamine-N

THE NAUSEA SPECIALIST™

Relieves & Prevents **NAUSEA**
DIZZINESS & VOMITING

Specially made for up to
24 Hours of protection

10
TABLETS
(25 mg each)



Distributed by Medvet Products Inc.
Tarrytown, NY 10591
A Foreign Exchange Company
Made in India. DALL505108
©2018 Trade Dress is owned by Medvet
Products Inc. All Rights Reserved

Drug Facts

Active ingredient (in each tablet): Purpose Meclizine HCl 25 mg

Use: For prevention and treatment of motion sickness associated with motion sickness symptoms associated with motion sickness. (1-800-222-1222) 10 mg (MVAW).

Warnings: Do not give to children under 12 years of age unless directed by a doctor. Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis. Possible drowsiness. Possible dizziness due to an enlarged prostate gland. Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product drowsiness may occur. Avoid alcohol, sedatives, and tranquilizers may be careful when driving a motor vehicle or operating machinery. If pregnant or breast-feeding, ask a doctor before use.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center at (1-800-222-1222) 10 mg (MVAW).

Directions: Take first dose one hour before activity that may result in nausea. Adults and children 12 years and older: 1 to 2 tablets once daily, or as directed by a doctor.

Other information: Store at room temperature (20°-25°C (68°-77°F)).

Inactive ingredients: anhydrous lactose, corn starch, croscarmellose, croscarmellose sodium, croscarmellose sodium, croscarmellose sodium, croscarmellose sodium, croscarmellose sodium.

Questions? 1-800-382-1219 Dramamine.com

Important: Lay
carton to show
direction
tamper evident
Do not use if outer
carton is open.



Dramamine.com

meclizine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-905
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
STARCH, CORN (UNII: O8232NY3SJ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	yellow	Score	2 pieces
Shape	ROUND	Size	9mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-905-10	2 in 1 BOX	01/15/2018	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	01/15/2018	

Labeler - Medtech Products Inc. (122715688)

