OXYGEN- oxygen gas O2 Plus, Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

OXYGEN COMPRESSED LABEL

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT PRESCRIPTION. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION. DO NOT REMOVE THIS PRODUCT LABEL. WARNING: HIGH PRESSURE GAS VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F) USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS)

NET CONTENTS

CYLINDER TYPE LITERS

T	9310
K	6900
S	4250
D,E,Y	3500
Q	2320
XL	1970
AN-E	625
AN-D	360
R	570

CAS 7782-44-7 IN CASE OF CHEMICAL EMERGENCY PLEASE CALL INFOTRAC AT 1-800-535-5053

OXYGEN, COMPRESSED USP

UN1072



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other applications, **R**_X only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.

Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F). Use in accordance with the Material Safety Data Sheet (MSDS).

NET CONTENTS

CYLINDER T	YPE	LITERS
T		9310
K		6900
S		4250
D,E,Y		3500
Q		2320
XL		1970
AN-E		625
AN-D		360
R		570

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

Distributed by: O2Plus, Inc.

611 Kingsbridge Rd • Carrollton, GA 30117 • 770-214-0800

In case of chemical emergency please call INFOTRAC at: 1-800-535-5053

47033

(R 05/06)



OXYGEN REFRIGERATED LIQUID LABEL

OXYGEN REFRIGERATED LIQUID USP UN1073 OXYGEN-2 LOT# LITERS ALWAYS KEEP CONTAINER IN UPRIGHT POSITION WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT CAN CAUSE SEVERE FROSTBITE KEEP OIL, GREASE AND COMBUSTIBLES AWAY USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID LIN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK ON OR ROLL EQUIPMENT OVER SPILLS. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE IN ACCORDANCE WITH MATERIAL SAFETY DATA SHEET (MSDS). FIRST AID: IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY. WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS RX ONLY. CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT PRESCRIPTION. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION. DO NOT REMOVE THIS PRODUCT LABEL.

OXYGEN, REFRIGERATED LIQUID

USP UN1073



LOT #:

CONTENTS:

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.

> VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING! For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Caution: Federal law prohibits dispensing without prescription.

> Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjuction with resuscitative equipment.

Produced by Air Liquefaction

DO NOT REMOVE THIS PRODUCT LABEL.

Distributed by:

O₂ Plus, Inc.
611 Kingsbridge Rd. • Carrollton, GA 30117 770-214-0800

45136

OXYGEN

oxygen gas

Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:64464-001	
Route of Administration	RESPIRATORY (INHALATION)			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Pá	Packaging				
#	Item Code	Code Package Description M		Marketing End Date	
1	NDC:64464-001- 01	170 L in 1 CYLINDER; Type 0: Not a Combination Product	0 1/0 1/19 9 6		
2	NDC:64464-001- 02	248 L in 1 CYLINDER; Type 0: Not a Combination Product	0 1/0 1/19 9 6		
3	NDC:64464-001- 03	426 L in 1 CYLINDER; Type 0: Not a Combination Product	0 1/0 1/19 9 6		
4	NDC:64464-001- 04	671 L in 1 CYLINDER; Type 0: Not a Combination Product	0 1/0 1/19 9 6		
5	NDC:64464-001- 05	3465 L in 1 CYLINDER; Type 0: Not a Combination Product	0 1/0 1/19 9 6		
6	NDC:64464-001- 06	6896 L in 1 CYLINDER; Type 1: Convenience Kit of Co-Package	0 1/0 1/19 9 6		
7	NDC:64464-001- 07	9310 L in 1 CYLINDER; Type 0: Not a Combination Product	0 1/0 1/19 9 6		
8	NDC:64464-001- 08	145300 L in 1 DEWAR; Type 0: Not a Combination Product	0 1/0 1/19 9 6		
9	NDC:64464-001- 09	172000 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1996		
10	NDC:64464-001- 10	387367 L in 1 TANK; Type 0: Not a Combination Product	01/01/1996		

Marketing Infor	mation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		0 1/0 1/19 9 6	

Labeler - O2 Plus, Inc (947932075)

Registrant - O2 Plus, Inc (947932075)

Establishment			
Name	Address	ID/FEI	Business Operations

oz rias, me	O2 Plus, Inc	947932075	manufacture (64464-001)	
-------------	--------------	-----------	-------------------------	--

Revised: 1/2020 O2 Plus, Inc