

**VITASTEM-TETRACYCLINE HYDROCHLORIDE- tetracycline hydrochloride spray**  
**ViaDerma Distribution, Inc.**

-----  
**Vitastem-tetracycline hydrochloride spray**

***Drug Facts***

***Active Ingredient (in each gram)***

Tetracycline-HCl 30mg

**Purpose**

First aid antibiotic

***Use***

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

***Warnings:***

**For external use only.**

**Do not use**

- longer than 1 week unless directed by a doctor
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

deep or puncture wounds, animal bites, serious burns.

**Stop use and ask a doctor**

if condition persists or gets worse.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison control Center right away.

**Directions:**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage.

**Other information**

- store between 68-77°F (20-25°C)
- may stain cloth

**Inactive Ingredients:**

Acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, methylparaben, sodium hydroxide, sorbic acid, water.

**Package Labeling:**

Tetracycline  
Hydrochloride 3%

Topical Spray

VITASTEM™  
First Aid Antibiotic



### Drug Facts

**Active ingredient (in each gram) Purpose**  
Tetracycline HCl 30 mg . . . . . First aid antibiotic

**Use**  
First aid to help prevent skin infection in minor cuts, scrapes, and burns

**Warnings**  
For external use only.

**Do not use**  
■ longer than 1 week unless directed by a doctor  
■ in the eyes ■ over large areas of the body

**Ask a doctor before use if you have** deep or puncture wounds, animal bites, or serious burns.

**Stop use and ask a doctor if** condition persists or gets worse. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ clean the affected area  
■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
■ may be covered with a sterile bandage

**Other information**  
■ store between 68-77°F (20-25°C)  
■ may stain cloth

**Inactive ingredients**  
Acetic acid, ascorbic acid, chlorhexidine, gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxyethylcellulose, magnesium stearate, methyparaben, sodium hydroxide, sorbic acid, water

**Questions or comments?**  
Call 1-800-585-8685 or visit: www.viaderma.com

VIADERMA®  
Pharma  
**VITASTEM™**  
First Aid Antibiotic

Topical Spray

Tetracycline  
Hydrochloride 3%



VIADERMA®  
Pharma  
**VITASTEM™**  
First Aid Antibiotic

Topical Spray

Tetracycline  
Hydrochloride 3%

VIADERMA®  
Pharma  
**VITASTEM™**  
First Aid Antibiotic

Topical Spray

Tetracycline  
Hydrochloride 3%



LICENSED TO: VIADERMA DISTRIBUTION INC BY: VIADERMA, INC.  
DISTRIBUTED BY: VIADERMA DISTRIBUTION INC.  
REPORT ANY SERIOUS ADVERSE EVENTS TO:  
VIADERMA DISTRIBUTION INC., 1050 E FLAMINGO RD., SUITE 107  
LAS VEGAS, NV 89119 TEL: 1-800-585-8685 WWW.VIADERMA.COM  
MADE IN USA

1.9fl oz (55mL)

CONTAINS NO ALCOHOL  
NO ANIMAL INGREDIENTS



**WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE LONGER THAN 7 WEEKS UNLESS DIRECTED BY A DOCTOR. IN THE EYES, ON OVERLAPPING AREAS OF THE BODY, ASK A DOCTOR BEFORE USE IF YOU HAVE DEEP OR PUNCTURE WOUNDS, ANIMAL BITES, OR SCRUBS. ALWAYS STOP USE AND ASK A DOCTOR IF CONJUNCTIVITIS OR GETS WORSE. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.**

**DIRECTIONS: CLEAN THE AFFECTED AREA. APPLY A SMALL AMOUNT OF PRODUCT ON THE AREA. TO 3 TIMES DAILY MAY BE COVERED WITH A STERILE DRESSING. DISTRIBUTED BY: VIADERMA DISTRIBUTION, INC. REPORT ANY SERIOUS ADVERSE EVENTS TO: VIADERMA DISTRIBUTION, INC. (505) 674-9600 (SAFE), (702) 435-7665 (IN 8719). TEL: 1-800-395-9805. WWW.VIADERMA.COM. MADE IN THE USA.**

**VIADERMA<sup>®</sup>**  
Pharma  
**VITASTEM<sup>™</sup>**  
**First Aid Antibiotic**

**Topical Spray**

**Tetracycline  
Hydrochloride 3%**

**1.9 fl oz (55 mL)**



**VITASTEM-TETRACYCLINE HYDROCHLORIDE**

tetracycline hydrochloride spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71262-003
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>TETRACYCLINE HYDROCHLORIDE</b> (UNII: P6R62377KV) (TETRACYCLINE - UNII:F8VB5M810T)	TETRACYCLINE HYDROCHLORIDE	30 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ACETIC ACID</b> (UNII: Q40Q9N063P)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41)	
<b>DIMETHYL SULFOXIDE</b> (UNII: YOW8V9698H)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HISTIDINE</b> (UNII: 4QD397987E)	
<b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-003-00	1 in 1 BOX	08/01/2019	
1		55 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	08/01/2019	

**Labeler** - ViaDerma Distribution, Inc. (081113521)

Revised: 1/2025

ViaDerma Distribution, Inc.