

**4114 FIRST AID KIT- 4114 first aid kit**  
**4115 FIRST AID KIT- 4115 first aid kit**  
**4116 FIRST AID KIT- 4116 first aid kit**  
**4117 FIRST AID KIT- 4117 first aid kit**  
**4118 FIRST AID KIT- 4118 first aid kit**  
**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**0498-4114, 4115, 4116, 4117, 4118: First Aid Kit (Eye Wash, Hand Sanitizer, bagged SF00004235, SF00004217, SF00004216, SF00008041, SF00008042, SF00008043, SF00004278- )**

### ***Active ingredient***

Sterile Water 99%

### ***Purpose***

Eyewash

### ***Uses***

- For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water

### ***Warnings***

**For external use only-** Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

### ***Do not use***

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

### ***Stop use and ask a doctor if***

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

### ***Keep out of reach of children***

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

## ***Inactive Ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

## ***Questions?***

Call **1-800-430-5490**

Honeywell Safety Products USA, Inc. Smithfield, RI 02917

## **First Aid Burn Cream**

### ***Active ingredient***

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

## **First Aid Burn Cream**

### ***Purpose***

First aid antiseptic

External analgesic

## **First Aid Burn Cream**

### ***Uses***

- prevent skin infection
- for temporary relief of pain associated with minor burns

## **First Aid Burn Cream**

### ***Warnings***

**For external use only**

### **Do not use**

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

**First Aid Burn Cream*****Directions***

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

***Other information***

- tamper evident sealed packets
- do not use if packet is opened or torn

***Inactive ingredients***

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

***Questions***

1-800-430-5490

**BZK Antiseptic Wipe*****Active ingredient***

Benzalkonium chloride 0.13%

**BZK*****Purpose***

First aid antiseptic

**BZK**

## **Uses**

Antiseptic cleansing of face, hands, and body without soap and water

## **BZK**

### **Warnings**

**For external use only**

## **BZK**

### **Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

### **Stop use and ask a doctor if**

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **BZK**

### **Directions**

- .tear open packet and use as a washcloth

## **BZK**

### **Other information**

- store at room temperature 15 ° to 30 ° C (59 ° - 86 °F)
- do not reuse towelette

## **BZK**

### **Inactive ingredients**

water

## **BZK**

### **Questions**

1-800-430-5490

## **Aypanal**

### **Active ingredient**

Acetaminophen 325 mg

**Aypanal**  
**Purpose**

Pain reliever/fever reducer

**Aypanal**  
**Uses**

- temporarily relieves minor aches and pains due to the common cold and headache
- temporarily reduces fever

**Ask a doctor before use if you have**

liver disease

**Aypanal**  
**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take: more than 4,000 mg in 24 hours, which is the maximum daily amount - child takes

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening  
blisters  
rash

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if**

you are taking the blood thinning drug warfarin

**if pregnant or breast feeding**

ask a health professional before use

**Keep out of reach of children**

Keep out of reach of children

## **Overdose Warning**

Overdose warning: In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Aypanal**

### ***Directions***

- do not take more than directed (see overdose warning) adults and children 12 years of age or older
- take two tablets every 4-6 hours while symptoms last
- do not take more than directed (see overdose warning)

### **adults and children 12 years of age or older**

- take two tablets every 4-6 hours while symptoms last
- do not take more than 12 tablets in 24 hours
- children 6 to under 12 years of age
- take 1 tablet every 4-6 hours while symptoms last
- do not take more than 5 tablets in 24 hours
- children under 6 years
- consult a doctor

## **Aypanal**

### **Other information**

store at room temperature 15 ° to 30 ° C (59 ° - 86 °F) TAMPER EVIDENT PACKETS- DO NOT USE IF OPEN OR TORN

## **Aypanal**

### ***Inactive ingredients***

corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid.

## **Aypanal**

### **Questions or Comments?**

1-800-430-5490

## **Sting Relief**

### ***Active ingredient***

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

## **Sting Relief**

### ***Purpose***

Antiseptic

Topical pain relief

## **Sting Relief**

### ***Uses***

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

## **Sting Relief**

### ***Warnings***

#### **For external use only**

**Flammable**, keep away from open fire or flame

#### **Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas

#### **Stop use and ask a doctor**

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Sting Relief**

### ***Directions***

- **adults and children 2 years and older:** Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

## **Sting Relief**

### ***Inactive ingredients***

benzalkonium chloride, menthol, and purified water

## **Sting relief**

### ***Questions or Comments***

1-800-430-5490

## **Neomycin Antibiotic Ointment**

### ***Active ingredient***

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

## **Neomycin Antibiotic Ointment**

### ***Purpose***

First aid antibiotic

## **Neomycin Antibiotic Ointment**

### ***Uses***

first aid to help prevent infection in - minor cuts - scrapes - burns

## **Neomycin Antibiotic Ointment**

### ***Warnings***

#### **For external use only**

#### **Do not use**

- in the eyes
- over large areas of the body

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

#### **Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Neomycin Antibiotic Ointment**

### ***Directions***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Neomycin Antibiotic Ointment**

### ***Other information***

store at 15 ° to 25 °C (59 ° to 77 °F)



**Neomycin Antibiotic Ointment**  
***Inactive ingredient***

petrolatum

**Neomycin Antibiotic Ointment**  
***Questions***

1-800-430-5490

**Hand Sanitizer**  
***Active ingredient***

Ethyl alcohol 62%

**Hand Sanitizer**  
***Purpose***

Antiseptic handwash

**Hand Sanitizer**  
***Uses***

- for hand washing to decrease bacteria on skin
- recommended for repeated use

**Hand Sanitizer**  
***Warnings***

**For external use only**

**Flammable, keep away from fire or flame**

**When using this product**

- do not use in the eyes
- discontinue use if irritation and redness develops
- If condition persists for more than 72 hours consult a doctor.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Hand Sanitizer**  
***Directions***

- wet hands thoroughly with product and allow to dry without wiping

**Hand Sanitizer**

## **Other information**

- place a quarter size amount into one hand, spread over both hands to wrist and rub into skin until dry
- store at 15 ° to 25 ° C (59 ° to 77 ° F)

## **Hand Sanitizer**

### **Inactive ingredients**

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, dl-alpha tocopheryl acetate, fragrance, PEG-60 almond glycerides, propylene glycol, purified water .

## **Hand Sanitizer**

### **Questions or Comments**

1-800-275-3433 info@waterjel.com

## **4112**

### **SF00004278 Kit Contents**

1 EYE DRESS PKT W/4 ADH STRIPS  
1 TWEEZER PLASTICS 4"  
1 FIRST AID GUIDE ASHI  
10 HAND SANITIZER 0.9G WJ BULK  
2 GAUZE CLEAN-WRAP BDGE N/S 2"  
2 GAUZE CLEAN-WRAP BDGE N/S 3"  
2 ABD COMBINE PAD 5" X 9"  
1 CPR FILTERSHIELD 77-100  
1 BAGGED COMP MISC  
1 1 OZ. EYEWASH  
1 SCISSOR BDGE 4" RED PLS HDL  
1 2 PR LRG NITRILE GLVES ZIP BAG  
1 1" X 3" PLASTIC BANDS 16/BAG  
2 TAPE ADHESIVE 1/2 X 2.5 125133  
1 WATER-JEL BURN DRESSING 4 X 4  
1 KIT STL 16 UN (HORIZONTAL)  
1 TRI BNDG NON WOVEN 40"X40"X56"  
1 COLD PACK UNIT 4"X6" BULK  
4 GAUZE PADS 3"X3" 12PLY

## **4113**

### **SF00004235 Kit Contents**

1 1X3 PLASTIC 100/BOX  
1 EYE DRESS PKT W/4 ADH STRIPS  
1 TWEEZER PLASTICS 4"  
1 FIRST AID GUIDE ASHI  
10 HAND SANITIZER 0.9G WJ BULK

3 GAUZE CLEAN-WRAP BDGE N/S 2"  
2 GAUZE CLEAN-WRAP BDGE N/S 3"  
2 ABD COMBINE PAD 5" X 9"  
1 GZE PADS STERILE 3"X 3" 10'S  
1 CO-FLEX BANDAGE 2"X 5YDS TAN  
1 CPR FILTERSHIELD 77-100  
1 BAGGED COMP MISC  
1 1 OZ.EYEWASH  
1 CISSOR BDGE 4" RED PLS HDL  
2 2 PR LRG NITRILE GLVES ZIP BAG  
2 TAPE ADHESIVE 1/2 X 2.5 125133  
1 WATER-JEL BURN DRESSING 4 X 4  
2 ADH BNDG PLASTIC EX-LG 4"X 2"  
1 KIT STL 24 UN WHITE 01  
1 1TRI BNDG NON WOVEN 40"X40"X56"  
1 COLD PACK UNIT 4"X6" BULK  
4 WOVEN FINGERTIP BANDAGE 2"  
3 WOVEN KNUCKLE BANDAGE

#### **4114**

#### **SF00004217 Kit Contents**

1 1X3 PLASTIC 100/BOX  
1 EYE DRESS PKT W/4 ADH STRIPS  
1 TWEEZER PLASTICS 4"  
1 FIRST AID GUIDE ASHI  
10 HAND SANITIZER 0.9G WJ BULK  
3 GAUZE CLEAN-WRAP BDGE N/S 2"  
2 GAUZE CLEAN-WRAP BDGE N/S 3"  
2 ABD COMBINE PAD 5" X 9"  
1 GZE PADS STERILE 3"X 3" 10'S  
1 CO-FLEX BANDAGE 2"X 5YDS TAN  
1 CPR FILTERSHIELD 77-100  
1 BAGGED COMP MISC  
1 1 OZ.EYEWASH  
1 SCISSOR BDGE 4" RED PLS HDL  
2 2 PR LRG NITRILE GLVES ZIP BAG  
2 TAPE ADHESIVE 1/2 X 2.5 125133  
1 WATER-JEL BURN DRESSING 4 X 4  
2 ADH BNDG PLASTIC EX-LG 4"X 2"  
1 KIT PP 24 UNIT FA  
1 TRI BNDG NON WOVEN 40"X40"X56"  
1 COLD PACK UNIT 4"X6" BULK  
4 WOVEN FINGERTIP BANDAGE 2"  
3 WOVEN KNUCKLE BANDAGE

#### **4115**

#### **SF00004216 Kit Contents**

1 EYE DRESS PKT W/4 ADH STRIPS  
1 TWEEZER PLASTICS 4"  
1 FIRST AID GUIDE ASHI  
10 HAND SANITIZER 0.9G WJ BULK  
2 GAUZE CLEAN-WRAP BDGE N/S 2"  
1 GAUZE CLEAN-WRAP BDGE N/S 3"  
2 ABD COMBINE PAD 5" X 9"  
1 CPR FILTERSHIELD 77-100  
1 BAGGED COMP MISC  
1 1 OZ, BUFF EYEWASH  
1 SCISSOR BDGE 4" RED PLS HDL  
1 2 PR LRG NITRILE GLVES ZIP BAG  
2 1" X 3" PLASTIC BANDS 16/BAG  
2 TAPE ADHESIVE 1/2 X 2.5 125133  
1 WATER-JEL BURN DRESSING 4 X 4  
1 ADH BNDG PLASTIC EX-LG 4"X 2"  
1 KIT, PP 16 UNIT FA  
1 TRI BNDG NON WOVEN 40"X40"X56"  
4 GAUZE PADS 3"X3" 12PLY  
3 WOVEN FINGERTIP BANDAGE 2"  
2 WOVEN KNUCKLE BANDAGE

## **4116**

### **64058041 Kit Contents**

1 EYE DRESS PKT W/4 ADH STRIPS  
1 ADHESIVE TAPE W/P 1/2"X 5 YD  
1 TWEEZER PLASTICS 4"  
1 FIRST AID GUIDE ASHI  
10 HAND SANITIZER 0.9G WJ BULK  
2 GAUZE CLEAN-WRAP BDGE N/S 2"  
1 GAUZE CLEAN-WRAP BDGE N/S 3"  
2 ABD COMBINE PAD 5" X 9"  
1 CPR FILTERSHIELD 77-100  
1 BAGGED COMP MISC  
1 1 OZ.EYEWASH  
1 SCISSOR BDGE 4" RED PLS HDL  
1 2 PR LRG NITRILE GLVES ZIP BAG  
2 1" X 3" PLASTIC BANDS 16/BAG  
1 WATER-JEL BURN DRESSING 4 X 4  
1 ADH BNDG PLASTIC EX-LG 4"X 2"  
1 KIT STL 16 UN (HORIZONTAL)  
1 TRI BNDG NON WOVEN 40"X40"X56"  
1 COLD PACK UNIT 4"X6" BULK  
4 AUZE PADS 3"X3" 12PLY  
3 WOVEN FINGERTIP BANDAGE 2"  
2 WOVEN KNUCKLE BANDAGE

**4117****64058042 Kit Contents**

1 1X3 PLASTIC 100/BOX  
1 EYE DRESS PKT W/4 ADH STRIPS  
1 ADHESIVE TAPE W/P 1/2"X 5 YD  
1 TWEEZER PLASTICS 4"  
1 FIRST AID GUIDE ASHI  
10 HAND SANITIZER 0.9G WJ BULK  
3 GAUZE CLEAN-WRAP BDGE N/S 2"  
2 GAUZE CLEAN-WRAP BDGE N/S 3"  
2 ABD COMBINE PAD 5" X 9"  
1 GZE PADS STERILE 3"X 3" 10'S  
1 CO-FLEX BANDAGE 2"X 5YDS TAN  
1 CPR FILTERSHIELD 77-100  
1 BAGGED COMP MISC  
1 1 OZ, BUFF EYEWASH  
1 SCISSOR BDGE 4" RED PLS HDL  
2 2 PR LRG NITRILE GLVES ZIP BAG  
1 WATER-JEL BURN DRESSING 4 X 4  
2 ADH BNDG PLASTIC EX-LG 4"X 2"  
1 KIT STL 24 UN WHITE 01  
1 TRI BNDG NON WOVEN 40"X40"X56"  
1 COLD PACK UNIT 4"X6" BULK  
4 WOVEN FINGERTIP BANDAGE 2"  
3 WOVEN KNUCKLE BANDAGE


**4118****64058043 Kit Contents**

1 1X3 PLASTIC 100/BOX  
1 EYE DRESS PKT W/4 ADH STRIPS  
2 ADHESIVE TAPE W/P 1/2"X 5 YD  
1 TWEEZER PLASTICS 4"  
1 FIRST AID GUIDE ASHI  
15 HAND SANITIZER 0.9G WJ BULK  
4 GAUZE CLEAN-WRAP BDGE N/S 2"  
2 GAUZE CLEAN-WRAP BDGE N/S 3"  
2 ABD COMBINE PAD 5" X 9"  
1 GZE PADS STERILE 3"X 3" 10'S  
1 CO-FLEX BANDAGE 2"X 5YDS TAN  
1 CPR FILTERSHIELD 77-100  
1 BAGGED COMP MISC  
2 1 OZ, BUFF EYEWASH  
1 SCISSOR BDGE 4" RED PLS HDL  
3 2 PR LRG NITRILE GLVES ZIP BAG  
1 WATER-JEL BURN DRESSING 4 X 4  
3 ADH BNDG PLASTIC EX-LG 4"X 2"

1 KIT STL 36 UN WHT 01 HOR SHELF  
 1 TRI BNDG NON WOVEN 40"X40"X56"  
 2 COLD PACK UNIT 4"X6" BULK  
 8 WOVEN FINGERTIP BANDAGE 2"  
 6 WOVEN KNUCKLE BANDAGE

## Eye Wash Package label

#32-004513 Rev. H




Top Panel  
 3/32" from die edges



Back  
 1/8" from die edges



Label Patent Number  
 Can be anywhere on  
 the label at 3.5pt minimum  
 (use any dark color on that layer)





Base  
 3/32" from die edges

Printable Text Area

## First Aid Burn Cream Principal Display Panel



## Principal Display Panel



## Aypanal Principal Display Panel



**AYPANAL**  
25 Packets (2 Tablets Per Packet)  
Quantity 50 Tablets

**AYPANAL**  
25 Packets (2 Tablets Per Packet)  
Quantity 50 Tablets

**Honeywell**  
**AYPANAL**  
Acetaminophen 325 mg  
Pain Reliever-Fever Reducer  
25 Packets (2 Tablets Per Packet)  
Quantity 50 Tablets

Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

UNIT NO. 35225AP 6 69635 55170 5

PACKAGE NOT CHILD-RESISTANT

UNIT NO. 35225AP

77225-01 Rev.B

**Drug Facts (continued)**

**Other information** - store at room temperature 15°-30°C (59°-86°F)  
- TABLETS EVIDENT PACKETS DO NOT USE IF OPEN OR TORN

**Inactive ingredients** corn starch, microcrystalline cellulose, polydioxane, sodium starch glycolate, stearic acid

**Questions or comments?** 1-800-430-5490

**Drug Facts (continued)**

**Directions** - do not take more than directed (see warnings)  
adults and older children - take 2 tablets every 4 to 6 hours while symptoms last  
- do not take more than 12 tablets in 24 hours  
children 6 to under 12 years - take 1 tablet every 4 to 6 hours while symptoms last  
- do not take more than 5 tablets in 24 hours  
consult a doctor if symptoms last more than 3 days

**Warnings** - fever gets worse or lasts more than 3 days - redness or swelling is present - new symptoms occur  
- pain gets worse or lasts more than 5 days in children under 12 years  
- rash  
- skin redness - blisters  
- itching  
- rash  
- skin redness - blisters  
- itching  
- rash  
- skin redness - blisters  
- itching  
- rash  
- skin redness - blisters  
- itching  
- rash

**Keep out of reach of children**  
If you are not sure whether a drug contains acetaminophen (see question), ask a doctor or pharmacist.  
If you are not sure whether a drug contains acetaminophen (see question), ask a doctor or pharmacist.  
If you are not sure whether a drug contains acetaminophen (see question), ask a doctor or pharmacist.

**Overdose warning:** In case of accidental overdose, get medical help or contact a poison control center right away. For more information, contact your local poison control center or call Poison Help at 1-800-430-5490.

**Keep out of reach of children**  
If you are not sure whether a drug contains acetaminophen (see question), ask a doctor or pharmacist.  
If you are not sure whether a drug contains acetaminophen (see question), ask a doctor or pharmacist.

**Keep out of reach of children**  
If you are not sure whether a drug contains acetaminophen (see question), ask a doctor or pharmacist.  
If you are not sure whether a drug contains acetaminophen (see question), ask a doctor or pharmacist.

## Sting Relief Principal Display Panel

**Honeywell**

825366 Rev B

**Sting Relief Wipes**

Use for:  
Minor Cuts • Scrapes • Insect Bites

100 Wipes

**Drug Facts**

**Active Ingredients**  
Ethyl alcohol 50.0%  
Lidocaine HCl 2.0%

**Purpose**  
First aid antiseptic  
Topical analgesic

**Uses** - first aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.

**Warnings**  
For external use only.  
Flammable, keep away from fire or flame.  
Do not use - over large areas of the body - in eyes - over raw or blistered areas  
Stop use and ask a doctor - if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.  
Keep out of reach of children.  
If swallowed get medical help or contact Poison Control center right away.

**Directions**  
- adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily.  
- children under 2 years of age: consult a doctor.

**Inactive Ingredients**  
benzalkonium chloride, menthol, purified water

**Questions or comments?** 1-800-430-5490

Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

www.honeywellsafety.com  
USA  
1-800-430-5490  
0-401-343-4400

8 21812 01284 1

Made in USA  
Packaged in Mexico

## Neomycin Antibiotic Ointment Principal Display Panel

822568-25

**Neomycin First  
aid antibiotic**

**020126-25**

**Neomycin**  
**First aid antibiotic**  
**Neomycin sulfate**  
**First aid antibiotic**

**Distributed by:**  
**Honeywell Safety Products**  
**USA, Inc. Smithfield,**  
**RI 02917**

**25 Packets, Net Wt 1/32 oz (0.9 g) each**

**Neomycin First aid antibiotic**

822568-25

**Drug Facts**

**Active ingredient (in each gram)** ..... **Purpose**  
Neomycin sulfate (equivalent to 3.5 mg neomycin) ..... First aid antibiotic

**Use** first aid to help prevent infection in minor • cuts • scrapes • burns

**Warnings**

**For external use only**

**Allergy alert** • do not use if you are allergic to any of the ingredients

**Do not use** • in the eyes • over large areas of the body

**Ask a doctor before use if you have** • deep or puncture wounds • animal bites • serious burns

**Stop use and ask a doctor if** • conditions persists or gets worse • rash or other allergic reaction develops  
• you need to use longer than one week

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• clean the affected area  
• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage

**Other information** store at 15° to 25°C (59° to 77°F)

**Inactive ingredient** petrolatum

**Questions or comments?** 1-800-430-5490

**Hand Sanitizer**  
**Principal Display Panel**



**INSTANT**

# Hand Sanitizer

**Antiseptic Gel  
With Vitamin E & Aloe**

***Kills 99.9% of Germs***

*Without Water*

**240mL - (8 fl oz)**

**4112 Kit Label  
SF00004278**



**FOR SERVICE or RE-ORDERS - (800) 765-9055  
[www.oxarc.com](http://www.oxarc.com)**

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4113 Kit Label  
SF00004235**

**FIRST AID**

***SAFETY MAX***

**TOLL FREE**

**(229) 878-0300**

**888-878-3300**

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4114 Kit Label  
SF00004217**

**FIRST AID**

***SAFETY MAX***

**TOLL FREE**

**(229) 878-0300**

**888-878-3300**

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4115 Kit Lael  
SF00004216**

**McDonald Safety Equipment Inc.**



**#25**  
**FIRST AID KIT**

581 COPPER DRIVE, NEWPORT, WILMINGTON, DE 19804 ph: (302) 999-0151 fx: (302) 999-8647

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4116 Kit Label**  
**64058041**

# **RADNOR**<sup>®</sup>

## **FIRST AID KIT**

**CLASS A BULK  
FOR UP TO 25 PEOPLE**



64058041



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4117  
64058042 Kit Label**



# **RADNOR**<sup>®</sup>

## **FIRST AID KIT**

**CLASS A BULK  
FOR UP TO 50 PEOPLE**



64058042



6 39890 58042 4

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**4118  
64058043 Kit Label**

# RADNOR<sup>®</sup>

## FIRST AID KIT

CLASS A BULK  
FOR UP TO 75 PEOPLE



64058043



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

### 4114 FIRST AID KIT

4114 first aid kit kit

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4114
---------------------	----------------	---------------------------	---------------

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4114-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

#### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	3 PACKET	6
Part 3	6 POUCH	2.4 mL
Part 4	10 PACKET	9 g
Part 5	10 PACKET	9 g
Part 6	10 PACKET	14 mL
Part 7	10 PACKET	13 mL

## Part 1 of 7

### EYESALINE EMERGENCY EYEWASH

purified water liquid

#### Product Information

**Item Code (Source)** NDC:0498-0100

**Route of Administration** OPTHALMIC

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>WATER</b> (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE</b> (UNII: 593YOG76RN)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

## Part 2 of 7

### AYPANAL NON-ASPIRIN

acetaminophen tablet

#### Product Information

<b>Item Code (Source)</b>	NDC:0498-2001
<b>Route of Administration</b>	ORAL

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

<b>Product Characteristics</b>			
<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	circle;U
<b>Contains</b>			

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0498-2001-01	2 in 1 PACKET; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		04/10/2012	

**Part 3 of 7**

**STING RELIEF PAD**  
ethyl alcohol, lidocaine swab

<b>Product Information</b>	
<b>Item Code (Source)</b>	NDC:0498-0733
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

## Part 4 of 7

### FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

## Product Information

<b>Item Code (Source)</b>	NDC:0498-0903
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

## Part 5 of 7

### NEOMYCIN

antibiotic ointment

## Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

## Part 6 of 7

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

## Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

## Part 7 of 7

### INSTANT HAND SANITIZER

alcohol liquid

## Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: VR1WPI7EW8)	
TRISOPROPANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.3 mL in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2011	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

## 4115 FIRST AID KIT

4115 first aid kit kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4115
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4115-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	3 PACKET	6
Part 3	6 POUCH	2.4 mL
Part 4	10 PACKET	9 g
Part 5	10 PACKET	9 g
Part 6	10 PACKET	14 mL
Part 7	10 PACKET	13 mL

## Part 1 of 7

### EYESALINE EMERGENCY EYEWASH

purified water liquid

### Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>WATER</b> (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL
---	-------	-------------------

## Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE</b> (UNII: 593YOG76RN)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

## Part 2 of 7

### AYPANAL NON-ASPIRIN

acetaminophen tablet

## Product Information

<b>Item Code (Source)</b>	NDC:0498-2001
<b>Route of Administration</b>	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	circle;U
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-2001-01	2 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

## Part 3 of 7

### STING RELIEF PAD

ethyl alcohol, lidocaine swab

## Product Information

<b>Item Code (Source)</b>	NDC:0498-0733
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

## Part 4 of 7

### FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

## Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	

DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

### Part 5 of 7

### NEOMYCIN

antibiotic ointment

### Product Information

Item Code (Source) NDC:0498-0730

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
unapproved drug other		03/31/2010	

## Part 6 of 7

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

#### Product Information

**Item Code (Source)** NDC:0498-0501

**Route of Administration** TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

## Part 7 of 7

### INSTANT HAND SANITIZER

alcohol liquid

**Product Information****Item Code (Source)** NDC:59898-420**Route of Administration** TOPICAL**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
TRISOPROPANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1		1.3 mL in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		04/15/2011	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		10/18/2018	

**4116 FIRST AID KIT**

4116 first aid kit kit

**Product Information****Product Type** HUMAN OTC DRUG**Item Code (Source)**

NDC:0498-4116

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4116-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 BOTTLE	60 mL
Part 2	3 PACKET	6
Part 3	6 POUCH	2.4 mL
Part 4	10 PACKET	9 g
Part 5	10 PACKET	9 g
Part 6	10 PACKET	14 mL
Part 7	15 PACKET	19.5 mL

## Part 1 of 7

### EYESALINE EMERGENCY EYEWASH

purified water liquid

## Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>WATER</b> (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74)	
<b>SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE</b> (UNII: 593YOG76RN)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

## Part 2 of 7

### AYPANAL NON-ASPIRIN

acetaminophen tablet

## Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

## Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	

## Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	circle;U
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-2001-01	2 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

## Part 3 of 7

### STING RELIEF PAD

ethyl alcohol, lidocaine swab

#### Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

## Part 4 of 7

# FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

## Product Information

**Item Code (Source)** NDC:0498-0903

**Route of Administration** TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

## Part 5 of 7

### NEOMYCIN

antibiotic ointment

#### Product Information

Item Code (Source) NDC:0498-0730

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

#### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

## Part 6 of 7

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

#### Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

**Part 7 of 7****INSTANT HAND SANITIZER**

alcohol liquid

**Product Information**

<b>Item Code (Source)</b>	NDC:59898-420
<b>Route of Administration</b>	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	

.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)

TRISOPROPANOLAMINE (UNII: W9EN9DLM98)

CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.3 mL in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2011	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

## 4117 FIRST AID KIT

4117 first aid kit kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4117
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4117-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	3 PACKET	6
Part 3	6 POUCH	2.4 mL
Part 4	10 PACKET	9 g
Part 5	10 PACKET	9 g
Part 6	10 PACKET	14 mL

Part 7 10 PACKET

13 mL

## Part 1 of 7

### EYESALINE EMERGENCY EYEWASH

purified water liquid

#### Product Information

Item Code (Source) NDC:0498-0100

Route of Administration OPHTHALMIC

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

#### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

## Part 2 of 7

### AYPANAL NON-ASPIRIN

acetaminophen tablet

#### Product Information

<b>Item Code (Source)</b>	NDC:0498-2001
<b>Route of Administration</b>	ORAL

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

<b>Product Characteristics</b>			
<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	circle;U
<b>Contains</b>			

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0498-2001-01	2 in 1 PACKET; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		04/10/2012	

**Part 3 of 7**

**STING RELIEF PAD**  
ethyl alcohol, lidocaine swab

<b>Product Information</b>	
<b>Item Code (Source)</b>	NDC:0498-0733
<b>Route of Administration</b>	TOPICAL



**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

**Part 4 of 7****FIRST AID BURN**

benzalkonium chloride, lidocaine hydrochloride cream

**Product Information**

<b>Item Code (Source)</b>	NDC:0498-0903
<b>Route of Administration</b>	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

## Part 5 of 7

### NEOMYCIN

antibiotic ointment

## Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

## Part 6 of 7

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

## Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

## Part 7 of 7

### INSTANT HAND SANITIZER

alcohol liquid

## Product Information

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
TRIISOPROPANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.3 mL in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/15/2011	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

## 4118 FIRST AID KIT

4118 first aid kit kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4118
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4118-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 BOTTLE	60 mL
Part 2	3 PACKET	6
Part 3	6 POUCH	2.4 mL
Part 4	10 PACKET	9 g
Part 5	10 PACKET	9 g
Part 6	10 PACKET	14 mL
Part 7	15 PACKET	19.5 mL

## Part 1 of 7

### EYESALINE EMERGENCY EYEWASH

purified water liquid

### Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>WATER</b> (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL
---	-------	-------------------

## Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74)	
<b>SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE</b> (UNII: 593YOG76RN)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

## Part 2 of 7

### AYPANAL NON-ASPIRIN

acetaminophen tablet

## Product Information

<b>Item Code (Source)</b>	NDC:0498-2001
<b>Route of Administration</b>	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	circle;U
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-2001-01	2 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

## Part 3 of 7

### STING RELIEF PAD

ethyl alcohol, lidocaine swab

## Product Information

<b>Item Code (Source)</b>	NDC:0498-0733
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

## Part 4 of 7

### FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

## Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	



DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

### Part 5 of 7

### NEOMYCIN

antibiotic ointment

### Product Information

Item Code (Source) NDC:0498-0730

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
unapproved drug other		03/31/2010	

## Part 6 of 7

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

#### Product Information

**Item Code (Source)** NDC:0498-0501

**Route of Administration** TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

## Part 7 of 7

### INSTANT HAND SANITIZER

alcohol liquid

**Product Information****Item Code (Source)** NDC:59898-420**Route of Administration** TOPICAL**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
TRISOPROPANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1		1.3 mL in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		04/15/2011	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		10/18/2018	

**Labeler** - Honeywell Safety Products USA, INC (118768815)