

**NAUSEA RELIEF- meclizine hcl tablet  
WALMART INC.**

-----  
**Equate 44-403A-N**

***Active ingredient (in each tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- take first dose 1 hour before activity that may result in nausea
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

### ***Inactive ingredients***

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

### ***Questions or comments?***

**1-888-287-1915**

### ***Principal display panel***

***equate***<sup>™</sup>

NDC 79903-177-10

Compare to  
Dramamine®  
Nausea active  
ingredient\*

**Nausea Relief**  
**Meclizine HCl 25 mg**

**Antiemetic**

- **Relieves Motion-Related Nausea**, dizziness  
& vomiting

For Ages 12 Years and Over

**UP TO**  
**24**  
**HOURS**

Actual Size

**10**  
**TABLETS**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments please call **1-888-287-1915**.

**DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716**

PRODUCT OF INDIA

\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Nausea. 50844  
ORG042340303

NO STRIP

**equate™**

# Nausea Relief

Meclizine HCl 25 mg

Antiemetic

**equate™** Nausea Relief

Meclizine HCl 25 mg

Antiemetic

**equate™**

NDC 79903-077-10

Compare to  
Dramamine®  
Nausea active  
ingredient\*

# Nausea Relief

Meclizine HCl 25 mg

UP TO  
**24**  
HOURS

Antiemetic

- Relieves Motion-Related Nausea, dizziness & vomiting

For Ages 12 and Over



Actual Size

**10**  
TABLETS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

OMIT A



how2recycle.info



B-2203-403A-03N  
OR6042340303

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716  
PRODUCT OF INDIA  
\*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Nausea. 5884 (08042540303)

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments please call 1-888-287-1915.

Ask a doctor before use if you have

- dizziness or vertigo due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- do not use if you are taking sedatives or tranquilizers.
- avoid alcoholic beverages
- do not use if you are taking sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery


Other information

- Tablets are to be taken once daily, or as directed by a doctor
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients: colloidal silicon dioxide, D & C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments? 1-888-287-1915

Z-Fold



**Equate 44-403N**

## NAUSEA RELIEF

meclizine hcl tablet

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:79903-177 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength       | Strength |
|---|-------------------------|----------|
| <b>MECLIZINE HYDROCHLORIDE</b> (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) | MECLIZINE HYDROCHLORIDE | 25 mg    |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |          |
| <b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6) |          |
| <b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)                 |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)                  |          |
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)                        |          |

### Product Characteristics

|                 |        |                     |          |
|-----------------|--------|---------------------|----------|
| <b>Color</b>    | yellow | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND  | <b>Size</b>         | 9mm      |
| <b>Flavor</b>   |        | <b>Imprint Code</b> | 44;403   |
| <b>Contains</b> |        |                     |          |

### Packaging

| # | Item Code | Package Description | Marketing Start | Marketing End |
|---|-----------|---------------------|-----------------|---------------|
|---|-----------|---------------------|-----------------|---------------|

| # | Item Code        | Package Description                                    | Date       | Date |
|---|------------------|--|------------|------|
| 1 | NDC:79903-177-10 | 2 in 1 CARTON  | 05/16/2023 |      |
| 1 |                  | 5 in 1 BLISTER PACK; Type 0: Not a Combination Product |            |      |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M009                                     | 05/16/2023           |                    |

**Labeler** - WALMART INC. (051957769)

## Establishment

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 038154464 | pack(79903-177)     |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations                      |
|-------------------------|---------|-----------|--|
| LNK International, Inc. |         | 832867837 | manufacture(79903-177) , pack(79903-177) |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 967626305 | pack(79903-177)     |

## Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 117025878 | manufacture(79903-177) |

Revised: 8/2025

WALMART INC.