## GELATO TOPICAL ANESTHETIC- benzocaine gel Mycone Dental Supply Co., Inc DBA Keystone Industries and Deepak Products Inc

-----

### **Active Ingredients**

Benzocaine 200mg (in each g)

### **Purpose:**

Oral Anesthetic

#### Use

For oral mucosal use only, as directed by dentist. For the temporary relief of pain due to minor dental procedures.

### **Warnings:**

**Methemoglobinemia warning:** Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in the blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy Alert:** Do not use on patients with a history of allergies to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

#### Do not use

- for more than 7 days unless directed by a physician. If sore mouth symptoms do not improve in 7 days; irritation, pain or redness persists or worsens; or if swelling, rash or fever develops, see your physician promptly.
- for teething
- in children under 2 years of age

**When using this product** Avoid contact with eyes. If contact occurs, flush with water.

**Do not exceed recommended dosage.** If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center right away. **If pregnant or breast feeding,** ask a physician before use.

#### **Directions**

- Apply only amount needed to the oral mucosa to prevent or relieve pain.
- children under 2 years of age: do not use

## Keep out of reach of children.

#### Other Information:

Store at 59°-86°F (15°-30°C). Protect from freezing.


## **Inactive Ingredients:**

Flavoring, PEG 3350, PEG 400, sodium saccharin. May contain blue #1, green #3, green #5, red #3, red #28, red #40, yellow#5 (tartrazine), yellow #6, as a color additive.

## **Questions or comments?**

1-800-333-3131 or

keystoneindustries.com



mouth symptoms do not improve if swelling, rash or fever develops, redness persists or worsens; or directed by a physician. If sore see your physician promptly. in 7 days; irritation, pain, or

· in children under 2 years of age When using this product Avoid contact with eyes. If for teething

contact occurs, flush with water.

may cause methemoglobinemia, a serious condition that must be

warning: Use of this product

Methemoglobinemia

Warnings

If pregnant or breast feeding, Do not exceed recommended Poison Control Center right away. dosage. If more than used for pain is accidentally swallowed, get medical help or contact a

Keep out of reach of children. ask a physician before use.

occur even if you have used this

product before. Stop use and

seek immediate medical

reduces the amount of oxygen

treated promptly because it

carried in the blood. This can

Directions

attention if you or a child in your

pale, gray or blue colored skin

care develops:

 Apply only amount needed to children under 2 years of age: the oral mucosa to prevent or relieve pain.

Other information do not use

dizziness or lightheadedness

 shortness of breath rapid heart rate

headache

(cvanosis)

Allergy Alert: Do not use on

fatigue or lack of energy

allergies to local anesthetics such as procaine, butacaine,

patients with a history of

Store at 59° - 86° F (15 - 30°C). **Inactive ingredients** Protect from freezing.

(tartrazine), yellow #6, as a color blue #1, green #3, green #5, red #3, red #28, red #40, yellow #5, sodium saccharin. May contain flavoring, PEG 3350, PEG 400, additive.

Questions or comments?

keystoneindustries.com

1-800-333-3131 or

anesthetics. Do not use

benzocaine or other "caine"

for more than 7 days unless

# GELATO TOPICAL ANESTHETIC

For oral mucosal use only, as

Oral Anesthetic

Purpose

directed by dentist. For the

temporary relief of pain due

to minor dental procedures.

benzocaine gel

Benzocaine 200 mg (in each g)

**Active** ingredients

**Drug Facts** 

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68400-357	
Route of Administration	DENTAL			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g		

Inactive Ingredients	
Ingredient Name	Strength

POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
D&C GREEN NO. 5 (UNII: 8J6RDU8L9X)	

Product Characteristics				
Color	red	Score		
Shape		Size		
Flavor	RASPBERRY	Imprint Code		
Contains				

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:68400-357- 30	30 g in 1 JAR; Type 0: Not a Combination Product	06/01/2018	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M022	07/01/2013		

**Labeler -** Mycone Dental Supply Co., Inc DBA Keystone Industries and Deepak Products Inc (014769301)

Establishment				
Name	Address	ID/FEI	Business Operations	
Keystone Industries		014769301	manufacture(68400-357) , label(68400-357)	

Revised: 12/2023 Mycone Dental Supply Co., Inc DBA Keystone Industries and Deepak Products Inc