

COUGH PLUS BRONCHIAL- antimonium tartaricum, arum triphyllum, badiaga, baptisia tinctoria, bryonia (alba), drosera (rotundifolia), echinacea (angustifolia), eupatorium perfoliatum, kali bromatum, lung suis, phosphorus, pulsatilla (pratensis), spongia tosta, sticta pulmonaria, sulphur iodatum, urtica urens spray
Liddell Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

(in each spray): 5.88% of Antimonium Tartaricum 200C, Arum Triphyllum 30C, Badiaga 12X, Baptisia Tinctoria 3X, Bryonia (Alba) 200C, Drosera (Rotundifolia) 30X, Echinacea (Angustifolia) 3X, Eupatorium Perfoliatum 200C, Kali Bromatum 6X, Lung Suis 6X, Phosphorus 30C, Pulsatilla (Pratensis) 30C, Silicea 12X, Spongia Tosta 12X, Sticta Pulmonaria 200C, Sulphur Iodatum 200C, Urtica Urens 200C.

USES:

May temporarily relieve these symptoms associated with cough and bronchial congestion:

- coughing
- mucous buildup
- chest tightness
- chest soreness**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Stop use and ask a doctor if cough persists for more than one (1) week, tends to recur, or if it is accompanied by fever, rash or by persistent headache. A persistent cough may be a sign of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

If pregnant or breast feeding, ask a doctor before using product.

Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

Other information

Store at room temperature.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

DIRECTIONS:

Adults and children over 12 Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day.

Children 12 and under Consult a doctor prior to use.

INDICATIONS:

May temporarily relieve these symptoms associated with cough and bronchial congestion:

- coughing
- mucous buildup
- chest tightness
- chest soreness**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Organic alcohol 20% v/v, Purified water

QUESTIONS:

DIST. BY LIDDELL LABORATORIES INC.

WOODBINE, IA 51579

WWW.LIDDELL.NET

1-800-460-7733

PACKAGE LABEL DISPLAY:

ORAL SPRAYS

LIDDELL

LABORATORIES

EST. 1994

06 CB

Cough +

Bronchial

May relieve cough + bronchial

symptoms: coughing, mucous

buildup, chest tightness +

chest soreness.

HOMEOPATHIC

DOCTOR FORMULATED

Readily absorbed. Safe.

No known side effects. Easy to use.

1.0 FL OZ. (30 ml)

INDICATIONS May temporarily relieve cough + bronchial symptoms: coughing, mucus build-up, chest tightness and chest soreness.**

DIRECTIONS Adults & children over 12: Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day. Children 12 and under: Consult a doctor prior to use.

WARNINGS See box. Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

ORAL SPRAYS
LIDDELL[®]
 ~ LABORATORIES ~

EST. 1994

06

CB[™]
 Cough +
 Bronchial

HOMEOPATHIC

1.0 FL OZ. (30 ml) 20% organic alcohol

ACTIVE INGREDIENTS (in each spray) 5.88% of Antimon tart 200C, Arum triph 30C, Badiaga 12X, Baptisia 3X, Bryonia 200C, Drosera 30X, Echinacea 3X, Eupatorium perf 200C, Kali brom 6X, Lung suis 6X, Phos 30C, Pulsatilla 30C, Silicea 12X, Spongia 12X, Sticta 200C, Sulphur iod 200C, Urtica ur 200C. **INACTIVE INGREDIENTS** Organic alcohol 20% v/v, Purified water.

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DIST. BY LIDDELL LABORATORIES INC.
WOODBINE, IA 51579
WWW.LIDDELL.NET 1-800-460-7733

LOT: XXXXXX EXP: MM/YY

Drug Facts
 (continued)

Directions Children 12 and under: Consult a doctor prior to use.

Other information
 Store at room temperature.

Inactive ingredients
 Organic alcohol 20% v/v, Purified water.

Questions or comments?
 1-800-460-7733
 www.liddell.net

EST. 1994
LIDDELL[®]
 ~ LABORATORIES ~

Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

*Homeopathic guide at www.liddell.net

CB[™]
 Cough + Bronchial

Liddell's Cough + Bronchial may help make your day a little easier as it may assist your body's natural defenses to temporarily relieve coughing and mucus buildup.

ORAL SPRAYS
LIDDELL[®]
 ~ LABORATORIES ~

EST. 1994

06

CB[™]
 Cough +
 Bronchial

May relieve cough + bronchial symptoms: coughing, mucus buildup, chest tightness + chest soreness.

HOMEOPATHIC

DOCTOR FORMULATED
 Readily absorbed. Safe.
 No known side effects. Easy to use.

1.0 FL OZ. (30 ml) 20% organic alcohol

SPRAY YOUR WAY TO HEALTH[®]

Oral sprays, a Liddell[®] innovation, are the modern and better way to deliver medication. Here's why:

- FAST ABSORPTION
- EASY TO SWALLOW
- ACCURATE-DOSE SPRAY PUMP
- CONVENIENT
- NO KNOWN NEGATIVE SIDE EFFECTS
- NO KNOWN CONTRAINDICATIONS
- NO KNOWN DRUG INTERACTIONS

Money Back Guarantee
 No questions asked!
 For details, visit:
 www.liddell.net

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DIST. BY
 LIDDELL LABORATORIES INC.
 201 APPLE BLVD
 WOODBINE, IA 51579
 WWW.LIDDELL.NET
 1-800-460-7733

MADE IN THE USA

3 63113 08196 1

Drug Facts

Active ingredients	Purposes
(in each spray) 5.88% of Antimon tart 200C, Arum triph 30C, Badiaga 12X, Baptisia 3X, Bryonia 200C, Drosera 30X, Echinacea 3X, Eupatorium perf 200C, Kali brom 6X, Lung suis 6X, Phos 30C, Pulsatilla 30C, Silicea 12X, Spongia 12X, Sticta 200C, Sulfur iod 200C, Urtica ur 200C.	(Symptom relief for cough and bronchial congestion**)

Uses May temporarily relieve these symptoms associated with cough and bronchial congestion:

- coughing
- chest tightness
- mucus buildup
- chest soreness**

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Stop use and ask a doctor if cough persists for more than one (1) week, tends to recur, or if it is accompanied by fever, rash or by persistent headache. A persistent cough may be a sign of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

If pregnant or breast feeding, ask a doctor before using product.

Directions

Adults and children over 12 | Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day.

COUGH PLUS BRONCHIAL

antimonium tartaricum, arum triphyllum, badiaga, baptisia tinctoria, bryonia (alba), drosera (rotundifolia), echinacea

(angustifolia), eupatorium perfoliatum, kali bromatum, lung suis, phosphorus, pulsatilla (pratensis), spongia tosta, sticta pulmonaria, sulphur iodatum, urtica urens spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50845-0246
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ANTIMONY POTASSIUM TARTRATE (UNII: DL6OZ476V3) (ANTIMONY CATION (3+) - UNII:069647RPT5)	ANTIMONY POTASSIUM TARTRATE	200 [hp_C] in 1 mL
ARISAEMA TRIPHYLLUM ROOT (UNII: DM64K844DM) (ARISAEMA TRIPHYLLUM ROOT - UNII:DM64K844DM)	ARISAEMA TRIPHYLLUM ROOT	30 [hp_C] in 1 mL
SPONGILLA LACUSTRIS (UNII: 6SZ0G98BHM) (SPONGILLA LACUSTRIS - UNII:6SZ0G98BHM)	SPONGILLA LACUSTRIS	12 [hp_X] in 1 mL
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)	BAPTISIA TINCTORIA ROOT	3 [hp_X] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	200 [hp_C] in 1 mL
DROSER A ROTUNDIFOLIA (UNII: QR44N9XPJQ) (DROSER A ROTUNDIFOLIA - UNII:QR44N9XPJQ)	DROSER A ROTUNDIFOLIA	3 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	200 [hp_C] in 1 mL
POTASSIUM BROMIDE (UNII: OSD78555ZM) (BROMIDE ION - UNII:952902IX06)	POTASSIUM BROMIDE	6 [hp_X] in 1 mL
SUS SCROFA LUNG (UNII: 7GL3G1COB3) (SUS SCROFA LUNG - UNII:7GL3G1COB3)	SUS SCROFA LUNG	6 [hp_X] in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	30 [hp_C] in 1 mL
ANEMONE PRATENSIS (UNII: 8E272251DI) (ANEMONE PRATENSIS - UNII:8E272251DI)	ANEMONE PRATENSIS	30 [hp_C] in 1 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	12 [hp_X] in 1 mL
SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	12 [hp_X] in 1 mL
LOBARIA PULMONARIA (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T)	LOBARIA PULMONARIA	200 [hp_C] in 1 mL
SULFUR IODIDE (UNII: L6L8KA2AA0) (SULFUR IODIDE - UNII:L6L8KA2AA0)	SULFUR IODIDE	200 [hp_C] in 1 mL
URTICA URENS (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS	200 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50845-0246-1	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/09/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/09/2019	

Labeler - Liddell Laboratories, Inc. (832264241)**Registrant** - Apotheca Company (844330915)**Establishment**

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(50845-0246) , api manufacture(50845-0246) , label(50845-0246) , pack(50845-0246)

Revised: 4/2019

Liddell Laboratories, Inc.