

SHISEIDO REVITALESSENCE SKIN GLOW PRIMER- avobenzone, octinoxate, and octocrylene emulsion
SHISEIDO AMERICAS CORPORATION

SHISEIDO REVITALESSENCE SKIN GLOW PRIMER

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
AVOBENZONE 2.5%	Sunscreen
OCTINOXATE 4.9%	Sunscreen
OCTOCRYLENE 5.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER □ ALCOHOL DENAT. □ GLYCERIN □ BUTYLENE GLYCOL □ NIACINAMIDE □

**SILICA □ ISODECYL NEOPENTANOATE □ TRIETHYLHEXANOIN □ GLYCERYL
DIISOSTEARATE □ PEG-60 HYDROGENATED CASTOR OIL □ LACTOBACILLUS/RICE
FERMENT □ XANTHAN GUM □ TOCOPHERYL ACETATE □ POLYQUATERNIUM-51 □
LAVANDULA ANGUSTIFOLIA (LAVENDER) OIL □ SANGUISORBA OFFICINALIS
ROOT EXTRACT □ SODIUM ACETYLATED HYALURONATE □ CITRUS JUNOS SEED
EXTRACT □ CAMELLIA SINENSIS LEAF EXTRACT □ BATYL ALCOHOL □ BEHENYL
ALCOHOL □ CARBOMER □ DIMETHYLACRYLAMIDE/SODIUM
ACRYLOYLDIMETHYLTaurate CROSSPOLYMER □ POTASSIUM HYDROXIDE □
ALCOHOL □ ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER □
TOCOPHEROL □ TRISODIUM EDTA □ SODIUM METAPHOSPHATE □ SODIUM
METABISULFITE □ BHT □ CHLORPHENESIN □ PHENOXYETHANOL □ IRON OXIDES □**

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton

SHISEIDO
GINZA TOKYO

REVITALESSENCE
SKIN GLOW

Primer

BROAD SPECTRUM
SPF 25

Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL NET WT. 10Z.

44x27x125

1 2 3 4 5 6 7 8 9 0

SHISEIDO
REVITALESSENCE
SKIN GLOW
PRIMER

A skincare-active primer that strengthens the skin's barrier to lock in moisture for healthy glowing skin. Powered by **Fermented Kefir+** and **Niacinamide**, this silicone-free primer smooths and brightens skin for better makeup application and wear. In just 1 week*, bare skin is visibly more even-toned, hydrated and smooth. **Instant Glow, 24-hour hydration****.

*Consumer tested on 105 women, **Clinically tested on 25 women.

Drug Facts

Active ingredients Purpose

AVOBENZONE 2.5% Sunscreen
OCTINOXATE 4.9% Sunscreen
OCTOCRYLENE 5.0% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame, or while smoking.



Power of Science,
#ALIVEwithBeauty



The tube is 22% made from plant derived plastic.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLG 21282
www.shiseido.com



Drug Facts
(continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

FRAGRANCE FREE.
SUITABLE FOR ALL SKIN
TYPES INCLUDING
SENSITIVE SKIN.
DERMATOLOGIST-TESTED,
NON-COMEDOGENIC.



<http://s1872.com/21282AA>
See our website
for more information.

FSC マーク
W6XH13

REVITALESSENCE SKIN GLOW
Primer



SHISEIDO
GINZA TOKYO

東京銀座

Drug Facts
(continued)

Inactive ingredients

WATER-ALCOHOL, DENAT.,
GLYCERIN, BUTYLENE GLYCOL,
NICINAMIDE, SILICA,
ISODECYL NEOPENTANOATE,
TRIETHYLHEXANON,
GLYCERYL DIBESTEARATE,
PEG-60 HYDROGENATED
CASTOR OIL,
LACTOBACILLUS/RICE
FERMENT, XANTHAN GUM,
TOCOPHERYL ACETATE,
POLYQUATERNIUM-51,
LAVANDULA ANGLUSTIFOLIA
(LAVENDER) OIL,
SANGUISORBA OFFICINALIS
ROOT EXTRACT, SODIUM
ACETYLATED HYALURONATE,
CITRUS JUNOS SEED EXTRACT,
CAMELLIA SINENSIS LEAF
EXTRACT, BANYL ALCOHOL,
BEHENYL ALCOHOL,
CARBOMER,
DIMETHYLACRYLAMIDE/SODIUM
ACRYLOYLDIMETHYLTAURATE
CROSSPOLYMER, POTASSIUM
HYDROXIDE, ALCOHOL,
ACRYLATES/C10-30 ALKYL
ACRYLATE CROSSPOLYMER,
TOCOPHEROL, TRISODIUM
EDTA, SODIUM
METAPHOSPHATE, SODIUM
METABISULFITE, BHT,
CHLORPHENESIN,
PHENOXYETHANOL, IRON
OXIDES.

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

<M113121-811>

REVITALESSENCE
SKIN GLOW

Primer

BROAD SPECTRUM
SPF 25

Sunscreen

Bio-BoostRED Technology

Fermented Kefir+
Niacinamide

30mL NET WT. 1OZ.

縮小サイズ0.65倍 6mmバー
11mm×26mm

7 30852 21282 4

21282-41-5040
AAA

SHISEIDO REVITALESSENCE SKIN GLOW PRIMER

avobenzone, octinoxate, and octocrylene emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-894
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.77925 g in 30 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.52733 g in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.5585 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
NIACINAMIDE (UNII: 25X51I8RD4)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
LIMOSILACTOBACILLUS REUTERI (UNII: 9913I24QEE)	
XANTHAN GUM (UNII: TTV12P4NEE)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
CITRUS JUNOS SEED (UNII: UY43O1Q45N)	
GREEN TEA LEAF (UNII: WZZU1RY8B0)	
BATILOL (UNII: 39YR661C4U)	
DOCOSANOL (UNII: 9G1OE216XY)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
SODIUM METAPHOSPHATE (UNII: 532IUT7IRV)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-894-60	1 in 1 CARTON	01/01/2023	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	01/01/2023	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Registrant - Shiseido America Inc. (782677132)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	ANALYSIS(58411-894) , MANUFACTURE(58411-894)

Revised: 3/2025

SHISEIDO AMERICAS CORPORATION