

**STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled
Good Sense (Geiss, Destin & Dunn, Inc.)**

DRUG FACTS

Active ingredient (in each softgel)

Docusate Sodium USP, 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using a laxative. These could be a sign of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1-3 softgels daily. This dose may be taken as a single daily dose or in divided doses
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:** sodium 7 mg
- store at 25°C (77°F); excursion permitted between 15-30°C (59-86°F)

Inactive ingredients

citric acid, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

†Compare to the active ingredient in Dulcolax® Stool Softener

Gentle

Stool Softener

Docusate Sodium 100 mg

Stool Softener Laxative

For Gentle, Softening Relief

Stimulant-free

SOFTGELS

†This product is not manufactured or distributed by Chattem, Inc., distributor of Dulcolax® Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: Perrigo Direct, Inc.

Peachtree City, GA 30269

www.PerrigoDirect.com

Product Label

GOODSENSE® NDC 50804-701-25

Gentle Stool Softener

For Gentle, Softening Relief
Stimulant-free

Docusate Sodium
Stool Softener Laxative



Actual Size

†Compare to active ingredient in Dulcolax® Stool Softener

25 Softgels (100 mg Each)

Gentle Stool Softener

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Exp. Date: _____
Lot No.: _____
8 46036 00083 2
PLD-6790A FD008412

Distributed by: Perrigo Direct, Inc.
Peachtree City, GA 30269
www.PerrigoDirect.com
1-877-753-3935
GoodSense® is a registered trademark of L. Perrigo Company.

†This product is not manufactured or distributed by Chatham, Inc., distributor of Dulcolax® Stool Softener.

Drug Facts (continued)

Other information
■ each softgel contains: sodium 7 mg
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Drug Facts

Active ingredient (in each softgel)
Docusate sodium USP, 100 mg Stool softener laxative

Purpose
■ for relief of occasional constipation and irregularity
■ this product generally produces bowel movement in 12 to 72 hours

Warnings
Do not use if you are presently taking mineral oil, unless directed by a doctor.
Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ a sudden change in bowel habits that lasts more than 2 weeks
Stop use and ask a doctor if
■ you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
■ you need to use a laxative for more than 1 week
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ take with a glass of water
adults and children take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 take 1 softgel daily
years of age
children under 2 years ask a doctor

GOOD SENSE Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-701(NDC:53345-008)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	red	Score	no score
Shape	CAPSULE (Oval)	Size	13mm
Flavor		Imprint Code	PC1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-701-25	1 in 1 BOX	02/03/2023	11/30/2026
1		25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M007	02/03/2023	11/30/2026

Labeler - Good Sense (Geiss, Destin & Dunn, Inc.) (076059836)

Revised: 8/2025

Good Sense (Geiss, Destin & Dunn, Inc.)