

**FERROUS GLUCONATE- ferrous gluconate tablet**  
**Westminster Pharmaceuticals, LLC**

-----  
**Ferrous Gluconate**

**DESCRIPTION**

Each tablet contains 324 mg of ferrous gluconate, equivalent to 38 mg of elemental iron, providing 211% of the U.S. recommended daily intake (RDI) of iron for adults and children 4 and older.

**Directions for Use**

Do not crush or chew tablets. Adult Serving Size: 1 tablet three to four times daily. Children: Consult a physician.

<b>Supplement Facts</b>		
<b>Serving Size 1 Tablet</b>		
	<b>Amount Per Tablet</b>	<b>% Daily Value *</b>
Iron (as ferrous gluconate)	38 mg	211%

\* Percent Daily Value (DV) are based on a 2000 calorie diet. Your daily value may be higher or lower depending on your calorie intake.

**Other Ingredients:** Microcrystalline Cellulose, Dicalcium Phosphate Dihydrated, Croscarmellose Sodium, Stearic Acid (Vegetable), Silicon Dioxide, Magnesium Stearate (Vegetable), Sodium Starch Glycolate, Hypromellose, Polyethylene Glycol, FD&C Yellow #6, FD&C Blue #1, Titanium Dioxide.

**WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.**

**WARNINGS**

Do not take within 2 hours of taking oral tetracycline antibiotics, since oral iron products tend to interfere with absorption of tetracycline. May cause gastrointestinal discomfort, nausea, constipation or diarrhea. If you are pregnant or nursing a baby, seek advice of a health professional before using this product. U.S. Consumer Product Safety Commission requires that iron-containing medicine and vitamins with iron be packaged in child-resistant closures. Parents should always properly resecure safety closures.

**Storage**

Store at 20° - 25°C (68° - 77°F)[see USP Controlled Room Temperature]

**You may report side effects by calling 1-844-221-7294.**

**Manufactured for:**

Westminster Pharmaceuticals, LLC

Nashville, TN 37217

Rev. 05/22

**PRINCIPAL DISPLAY PANEL - 324 mg Tablet Bottle Label**

69367-165-04

Ferrous Gluconate

Tablets, USP

Iron Supplement

324 mg

100 Tablets

Westminster

Pharmaceuticals

69367-165-04

**Ferrous Gluconate  
Tablets, USP  
Iron Supplement**

**324 mg**  
100 Tablets

**WP** Westminister  
Pharmaceuticals

**DESCRIPTION:** Each tablet contains 324 mg of ferrous gluconate, equivalent to 38 mg of elemental iron, providing 211% of the U.S. recommended daily intake (RDI) of iron for adults and children 4 and older.

**Directions for Use:** Do not crush or chew tablets. **Adult:** Serving Size: 1 tablet three to four times daily. **Children:** Consult a physician.

<b>Supplement Facts</b>	
Serving Size 1 Tablet	
Amount Per Tablet	% Daily Value †
Iron (as ferrous gluconate)	38 mg 211%

† Percent Daily Value (DV) are based on a 2000 calorie diet. Your daily value may be higher or lower depending on your calorie intake.

**Other Ingredients:** Microcrystalline Cellulose, Dicalcium Phosphate Dihydrated, Croscarmellose Sodium, Stearic Acid (Vegetable), Silicon Dioxide, Magnesium Stearate (Vegetable), Sodium Starch Glycolate, Hypromellose, Polyethylene Glycol, FD&C yellow #6, FD&C Blue #1, Titanium Dioxide.

**WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.**

**WARNINGS:** Do not take within 2 hours of taking oral tetracycline antibiotics, since oral iron products tend to interfere with absorption of tetracycline. May cause gastrointestinal discomfort, nausea, constipation or diarrhea. If you are pregnant or nursing a baby, seek advice of a health professional before using this product. U.S. Consumer Product Safety Commission requires that iron-containing medicine and vitamins with iron be packaged in child-resistant closures. Parents should always properly reseal safety closures.

**Storage:** Store at 20° - 25°C (68° - 77°F)[see USP Controlled Room Temperature]

**You may report side effects by calling 1-844-221-7294.**

**Manufactured for:**  
Westminister Pharmaceuticals, LLC  
Nashville, TN 37217  
Rev. 05/22

No-Varnish Area

Lot. Exp.  
3 69367 16504 4

**FERROUS GLUCONATE**

ferrous gluconate tablet

**Product Information**

<b>Product Type</b>	DIETARY SUPPLEMENT	<b>Item Code (Source)</b>	NHRIC:69367-165
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
FERROUS GLUCONATE (UNII: U1B11I423Z) (FERROUS CATION - UNII:GW89581OWR)		FERROUS CATION	38 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SODIUM STARCH GLYCOLATE TYPE B POTATO (UNII: 27NA468985)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:69367-165-04	100 in 1 BOTTLE, PLASTIC		
2	NHRIC:69367-165-07	1000 in 1 BOTTLE, PLASTIC		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT			07/31/2017	

Supplement Facts		
Serving Size :	Serving per Container :	
	Amount Per Serving	% Daily Value
color		
scoring	1	
shape		
size (solid drugs)	11 mm	
imprint		

**Labeler** - Westminster Pharmaceuticals, LLC (079516651)