LAXATIVE REGULAR STRENGTH- sennosides tablet, sugar coated Bi-Mart

Active ingredient (in each tablet)

Sennosides 15 mg

Purpose

Stimulant Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you

are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

do not use for a period longer than 1 week.

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may bindicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- swallow tablets with a glass of water
- swallow tablets whole; do not crush, break, or chew

adults and children 12	Take 2 tablets once
years of age and older	or twice daily
children 6 to under 12	Take 1 tablet once
years of age	or twice daily
children under 6 years of	Ask a doctor
age	ASK a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF SEAL AROUND TABLET IS BROKEN OR DAMAGED
- each tablet contains:calcium 35 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch, dicalcium phosphate, iron oxide black, iron oxide red, iron oxide yellow, magnesium stearate, maltodextrin**, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac, silica gel, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide. **may contain this ingredient

Ouestions?

call toll-freee **1-844-912-4012**

Principal display panel



LAXATIVE REGULAR STRENGTH

sennosides tablet, sugar coated

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37835-214

Route of Administration ORAL

ODAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	15 mg	

Inactive Ingredients	
Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
SHELLAC (UNII: 46N107B710)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	brown (Tan)	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	44;347
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835- 214-45	3 in 1 CARTON	08/01/2025	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/01/2025	

Labeler - Bi-Mart (027630078)

Registrant - Bi-Mart (027630078)

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		117025878	manufacture(37835-214)	

Revised: 8/2025 Bi-Mart