

**SANGUINARINUM NITRICUM- sanguinarine nitrate pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Sanguinarinum nitricum 5C**

Sanguinarinum nitricum 5C

Less than 10<sup>-5</sup> mg sanguinarine per pellet

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves watery, burning nasal discharge during the day \*

**Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073

# Sanguinarinum nitricum

# 5c

Relieves watery, burning nasal discharge during the day\*

Made in France HOMEOPATHIC MEDICINE

HPUS NDC 0220-4554-41

Less than 10<sup>-5</sup> mg sanguinarine per pellet  
Do not use if pellet dispenser seal is broken

LOT	EXP
3 06961	04307 1

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Sanguinarinum nitricum 5c

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

### Questions or comments?

BoironUSA.com Info@Boiron.com  
1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to dispense pellets?

- 1 Turn tube upside down.
- 2 Twist until 5 pellets are dispensed into cap.
- 3 Carefully remove cap and use it to pour pellets under the tongue.

# Sanguinarinum nitricum

# 5c

Watery, burning nasal discharge during the day\*

HOMEOPATHIC MEDICINE Made in France

HPUS NDC 0220-4554-41

Sanguinarinum nit

\*CLAIMS BASED ON TRADITIONAL NOT ACCEPTED MEDICAL EVIDENCE

Less than 10<sup>-5</sup> mg sanguinarine per pellet  
Do not use if pellet dispenser seal is broken



LOT:                      EXP:  
3                      06961                      04307 1

ricum 5 c

HOMOEOPATHIC PRACTICE,  
CE. NOT FDA EVALUATED.



Contains approx. 80 pellets.                      US  
**Peel for Drugs Facts and instructions for use.**

## ***Drug Facts***

***Active ingredient***<sup>\*\*</sup>: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

***Uses:*** See symptoms on front panel.

***Warnings:*** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

***Directions:*** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

***Other information:*** ■ Do not use if pellet dispenser seal is broken.

## ***Drug Facts*** (continued)

***Inactive ingredients:*** lactose, sucrose

**Questions or comments?**


BoironUSA.com    Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to dispense pellets?



# Sanguinarinum nitricum

# 5<sup>c</sup>

HPUS NDC 0220-4554-41



Watery, burning nasal discharge during the day.\*



Lot:

Exp:

3 06961 04307 1

Contains approx. 80 pellets. US



Peel for Drugs Facts and instructions for use.

Sanguinarinum nitricum 5 c

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## **Drug Facts**

**Active ingredient\*\***: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses**: See symptoms on front panel.

**Warnings**: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions**: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information**: ■ Do not use if pellet dispenser seal is broken.

## **Drug Facts** (continued)

**Inactive ingredients**: lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073



How to  
dispense p



Turn tube upside  
down.



Twist until 5 pellets  
are dispensed  
into cap.



Carefully remove cap  
and use it to pour pellets  
under the tongue.

## SANGUINARINUM NITRICUM

sanguinarine nitrate pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-4554
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SANGUINARINE NITRATE</b> (UNII: BOP122S791) (NITRATE ION - UNII:T93E9Y2844)	SANGUINARINE NITRATE	5 [hp_C] in 5 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	ROUND	<b>Size</b>	4mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-4554-41	5 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

### Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-4554)

Revised: 8/2025

Boiron