

**GILPHEX TR- guaifenesin and phenylephrine hcl tablet, film coated**  
**Gil Pharmaceutical Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**4062-Gil**

***Drug Facts***

***Active ingredient (in each tablet)***

Guaifenesin 388 mg

Phenylephrine HCl 10 mg

***Purpose***

Expectorant

Nasal Decongestant

***Uses***

temporarily relieves these symptoms associated with a cough, the common cold, hay fever, or other upper respiratory allergies

- helps loosen phlegm (mucus)
- loosens nasal congestion
- thin bronchial secretions
- drain bronchial tubes
- make coughs more productive
- clears stuffy nose
- clear nasal passageways
- shrinks swollen membranes

**Do not use** this product more than the recommended dosage, or if you are now taking a prescription Monoamine Oxidase Inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's Disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription drug contains an MAOI, ask a health professional.

**Ask a doctor before use if you have**

- heart disease
- excessive phlegm (mucus)
- high blood pressure
- diabetes
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- symptoms are accompanied by fever, rash, persistent headache, or excessive phlegm (mucus)
- cough and congestion do not improve within 7 days or tend to recur.

***These could be signs of a serious condition.***

***If pregnant or breast-feeding***, ask a health professional before use.

***Keep out of the reach of children.***

In case of accidental overdose, get medical help or contact a Poison Control Center immediately.

### ***Directions***

***Do not exceed recommended doses in a 24 hour period***

- **Adults and Children 12 years and over:** 1 tablet every 4 hours. Do not exceed 6 tablets in 24 hours.
- **Children 6 to 12 years:** 1/2 tablet every 4 hours. Do not exceed 3 tablets in 24 hours
- **Children under 6 years of age: ask a doctor**

### ***Other information***

- Store at room temperature, USP
- do not use if imprinted safety seal under cap is broken or missing

Croscarmellose Sodium, Hypromellose, Lactose, Magnesium Silicate, Magnesium Stearate, Maltodextrin, Microcrystalline Cellulose, Mineral Oil, Polyethylene Glycol, Polyvinylpyrrolidone, Silica, Sodium Lauryl Sulfate, Stearic Acid, Titanium Dioxide and Triacetin.

### ***Questions?***

***Call 787-848-9114***

Manufactured for:

GIL PHARMACEUTICAL CORP.,

Ponce, Puerto Rico 00716

GILPHEX TR

Guaifenesin, Phenylephrine


GILPHEX® TR the brand physicians trust in a convenient TOTAL RELEASE formula for TOTAL RELIEF of CONGESTION! EXPECTORANT AND NASAL DECONGESTANT

DYE FREE AND PRESERVATIVE FREE TABLETS

MANUFACTURED FOR:

GIL PHARMACEUTICAL CORP.

PONCE, PUERTO RICO 00716



## GILPHEX TR

guaifenesin and phenylephrine hcl tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58 552-313
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	388 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE (UNII: J2B2A4N98G)	
TALC (UNII: 7SEV7J4R1U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
POVIDONE K30 (UNII: U725QWY32X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

### Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	19mm

<b>Flavor</b>		<b>Imprint Code</b>	GIL;GIL;304;304	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58552-313-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/13/2011	
2	NDC:58552-313-02	12 in 1 CARTON	07/15/2011	
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph final	part341	02/12/2008		

**Labeler** - Gil Pharmaceutical Corp (176826592)

Revised: 12/2020

Gil Pharmaceutical Corp