

**OXYGEN- oxygen gas**  
**Albright Welding Supply Co., Inc.**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

ALBRIGHT WELDING SUPPLY CO. INC.

3132 E. Lincoln Way

Wooster, OH 44691

330-264-2021

NO SMOKING

NO VAPING

OXYGEN,  
COMPRESSED  
USP  
UN1072  
PRODUCED BY AIR LIQUEFACTION



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use.

Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS).  
CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.



3132 E. Lincoln Way  
Wooster, OH 44691  
330-264-2021



**OXYGEN**  
oxygen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:52272-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52272-001-01	425 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	
2	NDC:52272-001-02	560 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	01/11/2024
3	NDC:52272-001-03	700 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	
4	NDC:52272-001-04	1550 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	01/11/2024
5	NDC:52272-001-05	2600 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	01/11/2024
6	NDC:52272-001-06	3550 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	
7	NDC:52272-001-07	4000 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	01/11/2024
8	NDC:52272-	7100 L in 1 CYLINDER; Type 0: Not a Combination	08/27/1983	01/11/2024

0	001-08	Product	08/27/1983	01/11/2024
9	NDC:52272-001-09	8000 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	
10	NDC:52272-001-10	9500 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	
11	NDC:52272-001-13	198 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	01/11/2024
12	NDC:52272-001-14	1942 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	01/11/2024
13	NDC:52272-001-15	212 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	
14	NDC:52272-001-16	150 L in 1 CYLINDER; Type 0: Not a Combination Product	08/27/1983	01/11/2024

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	08/27/1983	

**Labeler** - Albright Welding Supply Co., Inc. (004454443)

## Establishment

Name	Address	ID/FEI	Business Operations
Albright Welding Supply Co., Inc.		004454443	manufacture(52272-001)

Revised: 1/2026

Albright Welding Supply Co., Inc.