

READY CARE KIT - first aid kit
Dukal Corporation

Front Label

Physicians Care

FIRST AID

25 Person

ReadyCare Kit

Contains over 182 Pieces

Back Label

Physicians Care

CLEANSE

Antiseptics

14 Antiseptic Wipes

16 Alcohol Pads

TREAT

6 Antibiotic Ointment Packets

6 Burn Ointment Packets

10 3" Cotton Tip Applicator

PROTECT

16 3/8" x 1 1/2" Bandages

16 1" x 3" Bandages

80 3/4" x 3" Bandages

1 1/2" Tape

1 Triangular Bandage

4 3" x 3" Sterile Gauze Pads

1 Abdominal Compress

Other

Medical Exam Latex Gloves (2 Pair)

1 Tweezers

1 Cold Pack

1 First Aid Guide

10 Finger Splints

Acme United Corporation

60 Round Hill Road

Fairfield CT 06824

www.acmeunited.com

Designed in the USA | Made in China

CAUTION: This product may contain natural rubber latex which may cause allergic reactions.

This kit contains products that have expiration dates. Please check before use.

BZK Towelette Labeling

Reorder 855

NDC 65517-0004-1

Dukal

BZK TOWELETTE

Contains Benzalkonium Chloride

For External Use Only

Helps Prevent Infection

1 / Pouch

DUKAL CORPORATION

(631) 656-3800

Ronkonkoma, NY 11779 www.dukal.com

Made in China

Drug Facts

Active Ingredients..... Benzalkonium Chloride 0.133% w/v

Purpose..... First Aid Antiseptic

USE: Antiseptic Cleansing of face, hands and body without soap and water. Airs dries in seconds

DO NOT USE: in the eyes or apply over large areas of the body.

STOP USE: If irritation, redness or other symptoms develop. Consult a doctor if the conditions persists or gets worse.

CAUTION: Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

DIRECTIONS: Tear open packet, unfold and use as a washcloth.

INACTIVE INGREDIENTS: Distilled Water

Prep Pad Labeling

Reorder 852

Dukal Corporation

NDC 65517-0001-1

NPN 80003156

ALCOHOL PREP PAD

Saturated with 70% Isopropyl Alcohol

For External Use Only

1 / Pouch

Dukal Corporation

Ronkonkoma, NY 11779

631-656-3800

www.dukal.com

Made in China

Drug Facts

Active Ingredients

Isopropyl Alcohol 70%

Purpose

Antiseptic Cleanser

Use

For Preparation of Skin prior to an injection

Warnings

- For External Use Only
- Flammable, Keep away from fire or flame

Do Not Use

- with electrocautery procedures
- In the Eyes. If contact occurs, flush eyes with water

Stop Use

If irritation and redness develop. If condition persists, consult your health care practitioner.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Wipe injection site vigorously and discard.

Other Information

Store at Room Temperature 15 - 30 C (59 - 86 F)

Inactive Ingredient

purified water

Triple Antibiotic Labeling

WaterJel

Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram contains
Bacitracin Zinc 400 units
Neomycin Sulphate 5 mg
(equivalent to 3.5 mg Neomycin base)
Polymyxin B Sulfate 5000 units
Water-Jel Technologies
Carlstadt, NJ 07072

Drug Facts

Uses to help prevent infection in
minor cuts, scrapes, burns

Warnings

For external use only

Do not use

in the eyes or apply over large areas of the body
If you are allergic to any of the ingredients
longer than 1 week unless directed by a doctor

Stop use and ask a doctor if
the condition persists or gets worse
a rash or other allergic reaction develops

Keep out of reach of children

if ingested contact Poison Control Center right away

Directions

clean affected area apply a small amount of product
(an amount equal to the surface area of the tip of a finger)
on the area 1 to 3 times daily may be covered with a sterile bandage

First Aid Burn Cream Labeling

WaterJel

First Aid Burn Cream

Antiseptic Pain Relief with Aloe

Active Ingredients :

Benzalkonium Chloride 0.13%

Lidocaine HCL 0.5%

Water-Jel Technologies

Carlstadt, NJ 07072

Drug Facts

Purpose

First Aid Antiseptic, External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain and itching associated with minor cuts, scrapes, burns

Warnings

For external use only

Do not use

in the eyes

in large quantities over raw or blistered areas or on deep puncture wounds, animal bites, or serious burns

Keep out of reach of children

if ingested contact Poison Control Center right away

Directions

clean affected area apply a small amount not more than 3 times daily may be covered with a sterile bandage

Other Information













Store at room temperature

Ready Care Kit Front Label



Ready Care Kit Back Label

PhysiciansCARE

CLEANSE		PROTECT		OTHER		
14 Antiseptic Wipes  Item refill #51028	16 Alcohol Pads  Item refill #51019	16 3/8" X 1 1/2" Bandages  16 1" X 3" Bandages  Item refill #51005 80 3/4" X 3" Bandages  Item refill #40600 1 1/2" Tape  Item refill #12302	1 Triangular Bandage  Item refill #51012 4 3" x 3" Sterile Gauze Pads  Item refill# 90134 1 Abdominal Compress  Item refill# 90020	Medical Exam Latex Gloves (2 pair)  Item refill #51016 1 Tweezers  Item refill #90024	1 Cold Pack  Item refill #51013 1 First Aid Guide  Item # 90121	10 Finger Splints 
TREAT 6 Antibiotic Ointment Packets  Item refill #12944 6 Burn Ointment Packets  Item refill #51014 10 3" Cotton Tip Applicators  Item refill #12941		Acme United Corporation 60 Round Hill Road Fairfield, CT 06824 203-254-6000 www.acmeunited.com Designed in the USA Made in China ©2010 Acme United Corporation PhysiciansCare and  are Registered Trademarks of Acme United Corporation. CAUTION: This product may contain natural rubber latex which may cause allergic reactions. This kit contains products that have expiration dates. Please check before use.			 0 173577 90121 6	

D1110001 Rev2

Prep Pad Label

DUKALTM
CORPORATION

REORDER
852

NDC 65517-0001-1
NPN 8003156

ALCOHOL PREP PAD

●●●●●●●●●●●●●●●●

1
/Pouch

Saturated with 70%
Isopropyl Alcohol
For External Use Only

 **DUKAL CORPORATION** • (631) 656-3800
 Ronkonkoma, NY 11779

Made in China D11040501 Rev1

Drug Facts	
Active Ingredients	Purpose
Isopropyl Alcohol 70%.....	Antiseptic Cleanser
Use For preparation of the skin prior to an injection	
Warnings	
<ul style="list-style-type: none"> For external use only Flammable, keep away from fire or flame 	
Do Not Use	
<ul style="list-style-type: none"> with electrocautery procedures In the eyes. If contact occurs, flush eyes with water 	
Stop Use If irritation and redness develop. If condition persists consult your health care practitioner.	
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> Wipe injection site vigorously and discard 	
Other Information	
Store at room temperature 15° - 30° C (59° - 86° F)	
Inactive Ingredient purified water	

BZK Towelette Label



REORDER
855

NDC 65517-0004-1

BZK TOWELETTE



1
/Pouch

Contains Benzalkonium Chloride
For External Use Only
Helps Prevent Infection

2 DUKAL CORPORATION • (631) 656-3800
Ronkonkoma, NY 11779 • www.dukal.com

Made in China

DRUG FACTS:

Active Ingredient	Purpose
Benzalkonium Chloride, 0.133% w/v...	First Aid Antiseptic

USE: Antiseptic Cleansing of face, hands and body without soap and water. Air dries in seconds.

DO NOT USE: in the eyes or apply over large areas of the body.

STOP USE: if irritation, redness or other symptoms develop. Consult a doctor if the condition persists or gets worse.

CAUTION: Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS: Tear open packet, unfold and use as a washcloth.

INACTIVE INGREDIENTS: Distilled Water

Tear Here

DUKAL CORPORATION

D07110604 Rev1

Triple Antibiotic Label



WATERMEL

Triple Antibiotic

First Aid Ointment
To Help Prevent Infection

EACH GRAM CONTAINS:
Bacitracin Zinc 400 units
Neomycin Sulfate 5 mg
(equivalent to 3.5 mg
Neomycin base)
Polymyxin B Sulfate 5000 units

NET WT 0.9g (1/2" OZ)

Water Jet Technology
Carlsbad, NJ 07077

Drug Facts

Uses to help prevent infection in
■ minor cuts ■ scrapes ■ burns

Warnings
For external use only
Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients
■ longer than 1 week unless directed by a doctor

Stop use and ask a doctor if
■ the condition persists or gets worse ■ a rash or other allergic reaction develops

Keep out of reach of children
if ingested contact Poison Control Center right away.

Directions ■ clean affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage

LOT 8718 EXP 01/2011

Burn Cream Label



READY CARE KIT

first aid kit kit

Product Information

Product Type	MEDICAL DEVICE	Item Code (Source)	NDC:65517-0020
--------------	----------------	--------------------	----------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65517-0020-1	1 in 1 PACKAGE, COMBINATION		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	16 POUCH	6.4 mL
Part 2	6 PACKET	5.4 g
Part 3	6 PACKET	5.4 g
Part 4	14 POUCH	19.6 mL

Part 1 of 4

DUKAL ALCOHOL PREP PAD

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:65517-0001
--------------------	----------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.70 mL in 1.0 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65517-0001-1	0.4 mL in 1 POUCH		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/01/2000	

Part 2 of 4

WATER-JEL 3-IN1 ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate and neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:59898-740
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-740-01	0.9 g in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	01/01/2010	

Part 3 of 4

FIRST AID BURN

lidocaine hydrochloride and benzalkonium chloride cream

Product Information

Item Code (Source)	NDC:59898-902
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-902-01	0.9 g in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	01/01/2010	

Part 4 of 4

BZK TOWELETTE

benzalkonium chloride swab

Product Information

Item Code (Source)	NDC:65517-0004
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.00186 mL in 1.4 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	1.39814 mL in 1.4 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65517-0004-1	1.4 mL in 1 POUCH		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/01/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	05/01/2010	

Labeler - Dukal Corporation (791014871)

