# REPLENIX ACNE GLY-SAL 2-2 FOAMING CLEANSER- salicylic acid liquid Topiderm, Inc.

-----

### Replenix® Acne Solutions Gly-Sal® 2-2 Foaming Cleanser Drug Facts

### **Active ingredient**

Salicylic Acid USP, 2%

### **Purpose**

Acne medication

### Uses

Skin cleanser for the treatment of acne.

### Warnings

### For external use only

Keep away from eyes, lips, and mouth. Using other topical medications, while using this product or immediately thereafter, may increase dryness or irritation. If this occurs discontinue use and see your doctor.

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center.

Sunscreen use is recommended with any glycolic acid product and for an additional week thereafter because some individuals may be more sensitive to sunlight.

### **Directions**

Wet affected area, apply, and rinse well.

- Because excessive drying of the skin can occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a physician
- If bothersome dryness occurs, reduce application to once a day or every other day.

### Inactive ingredients

Water, Sodium Lauroyl Sarcosinate, Sodium Methyl Cocoyl Taurate, PEG-7 Glyceryl Cocoate, Disodium Cocoamphodiacetate, Potassium Hydroxide, Glycolic Acid, Green Tea Extract, Cucumber Extract, Zinc PCA, Copper PCA, Willow Bark Extract, Hydroxyethylcellulose, Phenoxyethanol, Disodium EDTA.

### PRINCIPAL DISPLAY PANEL - 200 ml Bottle Label

REPLENIX® ACNE SOLUTIONS

Gly/Sal<sup>®</sup> 2-2 Foaming Cleanser

Glycolic Acid 2% Salicylic Acid USP, 2%

Net 6.7 fl. oz. (200 ml)

Topix Pharmaceuticals, Inc. N. Amityville, NY 11701



# Gly/Sal° 2-2 Foaming Cleanser

Glycolic Acid 2% Salicylic Acid USP, 2%

Net 6.7 fl. oz. (200 ml)

Topix Pharmaceuticals, Inc. N. Amityville, NY 11701

# Drug Facts

Active ingredient

Purpose

Salicylic Acid USP, 2%......

...Acne medication

**Uses** Skin cleanser for the treatment of acne.

### Warnings

### For external use only

Keep away from eyes, lips, and mouth. Using other topical medications, while using this product or immediately thereafter, may increase dryness or irritation. If this occurs discontinue use and see your doctor.

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center.

Sunscreen use is recommended with any glycolic acid product and for an additional week thereafter because some individuals may be more sensitive to sunlight.

#### Directions

Wet affected area, apply, and rinse well. ■ Because excessive drying of the skin can occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a physician ■ If bothersome dryness occurs, reduce application to once a day or every other day.

### Inactive ingredients

Water, Sodium Lauroyl Sarcosinate, Sodium Methyl Cocoyl Taurate, PEG-7 Glyceryl Cocoate, Disodium Cocoamphodiacetate, Potassium Hydroxide, Glycolic Acid, Green Tea Extract, Cucumber Extract, Zinc PCA, Copper PCA, Willow Bark Extract, Hydroxyethylcellulose, Phenoxyethanol, Disodium EDTA.

R0719

Made in U.S.A.

929

### **REPLENIX ACNE GLY-SAL 2-2 FOAMING CLEANSER**

salicylic acid liquid

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51326-929

Route of Administration TOPICAL

### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
ALICYLIC ACID (LINII) OA14PZ4LPZ) (SALICYLIC ACID LINII) OA14PZ4LPZ	SALICYLIC ACID	20 mg in 1 ml

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM LAUROYL SARCOSINATE (UNII: 632GS99618)	
SODIUM METHYL COCOYL TAURATE (UNII: JVL98CG53G)	
PEG-7 GLYCERYL COCOATE (UNII: VNX7251543)	
DISODIUM COCOAMPHODIACETATE (UNII: 18L9G3U51M)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CUCUMBER (UNII: YY7C30VXJT)	
ZINC PIDOLATE (UNII: C32PQ86DH4)	
COPPER PIDOLATE (UNII: 497G7G1SL1)	
WILLOW BARK (UNII: S883J9JDYX)	
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

ı	Packaging				
	# Iten	n Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:5	51326- 6	200 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/15/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M006	03/15/2016	

### Labeler - Topiderm, Inc. (049121643)

## **Registrant -** Topiderm, Inc. (049121643)

Establishment				
Name	Address	ID/FEI	Business Operations	
Topiderm, Inc.		049121643	MANUFACTURE(51326-929)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Topix Pharmaceuticals, Inc.		117745066	PACK(51326-929)	

Revised: 12/2019 Topiderm, Inc.