

**ALL NATIONS A D C SPECIAL PROGRAM- adenosine solution**  
**AN Co Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**ACTIVE INGREDIENT**

Active ingredients: Adenosine 0.04%

**INACTIVE INGREDIENT**

Inactive ingredients:

SP F I) Water, illite Extract, Carbomer, Butylene Glycol, Caffeine, Phenoxyethanol, Carpryl Glycol, Glycerin, 1,2-Hexanediol, Avena Sativa (Oat) Kernel Extract, Beta-Glucan, Acetyl Hexapeptide-8, Copper Tripeptide-1, Diospyros Kaki Leaf Extract, Centella Asiatica Extract, Theobroma Cacao Extract, Chamomilla Recutita (Matricaria) Extract, Wine Extract, Ethylhexylglycerin, Hovenia Dulcis Fruit Extract, Camellia Sinensis Leaf Extract, Glycine Soja (Soybean) Seed Extract, Origanum Vulgare Flower Extract, Scutellaria Baicalensis Root Extract, Sophora Flavescens Root Extract

SP F II) Water, illite Extract, Sodium Silicate, Butylene Glycol, Hydroxypropyl Chitosan, Glycerin, 1,2-Hexanediol, Phenoxyethanol, Citric acid, Polyepsilon-Lysine, Alcohol, Paeonia Albiflora Flower Extract, Ipomoea Purpurea Extract, Magnolia Liliflora Flower Extract, Lilium Candidum Flower Extract, Portulaca Oleracea Extract, Camellia Sinensis Leaf Extract

Volume) SP F I: 6mL, SP F II: 1mL

**PURPOSE**

Purpose: SKIN PROTECTANT

**Precautions on use**

Precautions on use: 1. Stop using the product if there are any of the following abnormal symptoms appearing after use and consult with your dermatologist as continued use can worsen the symptoms. A) If there are red spots, swelling, itchiness, or irritation B) If the above symptoms appear around the skin to which the product has been applied after being exposed to direct sunlight. 2. Precautions on storage and handling. A) Make sure to close the cap after use. B) Keep out of the reach of children. C) Do not keep the product in a hot or cold place or a place getting direct sunlight. 3. Do not apply the product to any parts of the skin with wound, eczema, or dermatitis.

**KEEP OUT OF REACH OF CHILDREN**

KEEP OUT OF REACH OF CHILDREN

**INDICATIONS & USAGE**

Suggested use and application order:

1. Open SP F □ until the dotted line. (try not to spill the liquid content inside) 2. Open SP F □ and mix with SP F □. (try not to spill the liquid content inside) 3. Seal the package of SP F □ and strongly shake the package more than 10 times to mix two agents well. (turning into gel when mixed enough) 4. Apply the content over your face enough with a brush contained inside the package. 5. Regardless of individual

difference, wait for 15 ~ 20 minutes. (gently fan yourself while waiting) Try not to move or speak. 6. For the first few times, your skin may feel strongly stretched and there is a difference in color change depending on area. (discharge of toxin out of the skin) Feeling of stretching may differ by individual skin condition. 7. After using wash your face with warm water and then use soap to cleanse your face once again. 8. Dry your face with a dry towel.

\*Use up a single package at a time.


## **DOSAGE & ADMINISTRATION**

Suggested use and application order:

1. Open SP F □ until the dotted line. (try not to spill the liquid content inside) 2. Open SP F □ and mix with SP F □. (try not to spill the liquid content inside) 3. Seal the package of SP F □ and strongly shake the package more than 10 times to mix two agents well. (turning into gel when mixed enough) 4. Apply the content over your face enough with a brush contained inside the package. 5. Regardless of individual difference, wait for 15 ~ 20 minutes. (gently fan yourself while waiting) Try not to move or speak. 6. For the first few times, your skin may feel strongly stretched and there is a difference in color change depending on area. (discharge of toxin out of the skin) Feeling of stretching may differ by individual skin condition. 7. After using wash your face with warm water and then use soap to cleanse your face once again. 8. Dry your face with a dry towel.

\*Use up a single package at a time.

## **PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**



# ALL NATIONS A D C SPECIAL PROGRAM

adenosine solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69 153-130
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Adenosine (UNII: K72T3FS567) (ADENOSINE - UNII:K72T3FS567)</b>	Adeno sine	0.002 g in 6 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>Water (UNII: 059QF0KO0R)</b>	
<b>Butylene Glycol (UNII: 3XUS85K0RA)</b>	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69 153-130-02	10 in 1 CARTON	06/01/2017	
1	NDC:69 153-130-01	6 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/01/2017	

**Labeler** - AN Co Ltd. (688448454)

**Registrant** - AN Co Ltd. (688448454)

## Establishment

Name	Address	ID/FEI	Business Operations
AN Co Ltd.		688448454	manufacture(69153-130)

Revised: 6/2017

AN Co Ltd.