## BASIC CARE COUGH DM- dextromethorphan polistirex suspension Amazon.com Services LLC

-----

## Amazon Cough DM Drug Facts

#### Active ingredient (in each 5 mL)

Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide

## Purpose

Cough suppressant

#### Uses

temporarily relieves

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

#### Warnings

#### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Allergy Alert:** Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions.

#### Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

#### Stop use and ask a doctor if

- side effects occur. You may report side effects to FDA at 1-800-FDA-1088.
- cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

- shake bottle well before use
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by doctor

adults and children 12 years of age and over	10 mL every 12 hours, not to exceed 20 mL in 24 hours
children 6 to under 12 years of age	5 mL every 12 hours, not to exceed 10 mL in 24 hours
children 4 to under 6 years of age	2.5 mL every 12 hours, not to exceed 5 mL in 24 hours
children under 4 years of age	do not use

# Other information

- each 5 mL contains: sodium 5 mg
- store at 20° to 25°C (68° to 77°F)
- dosing cup provided

# Inactive ingredients

D&C Red #30 aluminum lake, D&C Yellow #10 aluminum lake, glycerin, high fructose corn syrup, methylparaben, natural and artificial orange flavor, polysorbate 80, polyvinyl acetate, povidone, propylparaben, purified water, sodium metabisulfite, sodium polystyrene sulfonate, sucrose, tartaric acid, tragacanth gum, triacetin, xanthan gum

# Questions or comments?

1-800-719-9260

# Package/Label Principal Display Panel

Cough

Compare to Delsym® active ingredient

Cough DM

Dextromethorphan Polistirex Extended-Release Oral Suspension

Cough Suppressant

# 12 Hour Cough Relief

Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions

Day or Night

Alcohol-free

Orange Flavored Liquid

Dosing Cup Included

5 FL OZ (148 mL)



Product Informa Product Type Route of Administr Active Ingredien DEXTROMETHORPHAN (DEXTROMETHORPHAN (DEXTROMETHORPHAN DEXTROM	ration ht/Active Ingred N HYDROBE - UNII:7355X ents W9GTW27) II: 2542T280 (UNII: 355W A3C0OX)	dient Name ROMIDE (UNII: 9D2RTI9KYH 3ROTS) Ingredient Name 8B)			ource) Basis of S DEXTROMETHOP HYDROBROMIDE	RPHAN	88-384 Strengt 30 mg in 5 mL
Route of Administr Active Ingredien DEXTROMETHORPHAN (DEXTROMETHORPHAN Inactive Ingredie POLISTIREX (UNII: 5H9 D&C RED NO. 30 (UNII D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6/ HIGH FRUCTOSE COR METHYLPARABEN (UN	<b>it/Active</b> <b>Ingred</b> <b>N HYDROBF</b> - UNII:7355X <b>ents</b> 9W9GTW27) II: 2542T280 0 (UNII: 355W A3C0OX)	ORAL Moiety dient Name ROMIDE (UNII: 9D2RTI9KYH 3ROTS) Ingredient Name 8B)			Basis of S DEXTROMETHOR	<b>trength</b> RPHAN	Strengt 30 mg in 5 mL
Active Ingredien DEXTROMETHORPHAN (DEXTROMETHORPHAN Inactive Ingredie POLISTIREX (UNII: 5H9 D&C RED NO. 30 (UNI D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6/ HIGH FRUCTOSE COR METHYLPARABEN (UN	<b>it/Active</b> <b>Ingred</b> <b>N HYDROBF</b> - UNII:7355X <b>ents</b> 9W9GTW27) II: 2542T280 0 (UNII: 355W A3C0OX)	Moiety dient Name ROMIDE (UNII: 9D2RTI9KYH 3ROTS) Ingredient Name 8B)	)		DEXTROMETHOR	RPHAN	30 mg in 5 mL
DEXTROMETHORPHAN (DEXTROMETHORPHAN DEXTROMETHORPHAN POLISTIREX (UNII: 5H9 D&C RED NO. 30 (UNI D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6/ HIGH FRUCTOSE COR METHYLPARABEN (UN	Ingred N HYDROBE - UNII:7355X ents 9W9GTW27) II: 2542T280 0 (UNII: 355W A3C0OX)	dient Name ROMIDE (UNII: 9D2RTI9KYH 3ROTS) Ingredient Name 8B)	)		DEXTROMETHOR	RPHAN	30 mg in 5 mL
DEXTROMETHORPHAN DEXTROMETHORPHAN DEXTROMETHORPHAN DEXTROMETHORPHAN POLISTIREX (UNII: 5H9 D&C RED NO. 30 (UNII D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6/ HIGH FRUCTOSE COR METHYLPARABEN (UN	Ingred N HYDROBE - UNII:7355X ents 9W9GTW27) II: 2542T280 0 (UNII: 355W A3C0OX)	dient Name ROMIDE (UNII: 9D2RTI9KYH 3ROTS) Ingredient Name 8B)	)		DEXTROMETHOR	RPHAN	30 mg in 5 mL
DEXTROMETHORPHAN Inactive Ingredie POLISTIREX (UNII: 5H9 D&C RED NO. 30 (UNI D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6/ HIGH FRUCTOSE COR METHYLPARABEN (UN	N HYDROBE - UNII:7355X ents 9W9GTW27) II: 2S42T280 0 (UNII: 35SW A3C0OX)	ROMIDE (UNII: 9D2RTI9KYH 3ROTS) Ingredient Name 8B)	)		DEXTROMETHOR	RPHAN	30 mg in 5 mL
(DEXTROMETHORPHAN - Inactive Ingredie POLISTIREX (UNII: 5H9 D&C RED NO. 30 (UNI D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6/ HIGH FRUCTOSE COR METHYLPARABEN (UN	- UNII:7355X ents 9W9GTW27) II: 2542T280 9 (UNII: 355W A3C0OX)	3ROTS) Ingredient Name 8B)	1)				in 5 mL
POLISTIREX (UNII: 5H9 D&C RED NO. 30 (UNI D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6/ HIGH FRUCTOSE COR METHYLPARABEN (UN	9W9GTW27) II: 2S42T280 ) (UNII: 35SW A3C0OX)	8B)				St	rength
POLISTIREX (UNII: 5H9 D&C RED NO. 30 (UNI D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6/ HIGH FRUCTOSE COR METHYLPARABEN (UN	9W9GTW27) II: 2S42T280 ) (UNII: 35SW A3C0OX)	8B)				St	rength
D&C RED NO. 30 (UNI D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6/ HIGH FRUCTOSE COR METHYLPARABEN (UN	II: 2542T280 (UNII: 355W A3C0OX)						
D&C YELLOW NO. 10 GLYCERIN (UNII: PDC6, HIGH FRUCTOSE COR METHYLPARABEN (UN	) (UNII: 355W A3C0OX)						
GLYCERIN (UNII: PDC6) HIGH FRUCTOSE COR METHYLPARABEN (UN	A3C0OX)	/5USQ3G)					
HIGH FRUCTOSE COR METHYLPARABEN (UN							
METHYLPARABEN (UN							
		JNII: XY6UN3QB6S)					
POLYSORBATE 80 (UN	NII: A218C7HI	ЭТ)					
	NII: 60ZP392	ZG8H)					
POLYVINYL ACETATE	(UNII: 32K49	97ZK2U)					
POVIDONE, UNSPECI	FIED (UNII: F	Z989GH94E)					
PROPYLPARABEN (UN	III: Z8IX2SC1	.OH)					
WATER (UNII: 059QF0K	(OOR)						
SODIUM METABISULF							
		<b>ATE</b> (UNII: 1699G8679Z)					
SUCROSE (UNII: C151H							
TARTARIC ACID (UNII:							
TRAGACANTH (UNII: 29							
TRIACETIN (UNII: XHX3							
XANTHAN GUM (UNII: <sup>-</sup>	TTVI2P4NEE	;)					
Product Charact	teristics						
Color	(	ORANGE S	Score				
Shape		S	Size				
Flavor	(	ORANGE I	mprint	Code			
Contains							
Packaging							
# Item Code	Pa	ckage Description		Mark	eting Start Date		ting End ate
<b>1</b> NDC:72288-384- 1 ir	n 1 CARTON			08/09/2			

1	148 mL in 1 BOTTLE; Type 0: Not a Combination Product						
Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
ANDA	ANDA091135	08/09/2021					

# Labeler - Amazon.com Services LLC (128990418)

Revised: 8/2021

Amazon.com Services LLC