

**NAPOLEON PERDIS FOUNDATION STICK BROAD SPECTRUM SPF 15 LOOK 3B -  
octinoxate, octisalate, titanium dioxide stick**

**Napoleon Perdis Cosmetics, Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**napoleon PERDIS FOUNDATION STICK BROAD SPECTRUM SPF 15 Look 3B**

**napoleon PERDIS FOUNDATION STICK BROAD SPECTRUM SPF 15 Look 3B**

**Active ingredients**

OCTINOXATE 7.5%

OCTISALATE 5.0%

TITANIUM DIOXIDE 2.0%

**Purpose**

Sunscreen

**Uses**

Helps to prevent sunburn.

**Warnings**

For external use only.

**When using this product:**

keep out of eyes. Rinse with water to remove.

**Stop use and see a doctor if**

rash or irritation develops and lasts.

**Directions**

Apply evenly before sun exposure. Children under 6 months of age: ask a doctor. Reapply as needed or after towel drying, swimming or sweating.

**Other information**

Moderate sun protection product. Sun alert: limiting sun exposure, wearing protective clothing and using sunscreens may reduce the risks of sun aging, skin cancer, and other harmful effects of the sun. Protect this product from excessive heat and direct sun.

**Inactive ingredients:**

ETHYLHEXYL PALMITATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, CETYL DIMETHICONE, SILICA, BEESWAX (CERA ALBA), EUPHORBIA CERIFERA (CANDELILLA) WAX

(CANDELILLA CERA), OZOKERITE, NYLON-12, PROPYLENE GLYCOL LAURATE, OCTYLDODECYL NEOPENTANOATE, OCTYLDODECANOL, ALOE BARBADENSIS LEAF EXTRACT, GLYCINE SOJA (SOYBEAN) OIL, TOCOPHEROL, ASCORBYL PALMITATE, TRIETHOXYCAPRYLYLSILANE, CETYL PALMITATE, CAPRYLYL GLYCOL, MAY CONTAIN: MICA, TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491, CI 77492, CI 77499).

## Product Labels

**DRUG FACTS**

Active ingredients	Purpose
OCTINOXATE 7.5%	Sunscreen
OCTISALATE 5.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen


**Uses** Helps to prevent sunburn.

**Warnings**  
For external use only.  
**When using this product:** keep out of eyes. Rinse with water to remove.  
**Stop use and see a doctor** if rash or irritation develops and lasts.

**Directions**  
Apply evenly before sun exposure. Children under 6 months of age; ask a doctor. Reapply as needed or after towel drying, swimming or sweating.

**Other information**  
Moderate sun protection product. Sun alert: limiting sun exposure, wearing protective clothing and using sunscreens may reduce the risks of sun aging, skin cancer, and other harmful effects of the sun. Protect this product from excessive heat and direct sun. ▶

Conceived by Napoleon Perdis, Hollywood, USA  
Distributed by Napoleon Perdis, Los Angeles, USA  
Made in USA  
napoleonperdis.com



**napoleon**  
PERDIS

**FOUNDATION  
STICK**

**BROAD SPECTRUM  
SPF 15**

Net Wt. 14 g / 0.5 oz

*“Build the best foundation - and stick to it!”*

- NAPOLEON

Meet the ultimate camouflage agent. This double-duty, long-lasting foundation provides buildable coverage to suit your needs - from minimal to maximum coverage with a modern matte finish. It also offers broad-spectrum SPF 15 and doubles as a great concealer.

**PRO TIP**  
For lighter coverage, mix with Auto Pilot Pre-Foundation Skin Primer and concentrate on the feature focus area of the face.

**Drug Facts (continued)**

**Inactive ingredients:** ETHYLHEXYL PALMITATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, CETYL DIMETHICONE, SILICA, BEESWAX (CERA ALBA), EUPHORBIA CERIFERA (CANDELILLA) WAX (CANDELILLA CERA), OZOKERITE, NYLON-12, PROPYLENE GLYCOL LAURATE, OCTYLDODECYL NEOPENTANOATE, OCTYLDODECANOL, ALOE BARBADENSIS LEAF EXTRACT, GLYCINE SOJA (SOYBEAN) OIL, TOCOPHEROL, ASCORBYL PALMITATE, TRIETHOXYCAPRYLYLSILANE, CETYL PALMITATE, CAPRYLYL GLYCOL. **MAY CONTAIN:** MICA, TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491, CI 77492, CI 77499).

## NAPOLEON PERDIS FOUNDATION STICK BROAD SPECTRUM SPF 15 LOOK 3B

octinoxate, octisalate, titanium dioxide stick

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51386-736
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	50 mg in 1 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	20 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CANDELILLA WAX (UNII: WL0328HX19)	
NYLON-12 (UNII: 446U8J075B)	
PROPYLENE GLYCOL MONOLAURATE (UNII: 668Z5835Z3)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
SOYBEAN OIL (UNII: 241ATL177A)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51386-736-00	1 in 1 CARTON		
1		14 g in 1 CONTAINER		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/12/2013	

**Labeler** - Napoleon Perdis Cosmetics, Inc (023271316)

Revised: 12/2013

Napoleon Perdis Cosmetics, Inc