

**RITE AID SUNSCREEN - avobenzone homosalate octisalate octocrylene oxybenzone lotion**  
**RITE AID CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients**

Avobenzone 3.0 %

Homosalate 15.0%

Octisalate 5.0%

Octocrylene 10.0%

Oxybenzone 6.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in the water

**Warnings**

**For external use only**

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash or irritation develops and lasts.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply generously and evenly before sun exposure and as needed
- children under 6 months of age:ask a doctor
- reapply frequently and after towel drying, swimming or perspiring.

**Other Information**

- may stain some materials

**Inactive Ingredients**

Water, Glyceryl Stearate, Microcrystalline Cellulose, Butylene Glycol, PEG-100 Stearate, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Benzyl Alcohol, Diethylhexyl Syringylidenemalonate, Behenyl Alcohol, Butylated PVP, Palmitic Acid, Stearic Acid, C12-16 Alcohols, Cellulose Gum, Caprylic/Capric Triglyceride, Lecithin, Retinyl Palmitate, Tocopherol, Sodium Ascorbyl Phosphate, Disodium EDTA, Chlorphenesin.

**Principal Display Panel**

RITE AID

SUNSCREEN LOTION

Photostable

Broad Spectrum Protection

RECOMMENDED

SKIN CANCER FOUNDATION

SPF 70

Very Water Resistant

Vitamin E

UVA/UVB Protection

8 FL OZ (237 mL)



**Drug Facts**

Active ingredients	Purpose
Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0%	Sunscreen

**Uses** • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water

**Warnings**  
For external use only

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash or irritation develops and lasts.

**Keep out of the reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Directions** • apply generously and evenly before sun exposure and as needed • children under 6 months of age: ask a doctor • reapply frequently and after towel drying, swimming or perspiring

**Other information** • may stain some materials

**Inactive ingredients** Water, Glyceryl Stearate, Behenyl Alcohol, Palmitic Acid, Stearic Acid, Lecithin, Lauryl Alcohol, Myristyl Alcohol, Cetyl Alcohol, PEG-100 Stearate, Glyceryl Stearate, Microcrystalline Cellulose, Cellulose Gum, Butylene Glycol, Diethylhexyl Syringylidenemalonate, Caprylic/Capric Triglyceride, Benzyl Alcohol, Butylated PVP, Chlorphenesin, Tocopherol, Retinyl Palmitate, Sodium Ascorbyl Phosphate, Disodium EDTA.

THE SKIN CANCER FOUNDATION RECOMMENDS THIS PRODUCT AS AN EFFECTIVE UV SUNSCREEN

**Satisfaction Guarantee**

Distributed by:  
Rite Aid Corporation  
30 Hunter Lane  
Camp Hill, PA 17011

Made in U.S.A.

1182213622318

## RITE AID SUNSCREEN

avobenzone homosalate octisalate octocrylene oxybenzone lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-9011
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>LAURYL ALCOHOL</b> (UNII: 178A96NLP2)	
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>TRICAPRIN</b> (UNII: O1PB8EU98M)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-9011-6	226 g in 1 BOTTLE, PLASTIC		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/04/2012	

**Labeler** - RITE AID CORPORATION (014578892)