

BURN WITH LIDOCAINE- benzalkonium chloride, lidocaine hydrochloride cream
Unifirst First Aid Corporation

Medi-First Burn Cream with Lidocaine

Drug Facts

Active ingredients

Benzalkonium Chloride 0.13%

Lidocaine HCl 0.5%

Purpose

First aid antiseptic

Topical analgesic

Uses

- for the temporary relief of pain associated with minor burns
- helps protect against harmful bacteria

Warnings

For external use only.

Do not use

- in the eyes
- in large quantities
- over raw surfaces or blistered areas, or on deep puncture wounds, animal bites, or serious burns
- for more than 1 week unless directed by a doctor

Stop use and ask doctor if

- the condition worsens or if symptoms persists for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If ingested, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years and over:

- clean the affected area, apply a small amount not more than 3 to 4 times daily

Children under 12 years:

- do not use, consult a doctor

Other information

- store at room temperature (do not freeze)
- tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

aloe vera, emulsifying wax, ethyl alcohol, methylparaben, mineral oil, paraffin, propylparaben, purified water, white petrolatum, white wax

Questions or comments? 1-800-634-7680

MF Burn Cream with Lidocaine Label

MEDI-FIRST®

BURN CREAM with Lidocaine

Benzalkonium Chloride 0.13% / Topical Antiseptic

Lidocaine HCl 0.5% / Topical Analgesic

Antiseptic and pain relieving cream for minor cuts, scrapes and burns

Product # 26073

0.9 gram Packets - 25 per box



BURN WITH LIDOCAINE

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-260
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
ALCOHOL (UNII: 3K9958V90M)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
WHITE WAX (UNII: 7G1J5DA97F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-260-73	25 in 1 BOX	01/24/2012	
1	NDC:47682-260-99	0.9 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-260-12	10 in 1 BOX	07/03/2017	
2		0.9 g in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-260-99	0.9 g in 1 PACKET; Type 0: Not a Combination Product	01/24/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/24/2012	

Labeler - Unifirst First Aid Corporation (832947092)