

**NAELI TINTED MINERAL MOISTURIZER SUNSCREEN SPF 50, DARK- zinc  
oxide liquid  
ALLI LLC**

-----  
**NAELI Tinted Mineral Moisturizer Sunscreen SPF 50, Dark**

**DRUG FACTS**

**Active Ingredients**

Zinc Oxide 18.00%

**Purpose**

Sunscreen

**Uses:**

- Helps prevent sunburn.
- Higher SPF gives more sunburn protection.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:**

For external use only not intended for ingestion.

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash or irritation develops and lasts.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

- Apply liberally 15 minutes before sun exposure and as needed.
- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

### Inactive Ingredients:

Adansonia Digitata Oil, Aloe Barbadensis Leaf Extract, Argania Spinosa Kernel Oil, Butylene Glycol, Butyloctyl Salicylate, Butyrospermum Parkii (Shea) Butter, Calendula Officinalis Flower Extract, Camellia Sinensis Leaf Extract, Caprylic/Capric Triglyceride, Caprylyl Glycol, Caprylyl Methicone, Carbomer, Ceramide NG, Cetearyl Alcohol, Cetearyl Glucoside, Chamomilla Recutita (Matricaria) Flower Extract, Citric Acid, Dimethicone, Dodecane, Ethyl Vanillin, Glycerin, Glyceryl Laurate, Glyceryl Stearate Citrate, Glyceryl Stearate SE, Glyceryl Undecylenate, Glycyrrhiza Glabra (Licorice) Root Extract, Hippophae Rhamnoides Fruit Oil, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Isododecane, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-1, PEG-60 Hydrogenated Castor Oil, PEG-8, Pentylene Glycol, Persea Gratissima (Avocado) Oil, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Saccharide Isomerate, Sodium Citrate, Sodium Hyaluronate, Tapioca Starch, Titanium Dioxide (CI 77891), Tocopherol, Tridecyl Salicylate, Trimethylsiloxysilicate, Vaccinium Angustifolium (Blueberry) Fruit Extract, Water (Aqua), Xanthan Gum.


### Other Information:

Protect the product in this container from excessive heat and direct sun.

### Questions?

(888) 322 - 2612

### Package Labeling:



|  |
|--|
| • If used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun.   |
| <b>Warnings:</b><br>For external use only not intended for ingestion.  |
| Do not use • on damaged or broken skin.<br><b>When using this product</b> • keep out of eyes.<br>Rinse with water to remove.<br>Stop use and ask a doctor if • rash or irritation develops and lasts.  |
| <b>Keep out of reach of children.</b><br>If swallowed, get medical help or contact a Poison Control Center right away.   |
| <b>Directions:</b><br>• Apply liberally 15 minutes before sun exposure and as needed.<br>• Children under 6 months of age: ask a doctor.<br>• Reapply at least every 2 hours.<br>• Use a water-resistant sunscreen if swimming or sweating.<br>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:<br>• Limit time in the sun, especially from 10 a.m. - 2 p.m.<br>• Wear long-sleeved shirts, pants, hats, and sunglasses.   |
| <b>Inactive Ingredients:</b><br>Adansonia Digitata Oil, Aloe Barbadensis Leaf Juice, Argania Spinosa Kernel Oil, Butylene Glycol, Butyloctyl Salicylate, Butyrospermum Parkii (Shea) Butter, Calendula Officinalis Extract, Camellia Sinensis Leaf Extract, Caprylic/Capric Triglyceride, Caprylyl Glycol, Caprylyl Methicone, Carbomer, Ceramide NG, Cetearyl Alcohol, Cetearyl Glucoside, Chamomilla Recutita (Matricaria) Flower Extract, Citric Acid, Dimethicone, Dodecane, Ethyl Vanillin, Glycerin, Glyceryl Laurate, Glyceryl Stearate Citrate, Glyceryl Stearate SE, Glyceryl Undecylenate, Glycyrrhiza Glabra (Licorice) Root Extract, Hippophae Rhamnoides Fruit Oil, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Isododecane, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-1, PEG-60 Hydrogenated Castor Oil, PEG-8, Pentylene Glycol, Persea Gratissima (Avocado) Oil, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Saccharide Isomerate, Sodium Citrate, Sodium Hyaluronate, Tapioca Starch, Titanium Dioxide (CI 77891), Tocopherol, Tridecyl Salicylate, Trimethylsiloxysilicate, Vaccinium Angustifolium (Blueberry) Fruit Extract, Water (Aqua), Xanthan Gum. |
| <b>Other Information:</b><br>• Protect the product in this container from excessive heat and direct sun.   |
| <b>Questions?</b><br>(888 ) 322 - 2612   |

DISTRIBUTED BY: ALLI LLC  
Miami Beach FL, 33140  
Support@Naelinaturals.com  
Naelinaturals.com

MADE IN USA



X004HZ7V6B



8 60013 25971 6

T  
I  
N  
T



## Shield

A MULTIFUNCTIONAL  
MOISTURIZER WITH NON-NANO  
ZINC OXIDE PROVIDES  
ALL-MINERAL BROAD-SPECTRUM  
PROTECTION AGAINST HARMFUL  
UVA/B RAYS AND  
ENVIRONMENTAL STRESSORS.  
ITS WEIGHTLESS TEXTURE, WITH  
A DEEPER TINT, SEAMLESSLY  
COMPLEMENTS RICH AND DARK  
SKIN TONES. ENRICHED WITH  
PLANT-BASED ANTIOXIDANTS,  
PEPTIDES, AND CERAMIDES, IT  
HELPS MINIMIZE THE  
APPEARANCE OF FINE LINES  
AND STRENGTHENS THE SKIN'S  
NATURAL BARRIER, LEAVING A  
SMOOTH AND SUPPLE  
COMPLEXION.

## Tinted Mineral Moisturizer Broad Spectrum SPF 50

Dark  
Sunscreen  
Zinc Oxide + Peptide + Ceramide

1.4 FL OZ / 41.4 ML

N A E L I

T  
N  
I  
T

Tinted Mineral Moisturizer SPF 50

Broad Spectrum Sunscreen  
Zinc Oxide + Peptide + Ceramide

DISTRIBUTED BY: ALLI LLC | Miami Beach FL, 33140  
Support@naelinaturals.com | Naelinaturals.com

1.4 FL OZ / 41.4 ML

MADE IN USA

NAELI TINTED MINERAL MOISTURIZER SUNSCREEN SPF 50, DARK

zinc oxide liquid

| Product Information     |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:73670-608 |
| Route of Administration | TOPICAL        |                    |               |

| Active Ingredient/Active Moiety                               |                   |                |
|---|-------------------|----------------|
| Ingredient Name   | Basis of Strength | Strength       |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION       | 180 mg in 1 mL |

| Inactive Ingredients                                      |          |
|---|----------|
| Ingredient Name   | Strength |
| ADANSONIA DIGITATA SEED OIL (UNII: 77MKL7AR5I)            |          |
| ALOE VERA LEAF (UNII: ZY81Z83H0X)                         |          |
| ARGAN OIL (UNII: 4V59G5UW9X)                              |          |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA)                        |          |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)                  |          |
| SHEA BUTTER (UNII: K49155WL9Y)                            |          |
| CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)           |          |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0)                         |          |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)             |          |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U)                        |          |
| CAPRYLYL METHICONE (UNII: Q95M2P1KJL)                     |          |
| CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC) |          |

|   |  |
|---|--|
| <b>CERAMIDE NG</b> (UNII: C04977SRJ5)                               |  |
| <b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)                          |  |
| <b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)                        |  |
| <b>CHAMOMILE</b> (UNII: FGL3685T2X)                                 |  |
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)                   |  |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                               |  |
| <b>DODECANE</b> (UNII: 11A386X1QH)                                  |  |
| <b>ETHYL VANILLIN</b> (UNII: YC9ST449YJ)                            |  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                                  |  |
| <b>GLYCERYL LAURATE</b> (UNII: Y98611C087)                          |  |
| <b>GLYCERYL STEARATE CITRATE</b> (UNII: WH8T92A065)                 |  |
| <b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)                      |  |
| <b>GLYCYRRHIZA GLABRA (LICORICE) ROOT POWDER</b> (UNII: 2788Z9758H) |  |
| <b>HIPPOPHAE RHAMNOIDES FRUIT OIL</b> (UNII: TA4JCF9S1J)            |  |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                          |  |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                       |  |
| <b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)                      |  |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)                               |  |
| <b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)                  |  |
| <b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)                    |  |
| <b>PEG-60 HYDROGENATED CASTOR OIL</b> (UNII: 02NG325BQG)            |  |
| <b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)                   |  |
| <b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)                          |  |
| <b>PERSEA GRATISSIMA (AVOCADO) OIL</b> (UNII: 6VNO72PFC1)           |  |
| <b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)                            |  |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)                               |  |
| <b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)                      |  |
| <b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)                            |  |
| <b>SODIUM HYALURONATE</b> (UNII: YSE9PPT4TH)                        |  |
| <b>TAPIOCA STARCH</b> (UNII: 24SC3U704I)                            |  |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                          |  |
| <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)                                |  |
| <b>TRIDECYL SALICYLATE</b> (UNII: AZQ08K38Z1)                       |  |
| <b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)                         |  |
| <b>WATER</b> (UNII: 059QF0KO0R)                                     |  |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)                               |  |

### Packaging

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:73670-608-00 | 1 in 1 BOX   | 04/04/2025           |                    |
| 1 |                  | 41.4 mL in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|--------------------|--|----------------------|--------------------|

|                    |      |            |  |
|--------------------|------|------------|--|
| OTC Monograph Drug | M020 | 04/04/2025 |  |
|--------------------|------|------------|--|

**Labeler -** ALLI LLC (117308980)

**Registrant -** Pure Source, LLC (080354456)

Revised: 5/2025

ALLI LLC