

## **CD X-10 PRE-POST BASE- sodium chlorite concentrate DeLaval**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**CD X-10 Pre-Post Base**

### **Concentrated Disinfecting Teat Dip**

Aids in reducing the spread of mastitis-causing organisms

#### **ACTIVE INGREDIENTS:**

Sodium Chlorite ..... 7.1%

#### **KEEP OUT OF REACH OF CHILDREN**

#### **! DANGER**

#### **READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT**

**CD X-10 Pre-Post** is a two-part Chlorine Dioxide system teat dip and can be effectively used to reduce the spread of mastitis causing organisms. **CD X-10 Pre-Post** is designed with an emollient package ideal for skin conditioning. Recommended for pre milking applications.

#### **HAZARD STATEMENTS**

Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure: (Respiratory, Kidney, and Blood Systems). May cause damage to Renal system (Kidneys), and Blood system through prolonged or repeated exposure. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection.

#### **FIRST AID**

Immediately call a **Poison Control Center** or doctor/physician

**If in Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a **Poison Control Center** or doctor/physician.

**If on Skin:** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a **POISON CENTER** or doctor/physician if you feel unwell.

**If Inhaled:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a **Poison Control Center** or doctor/physician.

**If Swallowed:** Call a **Poison Control Center** or doctor/physician if you feel unwell. Rinse mouth. Do not induce vomiting.

#### **STORAGE AND DISPOSAL**

Thoroughly rinse all measuring devices and store out of reach of children. Avoid contamination of food or feed. Avoid freezing. Keep out of direct sunlight. Keep away from strong bases. Keep out of the reach of children. Store in suitable labeled containers. Storage temperature: -10° to 50°C. Store locked up. For product spills, only water should be used for cleanup. Immediately dilute the material with plenty of water. This product becomes a fire hazard if allowed to dry. Ensure adequate ventilation, especially in confined areas. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas. Dispose of contents/container to an approved waster disposal plant.

## **CHEMTREC EMERGENCY NUMBER 1-800-424-9300**

### **Not for Human Use**

### **Additional Information on Safety Data Sheet**

#### **DIRECTIONS**

IMPORTANT THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE. MIX RATIO IS (48 Water: 1 Activator: 1 Base). In a clean container, add (48) parts water, then add (1) part **CD X-10 Pre-Post Activator**, next add (1) part **CD X-10 Pre-Post Base**. CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing.

#### General Use

- Use a teat dip cup to apply. Clean dip cup just prior to use.
- If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.
- If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.
- If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.
- Teat Sprays can also be foamed or sprayed using recommended equipment.

#### Pre-Dipping Use

- Perform forestripping and inspect teats for clinical mastitis.
- Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.
- Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.
- Allow product to stand for 30 seconds.
- Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

#### Post-Dipping Use

- Immediately after each milking, use product.
- Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.
- If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

#### Extended Use

- When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.
- Dipping should be resumed at least twice daily one week before calving.

**UN1908**

**Chlorite solution, 8, II**

**NET CONTENTS: US GAL ( L)**

**LOT NO.:**

**EXP. DATE:**

Manufactured for: **DeLaval, Inc.**

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

Manufactured by: WestAgro, Inc.,

© 2024, Made in USA

**DeLaval**

0033-ED125

**KEEP OUT OF REACH OF CHILDREN**  
**⚠ DANGER**

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**  
**⚠ PELIGRO**

**0033**  
NDC NUMBER: 55756-003

**SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MÁS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO**  
**READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT**

CD X-10 Pre-Post is a two-part Chlorine Dioxide system teat dip and can be effectively used to reduce the spread of mastitis causing organisms. CD X-10 Pre-Post is designed with an emollient package ideal for skin conditioning. Recommended for pre milking applications.

**HAZARD STATEMENTS**

Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure. (Respiratory, Kidney, and Blood Systems). May cause damage to Renal system (Kidneys), and Blood system through prolonged or repeated exposure. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection.

**FIRST AID**

Immediately call a **Poison Control Center** or doctor/physician.  
**If in Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a **Poison Control Center** or doctor/physician.  
**If on Skin:** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a **POISON CENTER** or doctor/physician if you feel unwell.  
**If Inhaled:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a **Poison Control Center** or doctor/physician if you feel unwell.  
**If Swallowed:** Call a **Poison Control Center** or doctor/physician if you feel unwell. Rinse mouth. Do not induce vomiting.

**STORAGE AND DISPOSAL**

Thoroughly rinse all measuring devices and store out of reach of children. Avoid contamination of food or feed. Avoid freezing. Keep out of direct sunlight. Keep away from strong bases. Keep out of the reach of children. Store in suitable labeled containers. Storage temperature: -10 °C to 50 °C. Store locked up. For product spills, only water should be used for cleanup. Immediately dilute the material with plenty of water. This product becomes a fire hazard if allowed to dry. Ensure adequate ventilation, especially in confined areas. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. Dispose of contents/container to an approved waste disposal plant.

**CHEMTREC EMERGENCY NUMBER 1-800-424-9300**

**Not For Human Use**  
**Additional Information on Safety Data Sheet**

**DIRECTIONS**

**IMPORTANT THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE. MIX RATIO is (48 Water: 1 Activator: 1 Base). In a clean container, add (48) parts water, then add (1) part CD X-10 Pre-Post Base, CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing.**

**General Use**

- Use a teat dip cup to apply. Clean dip cup just prior to use.
- If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.
- If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.
- If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.
- Teat Sprays can also be foamed or sprayed using recommended equipment.

**Pre-Dipping Use**

- Perform forestripping and inspect teats for clinical mastitis.
- Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.
- Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.
- Allow product to stand for 30 seconds.
- Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

**Post-Dipping Use**

- Immediately after each milking, use product.
- Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.
- If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

**Extended Use**

- When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.
- Dipping should be resumed at least twice daily one week before calving.

**ACTIVE INGREDIENTS:**  
Sodium Chlorite ..... 7.1%

Manufactured for: **DeLaval, Inc.**  
11100 N. Congress Avenue  
Kansas City, MO 64153  
Phone: 816-891-7700  
Manufactured by: WestAgro, Inc.,  
© 2024, Made in USA

**NET CONTENTS: 55 US GAL. (208.2 L)**

**LOT NO.:**

**EXP. DATE:**

**UN1908**  
Chlorite solution, 8, II

7 320466 015668 >

Add image transcription here...

**CD X-10 PRE-POST BASE**  
sodium chlorite concentrate

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:55756-003	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)		SODIUM CHLORITE	71 g in 1 L	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
water (UNII: 059QF0KO0R)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55756-003-01	208.2 L in 1 DRUM		
2	NDC:55756-003-27	1003 L in 1 TANK		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other			08/26/2021	

**Labeler** - DeLaval (173704867)

### Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	analysis, api manufacture, manufacture, label, pack

### Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, manufacture, label, pack

### Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	api manufacture, manufacture, pack, label