

**ACETAMINOPHEN- acetaminophen tablet, film coated
Bryant Ranch Prepack**

Compare to active ingredient in Tylenol® Regular Strength†

**Acetaminophen
325 mg**

- * **Pain Reliever**
- * **Fever Reducer**
- * **Contains No Aspirin**

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active Ingredient (in each tablet)

Acetaminophen USP, 325 mg.....Pain Reliever/Fever Reducer

Purpose

Uses

To reduce fever and for the temporary relief of minor aches and pains due to:

- headache
- muscular aches
- backache
- minor pain from arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever.

Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if

- adult takes more than 10 tablets in 24 hours, which is the maximum daily amount
- child takes more than 5 tablets in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days in adults and children.
- pain gets worse or lasts more than 5 days in children under 12 years.
- fever gets worse or lasts more than 3 days.
- new symptoms occur.
- redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning:

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Do not take more than directed

Adults and Children 12 years and over:

- take 2 tablets every 4 to 6 hours while symptoms last.
- do not take more than 10 tablets in 24 hours.
- do not take for more than 10 days unless directed by a doctor

Children 6 years to under 12 years:

- take 1 tablet every 4 to 6 hours while symptoms last.
- do not take more than 5 tablets in 24 hours.
- do not use for more than 5 days unless directed by a doctor

Children under 6 years:

ask a doctor

Other Information

- SODIUM FREE
- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
- see end panel for lot number and expiration date.

Inactive Ingredients

Hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide.

Questions and Comments? Call 1-844-474-7464

Distributed by:

Rising Pharma Holdings, Inc.

East Brunswick, NJ 08816

Made in India

Mfg. Lic. No.: G/25/2258

Issued: 06/2025 (S-065)

Issued: 07/2025 (S-069-00)

†This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, owner of the registered trademark Tylenol® Regular strength.

HOW SUPPLIED

Acetaminophen 325mg Tablets

- NDC 71335-3130-1: 20 Tablets in a BOTTLE
- NDC 71335-3130-2: 100 Tablets in a BOTTLE
- NDC 71335-3130-3: 30 Tablets in a BOTTLE
- NDC 71335-3130-4: 2 Tablets in a BOTTLE
- NDC 71335-3130-5: 6 Tablets in a BOTTLE
- NDC 71335-3130-6: 10 Tablets in a BOTTLE
- NDC 71335-3130-7: 60 Tablets in a BOTTLE
- NDC 71335-3130-8: 90 Tablets in a BOTTLE
- NDC 71335-3130-9: 40 Tablets in a BOTTLE
- NDC 71335-3130-0: 24 Tablets in a BOTTLE

Repackaged/Relabeled by:

Bryant Ranch Prepack

Burbank, CA 91504

Acetaminophen 325mg Tablets



Lot
Exp
SN
GTIN 00871335313012
208820
5/8/2028
0123456789



Package
Insert

Drug Facts	
Active ingredient (in each tablet) Acetaminophen 325 mg	Purposes Pain Reliever/Fever Reducer
Uses *temporarily relieves minor aches and pains *temporarily reduces fever	
Warnings Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: *skin reddening *blisters *rash If a skin reaction occurs, stop use and seek medical help right away. Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	
Other Information *Tamper Evident: Do not use if imprinted seal under cap is missing or broken. *Store at 20°C-25°C (68°F-77°F). *Scan Package Insert QR Code for more information.	
Directions *do not take more than directed. *adults and children 12 years and over: Take 2 tablets every 4-6 hours, as needed; not more than 10 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor. *children under 12 years: ask a doctor.	
Inactive Ingredients povidone, sodium starch glycolate, starch, stearic acid.	

NDC 71335-3130-1

Acetaminophen Tablets

325 mg

20 Tablets



Repackaged by:
Bryant Ranch Prepack, Inc.
Burbank, CA 91504 USA

Manufactured by:
Elysium
Pharmaceuticals
Limited



ACETAMINOPHEN

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71335-3130(NDC:57237-346)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white (Off White)	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	S99
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71335-3130-1	20 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
2	NDC:71335-3130-2	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
3	NDC:71335-3130-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
4	NDC:71335-3130-4	2 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
5	NDC:71335-3130-5	6 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
6	NDC:71335-3130-6	10 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
7	NDC:71335-3130-7	60 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
8	NDC:71335-3130-8	90 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
9	NDC:71335-3130-9	40 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
10	NDC:71335-3130-0	24 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		07/09/2025	

Labeler - Bryant Ranch Prepack (171714327)

Registrant - Bryant Ranch Prepack (171714327)

Establishment

Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(71335-3130) , RELABEL(71335-3130)

Revised: 5/2026

Bryant Ranch Prepack