

**TOPCARE HEMORRHOIDAL- cocoa butter, phenylephrine hcl suppository**  
**Topco Associates LLC**

-----  
**Topco Associates LLC. Hemorrhoidal Suppositories Drug Facts**

**Active ingredients (in each suppository)**

Cocoa butter 88.44%

Phenylephrine HCl 0.25%

**Purposes**

Protectant

Vasoconstrictor

**Uses**

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

**Warnings**

**For rectal use only**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug for high blood pressure or depression.

**When using this product**

do not exceed the recommended daily dosage unless directed by a doctor

**Stop use and ask a doctor if**

- bleeding occurs
- condition worsens or does not improve within 7 days

**If pregnant or breast feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
- hold suppository with rounded end up
- see illustrations: carefully separate foil tabs by inserting tip of fingernail at end marked "peel down"
- slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
- remove exposed suppository from wrapper
- insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

methylparaben, propylparaben, topical starch

**Questions or comments?**

**1-888-423-0139**

**Package/Label Principal Display Panel**

TopCare ® health

COMPARE TO PREPARATION H® SUPPOSITORIES ACTIVE INGREDIENTS

NIGHTTIME RELIEF

Hemorrhoidal Suppositories

- Reduces Internal Swelling. Soothes and Protects

- Prompt Soothing Relief from Painful Burning, Itching and Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue

12 SUPPOSITORIES

E-Z OPEN WRAPPER

NDC 36800-279-53

**+**TopCare<sup>®</sup>  
health

COMPARE TO  
PREPARATION H<sup>®</sup> SUPPOSITORIES  
ACTIVE INGREDIENTS\*

 NIGHTTIME RELIEF

# Hemorrhoidal Suppositories

- Reduces Internal Swelling. Soothes and Protects
- Prompt Soothing Relief from Painful Burning, Itching and Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue



**12 SUPPOSITORIES**

E-Z OPEN  
WRAPPER

**CODE AREA**  
**No Varnish**

**+**TopCare<sup>®</sup>  
health

## Hemorrhoidal Suppositories

DISTRIBUTED BY  
TOPCO ASSOCIATES, LLC  
ELK GROVE VILLAGE, IL 60007  
©TOPCO PERA0122  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com



Scan here for more  
information or  
call 1-888-423-0139



**Drug Facts**

<b>Active ingredients (in each suppository)</b>	<b>Purposes</b>
Cocoa butter 88.44%.....	Protectant
Phenylephrine HCl 0.25%.....	Vasoconstrictor

**Uses**

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anal rectal discomforts
- temporarily protects the inflamed, irritated anal rectal surface to help make bowel movements less painful

**Warnings**  
For rectal use only

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficultly in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.**

**When using this product do not exceed the recommended daily dosage unless directed by a doctor**

**Stop use and ask a doctor if**

- bleeding occurs
- condition worsens or does not improve within 7 days

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)**

**Drug Facts (continued)**

**Directions**

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
  - hold suppository with rounded end up
  - separate foil tabs by inserting tip of fingernail at end marked "peel down"
  - slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
  - remove exposed suppository from wrapper
  - insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients** methylparaben, propylparaben, tpicol starch

**Questions or comments?** 1-888-423-0139

Do not use if printed suppository wrapper is missing or damaged. Each suppository is individually wrapped.



\*This product is not manufactured or distributed by Pfizer, distributor of Preparation H® Suppositories.  
: 27953 88 C4



E-Z OPEN WRAPPER

This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.



<b>TOPCARE HEMORRHOIDAL</b>			
cocoa butter, phenylephrine hcl suppository			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-279
<b>Route of Administration</b>	RECTAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	<b>COCOA BUTTER</b> (UNII: 512OYT1CRR) (COCOA BUTTER - UNII:512OYT1CRR)	COCOA BUTTER	2211 mg
	<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	6.5 mg
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>	<b>Strength</b>	
	<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)		
	<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)		

**STARCH, CORN** (UNII: O8232NY3SJ)

### Product Characteristics

<b>Color</b>	YELLOW (light)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-279-62	24 in 1 CARTON	11/03/2014	03/05/2019
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:36800-279-53	12 in 1 CARTON	11/03/2014	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	11/03/2014	

**Labeler** - Topco Associates LLC (006935977)

Revised: 12/2025

Topco Associates LLC