

OXYGEN- oxygen gas
Life Supply Corp

Oxygen

OXYGEN, COMPRESSED USP

UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

PRODUCED BY AIR LIQUEFACTION

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only with equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

Contents Size

113 Liters M4

165 Liters M6

255 Liters C

425 Liters D

680 Liters E

6900 Liters H

Liters Other

NO SMOKING

NO VAPING

DO NOT REMOVE THIS PRODUCT LABEL.

O2 SAFE SOLUTIONS

Your Partner in Respiratory Care
O2 Safe Solutions
Technical Gas Products
101 N Plains Industrial Rd, Bldg 1B
Wallingford, CT 06492
1-800-847-0745

**OXYGEN, COMPRESSED
USP
UN1072**



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

PRODUCED BY AIR LIQUEFACTION

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

**CAS NO:
7782-44-7**

Contents	Size
113 Liters	<input type="checkbox"/> M4
165 Liters	<input type="checkbox"/> M6
255 Liters	<input type="checkbox"/> C
425 Liters	<input type="checkbox"/> D
680 Liters	<input type="checkbox"/> E
6900 Liters	<input type="checkbox"/> H
_____ Liters	<input type="checkbox"/> Other

**NO SMOKING
NO VAPING**

**DO NOT REMOVE
THIS PRODUCT LABEL.**

O2 Safe Solutions
Technical Gas Products
101 N Plains Industrial Rd, Bldg 1B
Wallingford, CT 06492
1-800-847-0745
Label # 4.2 R2



REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

31 Liter

41 Liter

CONTENTS: Other

WARNING: For emergency use when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS;

MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only with equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7

FIRST AID: IF ON SKIN: Immediately thaw frosted parts with lukewarm water. Do not rub affected area. Get medical help.

DO NOT REMOVE THIS PRODUCT LABEL

NO SMOKING

NO VAPING

O2 SAFE SOLUTIONS

Your Partner in Respiratory Care

O2 Safe Solutions

Technical Gas Products

101 N Plains Industrial Rd, Bldg 1B

Wallingford, CT 06492

1-800-847-0745

REFRIGERATED LIQUID

**OXYGEN,
REFRIGERATED
LIQUID USP
UN1073**



31 Liter
 41 Liter
Other _____

CONTENTS: _____

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, R **required**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use.
CAS: 7782-44-7

FIRST AID: IF ON SKIN: Immediately thaw frosted parts with lukewarm water. Do not rub affected area. Get medical help.



DO NOT REMOVE THIS PRODUCT LABEL



O2 Safe Solutions
Technical Gas Products
101 N Plains Industrial Rd,
Bldg 1B
Wallingford, CT 06492
1-800-847-0745
Label # 4.3 R3



OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:63553-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63553-001-01	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/30/2019	
2	NDC:63553-001-02	165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/30/2019	

3	NDC:63553-001-03	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/30/2019	
4	NDC:63553-001-04	680 L in 1 CYLINDER; Type 0: Not a Combination Product	01/30/2019	
5	NDC:63553-001-05	1738 L in 1 CYLINDER; Type 0: Not a Combination Product	01/30/2019	
6	NDC:63553-001-06	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	01/30/2019	
7	NDC:63553-001-07	7080 L in 1 CYLINDER; Type 0: Not a Combination Product	01/30/2019	
8	NDC:63553-001-08	240 L in 1 DEWAR; Type 0: Not a Combination Product	01/30/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	01/30/2019	

Labeler - Life Supply Corp (176665412)

Establishment

Name	Address	ID/FEI	Business Operations
Life Supply Corp		176665412	manufacture(63553-001)

Revised: 10/2025

Life Supply Corp