

**ALLEGRA ALLERGY- fexofenadine hydrochloride tablet, film coated
Chattem, Inc.**

Allegra Allergy

Allegra Allergy

Allegra Allergy[®] - 12/24 HOUR

Drug Facts

Active ingredient

(in each tablet)

12 Hour Tablet: Fexofenadine HCl 60 mg

24 Hour Tablet: Fexofenadine HCl 180 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, water eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Allegra 12 Hour Directions

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Allegra 24 Hour Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if individual blister units are torn or opened or if inner foil seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

Questions or comments?

call toll-free **1-800-633-1610** or www.allegra.com

PRINCIPAL DISPLAY PANEL

NDC 41167-4131-4

Allegra

ALLERGY

60 mg/ antihistamine

12 HR

24 TABLETS

Allegra[®]

ALLERGY 12 HR

NON-DROWSY

24 TABLETS

NDC 41167-4131-4

NON-DROWSY

Allegra[®]

ALLERGY

fexofenadine HCl tablet
60 mg/antihistamine 12 HR

INDOOR / OUTDOOR ALLERGY RELIEF

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

24 TABLETS

Actual Size

Allegra[®]

ALLERGY



The makers of Allegra[®] do not make store brand products.
The trade dress of this Allegra[®] package is subject to trademark protection.

Pat. By: Chitem, Inc., a Sanofi Company, Chatterbox, TN 37409-0219 ©2021 Bnph Germany 818128-01

Questions or comments?
call toll-free 1-800-633-1610 or www.allegra.com

Inactive ingredients
 titanium dioxide
 iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, colloidal silicon dioxide, croscarmellose sodium, hypromellose,

Other information
 ■ safety sealed: do not use if carton is opened or if individual blister units are torn or opened
 ■ store between 20° and 25°C (68° and 77°F)
 ■ protect from excessive moisture

Directions	
adults and children	take one 60 mg tablet with water every 12 hours, do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Drug Facts (continued)

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
 When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ itchy, watery eyes
 ■ sneezing
 ■ itching of the nose or throat

Active ingredient (in each tablet)
 Fexofenadine HCl 60 mg, Antihistamine

Drug Facts
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
 If pregnant or breast-feeding, ask a health professional before use. occurs. Seek medical help right away.
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

Allegra[®]
ALLERGY 12 HR

PRINCIPAL DISPLAY PANEL

NDC 41167-4120-3
Allegra

ALLERGY
180 mg/ antihistamine
24 HR
30 TABLETS



PRINCIPAL DISPLAY PANEL

NDC 41167-4120-3
Allegra
ALLERGY
180 mg/antihistamine
24 HR
30 TABLETS



PRINCIPAL DISPLAY PANEL

Allegra

ALLERGY
 180 mg/ antihistamine
 24 HR
 40 TABLETS



PRINCIPAL DISPLAY PANEL

Allegra
 ALLERGY
 180 mg/ antihistamine
 24 HR
 90 TABLETS



fexofenadine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-4131
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	60 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	

Product Characteristics

Color	orange (peach)	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	06;E
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-4131-2	1 in 1 CARTON	03/03/2011	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:41167-4131-4	2 in 1 CARTON	03/03/2011	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:41167-4131-6	3 in 1 CARTON	03/02/2019	
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020872	03/03/2011	

ALLEGRA ALLERGY

fexofenadine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-4120
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	

Product Characteristics

Color	orange (peach)	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	018;E
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-4120-1	1 in 1 CARTON	03/03/2011	10/01/2019
1		2 in 1 BLISTER PACK; Type 0: Not a Combination		

1		Product		
2	NDC:41167-4120-0	1 in 1 CARTON	03/03/2011	
2		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:41167-4120-2	3 in 1 CARTON	03/03/2011	
3		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:41167-4120-3	1 in 1 CARTON	03/03/2011	
4		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
5	NDC:41167-4120-4	1 in 1 CARTON	03/03/2011	
5		45 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
6	NDC:41167-4120-5	2 in 1 CARTON	03/03/2011	07/01/2022
6		45 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
7	NDC:41167-4120-6	1 in 1 CARTON	03/03/2011	
7		70 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020872	03/03/2011	

ALLEGRA ALLERGY

fexofenadine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-4121
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	

Product Characteristics

Color	orange (peach)	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	018;E
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-4121-2	2 in 1 POUCH	03/03/2011	02/18/2020
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:41167-4121-3	2 in 1 PACKAGE	03/03/2011	11/03/2018
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:41167-4121-6	1 in 1 CARTON	03/03/2011	04/04/2017
3		37 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:41167-4121-7	1 in 1 CARTON	03/03/2011	03/03/2017
4		54 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
5	NDC:41167-4121-4	1 in 1 CARTON	03/03/2011	
5		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
6	NDC:41167-4121-5	2 in 1 CARTON	03/03/2011	02/01/2018
6		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
7	NDC:41167-4121-0	1 in 1 PACKAGE	03/03/2011	02/18/2020
7		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
8	NDC:41167-4121-1	1 in 1 CARTON	06/01/2021	
8		60 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020872	03/03/2011	

ALLEGRA ALLERGY

fexofenadine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-4124
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	018;E
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-4124-7	1 in 1 CARTON	02/01/2021	04/30/2023
1		84 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:41167-4124-0	1 in 1 CARTON	12/01/2020	

2		90 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:41167-4124-3	2 in 1 PACKAGE	10/01/2020	
3	NDC:41167-4124-5	55 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:41167-4124-8	1 in 1 CARTON	05/01/2022	
4		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020872	10/01/2020	

Labeler - Chattem, Inc. (003336013)

Revised: 11/2024

Chattem, Inc.