

**LEADER POISON IVY WASH- pramoxine hydrochloride lotion lotion**  
**Cardinal Health, 110 dba Leader**

-----  
**LEADER Poison Ivy Wash**

When using this product:

- avoid contact with eyes
- do not leave on skin longer than 3 minutes
- rinse thoroughly after application

**Inactive Ingredients:**

Water

Ammonium Lauryl Sulfate

Distearyl Phthalic Acid Amide

Glycol Distearate

Cocamide MIPA

Propylene Glycol

Diazolidinyl Urea

Methylparaben

Propylparaben Glycerin

Jojoba Esters

Disodium EDTA

Sodium Hydroxide

Nonxynol-9

**Adults and children 2 years of age and older:**

- Wet the affected area
- Apply product to affected skin and surrounding area
- work foam into a lather and rub for up to 3 minutes, if needed

For temporary relief of pain and itching associated with poison ivy, poison oak, poison sumac.

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a poison control center immediately. (1-800-222-1222)

External Analgesic

Pramoxine HCl 1%

**Drug Facts**

Active ingredient	Purpose
Pramoxine HCl 1%.....	External analgesic

**Uses** For temporary relief of pain and itching associated with • poison ivy • poison oak • poison sumac

**Warnings** For external use only

**When using this product:** • Avoid contact with eyes. • Do not leave on skin longer than 3 minutes. • Rinse thoroughly after application.

**Stop use and ask a doctor** if condition worsens, or if symptoms persist for more than 7 days, or clear up and occur again within a few days.

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. (1-800-222-1222)

**Directions**  
**Adults and children 2 years of age and older:** Wet the affected area.  
 • Apply product to affected skin and surrounding area. • Work foam into a lather and rub for up to 3 minutes, if needed. Continued ▶

NDC 70000-0398-1

# Poison Ivy Wash

Poison Ivy Cleanser | Itch Relief  
Dual Action with Jojoba

Unique 2-in-1 Formula

Safe for use on Children

Removes Urushiol from the Skin

Relieves Itching Due to Poison Ivy, Poison Oak, Insect Bites and Minor Skin Irritations

100% Money Back Guarantee

6 FL OZ (177 mL)

**Drug Facts (continued)**

Do not leave on skin for longer than 3 minutes. • Thoroughly rinse product from all areas. • Apply to affected area not more than 3 to 4 times daily.

**Children under 2 years of age:** Consult a doctor.

**Other information** • For best results, use near a shower or sink where it is easy to thoroughly rinse off the product.

**Inactive ingredients** • Water, Ammonium Lauryl Sulfate, Distearyl Phthalic Acid Amide, Glycol Distearate, Cocamide MIPA, Propylene Glycol (and) Diazolidinyl Urea (and) Methylparaben (and) Propylparaben, Glycerin, Jojoba Esters, Disodium EDTA, Sodium Hydroxide, Nonoxynol-9.

**Removes urushiol (Poison Ivy Oil) from the skin. For best results use as soon as possible after contact with poison ivy is suspected.**

© 2018 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health.

DISTRIBUTED BY CARDINAL HEALTH  
 DUBLIN, OHIO 43017  
 www.myleader.com 1-800-200-6313

✓ 100% Money Back Guarantee

Return to place of purchase.

REV. 12/18

CIN 3455811 0 96295 13511 4

## LEADER POISON IVY WASH

pramoxine hydrochloride lotion lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0398
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>AMMONIUM LAURYL SULFATE</b> (UNII: Q7AO2R1M0B)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>GLYCOL DISTEARATE</b> (UNII: 13W7MDN21W)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>NONOXYNOL-9</b> (UNII: 48Q180SH9T)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>HYDROLYZED JOJOBA ESTERS (ACID FORM)</b> (UNII: UDR641JW8W)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0398-1	177 mL in 1 CONTAINER; Type 0: Not a Combination Product	02/15/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/15/2019	

**Labeler** - Cardinal Health, 110 dba Leader (063997360)

Revised: 5/2024

Cardinal Health, 110 dba Leader