

**ALLERGY RELIEF- diphenhydramine hcl tablet, film coated**  
**Meijer Distribution Inc**

-----  
**Meijer 44-329**

***Active ingredient (in each tablet)***

Diphenhydramine HCl 25 mg

***Purpose***

Antihistamine

***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - itching of the nose or throat
  - sneezing
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed**
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

**Other information**

- **each tablet contains:** calcium 30 mg
- protect from moisture
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

**Inactive ingredients**

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

**VALUE SIZE  
365 TABLETS**

NDC 41250-329-51

Compare to Benadryl®  
Allergy ULTRATAB®  
active ingredient\*

**meijer®**

**allergy  
relief**

Diphenhydramine HCl | 25 mg  
Antihistamine

Relief for: Sneezing, Runny Nose,  
Itchy Throat & Itchy, Watery Eyes

**365 Tablets**

Actual  
Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by  
Johnson & Johnson Corporation, owner of the registered trademark  
Benadryl® Allergy ULTRATAB® . 50844 REV0721D32951

**DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
[www.meijer.com](http://www.meijer.com)**

NDC 41250-329-51 **VALUE SIZE**  
365 TABLETS

**meijer** Compare to Benadryl® Allergy ULTRATAB® active ingredient\*

**allergy relief**  
Diphenhydramine HCl | 25 mg  
Antihistamine

Relief for: Sneezing, Runny Nose, Itchy Throat & Itchy, Watery Eyes

365 Tablets  Actual Size

no print/no varnish area  
lot no. & exp. date

**Drug Facts**

**Active ingredient (in each tablet)**  
Diphenhydramine HCl 25 mg. . . . . Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ itchy, watery eyes  
 ■ itching of the nose or throat ■ sneezing  
 temporarily relieves these symptoms due to the common cold:  
 ■ runny nose ■ sneezing

**Warnings**  
**Do not use** ■ to make a child sleepy  
 ■ with any other product containing diphenhydramine, even one used on skin

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB®. 50844 REV0721D32951

**DIST. BY MEIJER DISTRIBUTION, INC.**  
GRAND RAPIDS, MI 49544  
www.meijer.com

PID 3723190

0411T77772

7 0411T77772

**PEEL HERE FOR MORE DRUG FACTS**

**Drug Facts (continued)**

**Ask a doctor before use if you have** ■ glaucoma  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product**  
 ■ marked drowsiness may occur  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic beverages  
 ■ use caution when driving a motor vehicle or operating machinery  
 ■ excitability may occur, especially in children

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ do not take more than directed  
 ■ take every 4 to 6 hours, or as directed by a doctor  
 ■ do not take more than 6 times in 24 hours  
 adults and children 12 years | 1 to 2 tablets and over  
 children 6 to under 12 years | 1 tablet  
 children under 6 years | do not use

**Other information**  
 ■ each tablet contains: calcium 30 mg  
 ■ protect from moisture  
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
 ■ use by expiration date on package

**Inactive ingredients** corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dhydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments? 1-800-426-9391**

**STOP PEELING**

Meijer L-1214-329-51-UPCR REV0721D

ALLERGY RELIEF			
diphenhydramine hcl tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-329
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
Inactive Ingredients			
	Ingredient Name		Strength
	STARCH, CORN (UNII: O8232NY3S)		

<b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	44;329
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-329-51	365 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	
2	NDC:41250-329-22	4 in 1 CARTON	03/02/1990	03/29/2019
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:41250-329-08	2 in 1 CARTON	03/02/1990	03/29/2019
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:41250-329-12	1 in 1 CARTON	03/02/1990	03/29/2019
4		100 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/02/1990	

**Labeler** - Meijer Distribution Inc (006959555)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(41250-329)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41250-329) , pack(41250-329)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(41250-329)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(41250-329)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(41250-329)

Revised: 2/2024

Meijer Distribution Inc