

ALLERGY RELIEF- diphenhydramine hcl tablet, film coated
Meijer Distribution Inc

Meijer 44-329-Delisted

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - itching of the nose or throat
 - sneezing
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 30 mg
- protect from moisture
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

VALUE SIZE
365 TABLETS

NDC 41250-329-51

Compare to Benadryl®
Allergy ULTRATAB®
active ingredient*

meijer®

allergy
relief

Diphenhydramine HCl | 25 mg
Antihistamine

Relief for: Sneezing, Runny Nose,
Itchy Throat & Itchy, Watery Eyes

365 Tablets

Actual
Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by
Johnson & Johnson Corporation, owner of the registered trademark
Benadryl® Allergy ULTRATAB® . 50844 REV0721D32951

**DIST. BY MEIJER
DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com**

NDC 41250-329-51 **VALUE SIZE**
365 TABLETS

meijer. Compare to Benadryl® Allergy ULTRATAB® active ingredient*

allergy relief
Diphenhydramine HCl | 25 mg
Antihistamine

Relief for: Sneezing, Runny Nose, Itchy Throat & Itchy, Watery Eyes

365 Tablets  Actual Size

no print/no varnish area
lot no. & exp. date

Drug Facts

Active ingredient (in each tablet)
Diphenhydramine HCl 25 mg. Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ itching of the nose or throat ■ sneezing
 temporarily relieves these symptoms due to the common cold:
 ■ runny nose ■ sneezing

Warnings
Do not use ■ to make a child sleepy
 ■ with any other product containing diphenhydramine, even one used on skin

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB®. 50844 REV0721D32951

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

PID 3723190

0411777772

7 0411777772

PEEL HERE FOR MORE DRUG FACTS

Drug Facts (continued)

Ask a doctor before use if you have ■ glaucoma
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product
 ■ marked drowsiness may occur
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic beverages
 ■ use caution when driving a motor vehicle or operating machinery
 ■ excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ do not take more than directed
 ■ take every 4 to 6 hours, or as directed by a doctor
 ■ do not take more than 6 times in 24 hours
 adults and children 12 years | 1 to 2 tablets
 and over
 children 6 to under 12 years | 1 tablet
 children under 6 years | do not use

Other information
 ■ each tablet contains: calcium 30 mg
 ■ protect from moisture
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ use by expiration date on package

Inactive ingredients corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

(Questions or comments? 1-800-426-9391

STOP PEELING

Meijer L-1214-329-51-UPCR REV0721D

ALLERGY RELIEF			
diphenhydramine hcl tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-329
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
Inactive Ingredients			
	Ingredient Name		Strength
	STARCH, CORN (UNII: O8232NY3S)		

D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;329
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-329-51	365 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	03/27/2026
2	NDC:41250-329-22	4 in 1 CARTON	03/02/1990	03/29/2019
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:41250-329-08	2 in 1 CARTON	03/02/1990	03/29/2019
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:41250-329-12	1 in 1 CARTON	03/02/1990	03/29/2019
4		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/02/1990	03/27/2026

Labeler - Meijer Distribution Inc (006959555)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(41250-329)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41250-329) , pack(41250-329)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(41250-329)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(41250-329)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(41250-329)

Revised: 8/2024

Meijer Distribution Inc