

**ALLERGY RELIEF D- cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release
Publix Super Markets Inc**

Publix Super Markets, Inc. Allergy Relief D Drug Facts

Active ingredients (in each extended release tablet)

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease

- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnancy or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 68° to 77°F (20° to 25°C)
- **do not use if blister unit is broken or torn**
- see side panel for lot number and expiration date
- meets USP *Dissolution Test 2*

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Package/Label Principal Display Panel

INDOOR & OUTDOOR ALLERGIES

allergy relief D

CETIRIZINE HYDROCHLORIDE & PSEUDOEPHEDRINE HYDROCHLORIDE

EXTENDED-RELEASE TABLETS, 5 mg/120mg

ANTIHISTAMINE/NASAL DECONGESTANT

ALLERGY & CONGESTION

12-hour relief of:

Sneezing – Itchy, watery eyes – Runny nose

Itchy throat or nose – Sinus pressure – Nasal congestion

ACTUAL SIZE

12 EXTENDED-RELEASE TABLETS

Compare to Zyrtec®

active ingredients



INDOOR & OUTDOOR ALLERGIES

allergyreliefD

CETIRIZINE HYDROCHLORIDE & PSEUDOEPHEDRINE HYDROCHLORIDE
EXTENDED-RELEASE TABLETS, 5 mg/120 mg
ANTIHISTAMINE/NASAL DECONGESTANT

ALLERGY & CONGESTION



NDC 56062-147-53

INDOOR & OUTDOOR ALLERGIES

allergyreliefD

CETIRIZINE HYDROCHLORIDE & PSEUDOEPHEDRINE HYDROCHLORIDE
EXTENDED-RELEASE TABLETS, 5 mg/120 mg
ANTIHISTAMINE/NASAL DECONGESTANT

ALLERGY & CONGESTION

12-hour relief of:

- Sneezing • Itchy, watery eyes • Runny nose
- Itchy throat or nose • Sinus pressure • Nasal congestion

12 EXTENDED-RELEASE TABLETS



ACTUAL SIZE

*Compare to Zyrtec-D® active ingredients

14753 63 C2

Drug Facts

Active ingredients *Purpose*
(in each extended release tablet)

Cetirizine HCl 5 mg.....	Antihistamine
Pseudoephedrine HCl 120 mg.....	Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
 - nasal congestion
 - reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily relieves freer breathing through the nose

Warnings

- do not use
 - if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine
 - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

- When using this product
 - do not use more than directed
 - drowsiness may occur
 - avoid alcoholic drinks
 - alcohol, sedatives, and tranquilizers may increase drowsiness
 - be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
 - if pregnant: ask a health professional before use.
- Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away: (1-800-222-1222)

Directions

- do not break or chew tablets; swallow tablets whole
- | | |
|--|--|
| adults and children 12 years and over | take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours. |
| adults 65 years and over | ask a doctor |
| children under 12 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Drug Facts (continued)

Other information

- store between 68° to 77° F (20° to 25° C)
- do not use if blister unit is broken or torn
- see side panel for lot number and expiration date
- meets USP Dissolution Test 2

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

*This product is not manufactured or distributed by the owner of the registered trademark Zyrtec-D®.



DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,
3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811 publix.com
1-888-267-3037
PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK

publix.

ALLERGY RELIEF D

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-147
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:Y07261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 2165RE0K14)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L147
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-147-53	12 in 1 CARTON	02/12/2021	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:56062-147-62	24 in 1 CARTON	02/16/2021	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210719	02/12/2020	

Labeler - Publix Super Markets Inc (006922009)

Revised: 2/2021

Publix Super Markets Inc