

OXYGEN- oxygen gas
VirtAir Inc.

Oxygen

OXYGEN, COMPRESSED USP
UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

CONTENTS: LTRS: CU.FT.

VIRTAIR

VIRTAIR INC.

100 Nassau Terminal Road New Hyde Park, NY 11040

(718) 847-8247

NO SMOKING

NO VAPING



OXYGEN, COMPRESSED USP

UN1072

C.A.S NO. 7782-44-7

VIRTAIR

VIRTAIR INC.

100 Nassau Terminal Road New Hyde Park, NY 11040

(718) 847-8247

NO SMOKING

NO VAPING

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow the safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size Contents Size Contents

M6 5.3 SCF M 114 SCF

D 15.3 SCF K 226 SCF

E 24.9 SCF Other SCF

**OXYGEN,
COMPRESSED
USP
UN1072**

C.A.S. NO. 7782-44-7





VIRTAIR
VIRTAIR INC.
100 Nassau Terminal Road • New Hyde Park, NY 11040
(718) 847-8247

**NO SMOKING
NO VAPING**

⚠ DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. Obtain, read and follow the safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

⚠ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use at high concentrations of oxygen over a long duration, without maintaining its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	5.3 SCF	<input type="checkbox"/> M	114 SCF
<input type="checkbox"/> D	15.3 SCF	<input type="checkbox"/> K	226 SCF
<input type="checkbox"/> E	24.9 SCF	<input type="checkbox"/> Other	_____ SCF

OXYGEN, COMPRESSED USP
UN1072

C.A.S NO. 7782-44-7

VIRTAIR

VIRTAIR INC.

100 Nassau Terminal Road New Hyde Park, NY 11040

(718) 847-8247

NO SMOKING

NO VAPING

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow the safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without

monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size Contents Size Contents

M6 5.3 SCF M 114 SCF

D 15.3 SCF K 226 SCF

E 24.9 SCF Other SCF

**OXYGEN,
COMPRESSED
USP
UN1072**

C.A.S. NO. 7782-44-7





VIRT AIR
VIRT AIR INC.
100 Nassau Terminal Road • New Hyde Park, NY 11040
(718) 847-8247



NO SMOKING
NO VAPING

⚠ DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. Observe and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop use if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressures. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

⚠ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx required.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	5.3 SCF	<input type="checkbox"/> M	114 SCF
<input type="checkbox"/> D	15.3 SCF	<input type="checkbox"/> K	226 SCF
<input type="checkbox"/> E	24.9 SCF	<input type="checkbox"/> Other	_____ SCF

OXYGEN

oxygen gas

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:69075-011
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69075-011-02	420 L in 1 CYLINDER		
2	NDC:69075-011-03	690 L in 1 CYLINDER		
3	NDC:69075-011-06	3470 L in 1 CYLINDER		
4	NDC:69075-011-07	6270 L in 1 CYLINDER		
5	NDC:69075-011-08	8510 L in 1 CYLINDER		
6	NDC:69075-011-09	589 L in 1 CYLINDER		
7	NDC:69075-011-12	180 L in 1 DEWAR		
8	NDC:69075-011-13	240 L in 1 DEWAR		
9	NDC:69075-011-11	3137.5 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141387	08/01/2014	

Labeler - VirtAir Inc. (079430437)

Establishment

Name	Address	ID/FEI	Business Operations
Virtair Inc.		080474486	manufacture

Revised: 10/2025

VirtAir Inc.