DAYTIME COUGH AND COLD- dextromethorphan hydrobromide and phenylephrine hydrochloride liquid

Accudial Pharmaceutical, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

| Active ingredients (in each 5 mL, 1 teaspoonful) | Purposes |
|---|--------------------|
| Dextromethorphan HBr, USP 5 mg | Cough suppressant |
| Phenylephrine HCl, USP 1.25 mg | Nasal decongestant |

Uses

- temporarily relieves
 - nasal and sinus congestion
 - cough due to minor throat and bronchial irritation as may occur with a cold

Warnings

Do not use in a child under 4 years of age

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if the child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough that occurs with too much phlegm (mucus)
- chronic cough that lasts, or as occurs with asthma

When using this product

• do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back, or occurs with a fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• May be given every 6 hours. Do not give more than 4 doses in 24 hours unless directed by a doctor.

| Children under 4 years of age | do not use |
|--------------------------------|------------------------|
| Children 4 to under 6 years of | 1-1½ tsp. |
| age | (5-7.5 mL) |
| Children 6 to under 12 years | $1\frac{1}{2}$ -3 tsp. |
| of age | (7.5-15 mL) |

Other information

- each teaspoon contains: sodium 2 mg
- store at controlled room temperature 20°-25°C (68°-77°F)

Inactive ingredients

Artificial Flavor, Benzoic Acid, Citric Acid, EDTA Disodium, FD&C Red #40, Purified Water, Sodium Citrate, Sodium Saccharin, Sorbitol.

2877-434-2036

Manufactured for

ACCUDIAL

PHARMACEUTICAL, INC.

AccurateDose.com

Palm Beach Gardens, FL 33410

Distributed by: LeSaint Logistics Corporate Headquarters 2570 Northwest Parkway Elgin, IL 60124

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

CHILDREN'S

ACCU**DIAL**

ROTATING DOSING LABEL

Daytime Cough & Cold

ACCURATE DOSING BY WEIGHT

Dextromethorphan HBr (Cough Suppressant)

Phenylephrine HCl (Nasal Decongestant)

Cough Stuffy Nose

For Ages 4 to under 12

Compares to the active ingredients in Children's Triaminic[®] Day Time Cold & Cough.

CHERRY

FLAVOR

4 FL.OZ. (118 mL)

NDC 45014-152-04

Canadian Patent No. 2,399,901, other patents pending. U.S. Patent No. 6,276,533,



Cough & Cold

FREE DOSING SPOON ENCLOSED.



ROTATING DOSING LABEL

ACCURATE DOSING BY WEIGHT

Dextromethorphan HBr (Cough Suppressant)

Phenylephrine HCI (Nasal Decongestant)

Cough Stuffy Nose

For Ages 4 to under 12

Compares to the active ingredients in Children's Triaminic® Day Time Cold & Cough.





4 FL.OZ. (118 mL) SINGLE ORAL DOSE

13 84 86 13 88 131/2

90 14 92 14 94 1412

CHLDREN UNDER THE AGE OF 4 OR WEIGHING LESS THAN 36 LBS. THERE LANS. TO ME ON More than 50% of

children are inaccurately dosed when taking over-the-counter medications.

The AccuDial® rotating label and dosing spoon are designed specifically to help solve this problem.

Do not use if carton is opened, or if foil seal is broken or missing. See bottom of carton for expiration date.





DAYTIME COUGH & COLD

Drug Facts

Active ingredients (in each 5 mL, 1 teaspoonful) Purposes

Dextromethorphan HBr, USP 5 mg......Cough suppressant Phenylephrine HCl, USP 1.25 mg......Nasal decongestant

Uses • temporarily relieves

- · nasal and sinus congestion
- . cough due to minor throat and bronchial irritation as may occur with a cold

Warnings

Do not use in a child under 4 years of age

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if the child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- · heart disease
- · high blood pressure
- · thyroid disease
- diabetes
- . cough that occurs with too much phlegm (mucus)
- · chronic cough that lasts, or as occurs with asthma

When using this product

· do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- · symptoms do not improve within 7 days or occur with a fever
- . cough persists for more than 7 days, comes back, or occurs with a fever, rash, or persistent headache. These could be signs of a



DAYTIME COUGH & COLD

Drug Facts (continued)

Directions

 May be given every 6 hours. Do not give more than 4 doses in 24 hours unless directed by a doctor.

| Children under 4 years of age | do not use |
|-------------------------------|-------------|
| Children 4 to under | 1-1½ tsp. |
| 6 years of age | (5-7.5 mL) |
| Children 6 to under | 1½-3 tsp. |
| 12 years of age | (7.5-15 mL) |

Other information

- · each teaspoon contains: sodium 2 mg
- store at controlled room temperature 20°-25°C (68°-77°F)

Inactive ingredients

Artificial Flavor, Benzoic Acid, Citric Acid, EDTA Disodium, FD&C Red #40, Purified Water, Sodium Citrate, Sodium Saccharin, Sorbitol.

2877-434-2036





DAYTIME COUGH AND COLD

dextromethorphan hydrobromide and phenylephrine hydrochloride liquid

Product Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:450 14-152

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Dextromethorphan Hydrobromide (UNII: 9D2RTI9KYH) (Dextromethorphan - UNII:7355X3ROTS) Phenylephrine Hydrochloride (UNII: 04JA59TNSJ) (Phenylephrine - UNII:1WS297W6MV) Phenylephrine Hydrochloride (UNII: 04JA59TNSJ) (Phenylephrine - UNII:1WS297W6MV)

| Strength |
|----------|
| |
| |
| |
| |
| |
| |
| |
| |
| |

| Saccharin Sodium (UNII: SB8ZUX | 40 TY) | | |
|--------------------------------|--------|--------------|--|
| Sorbitol (UNII: 506T60A25R) | | | |
| | | | |
| | | | |
| Product Characteristics | | | |
| Color | | Score | |
| Shape | | Size | |
| Flavor | CHERRY | Imprint Code | |
| Contains | | | |

| Packaging | | | |
|--------------------|---------------------|----------------------|--------------------|
| # Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 NDC:45014-152-04 | 118 mL in 1 BOTTLE | | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC MONOGRAPH FINAL | part341 | 10/26/2009 | |
| | | | |

Labeler - Accudial Pharmaceutical, Inc. (831999201)

Revised: 9/2011 Accudial Pharmaceutical, Inc.