

ANTACID- aluminum hydroxide, magnesium hydroxide, simethicone suspension

Kroger Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Kroger Co. Antacid Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

Purpose

Antacid

Antigas

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

- shake well before using

- only use the dose cup provided
- adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician
- do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- **each 10 mL contains:** magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- protect from freezing

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-800-632-6900

Principal Display Panel

OUR PHARMACISTS RECOMMENDED

Regular Strength

Antacid

Advanced Antacid & Anti-Gas

FAST RELIEF:

Heartburn & Acid Indigestion

Pressure & Bloating

Mint Flavored

12 FL OZ (355mL)

NDC 30142-851-40



Regular Strength

Antacid

**Advanced
Antacid &
Anti-Gas**



**FAST
RELIEF:**

Heartburn &
Acid Indigestion
Pressure &
Bloating

Mint Flavored

12 FL OZ (355 mL)

: 85140 45 F9

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING.

DISTRIBUTED BY THE KROGER CO. CINCINNATI, OHIO 45202

GLUTEN FREE



0 11110 79521 2

Drug Facts

Active ingredients (in each 10 mL)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 400 mg.....	Antacid
Magnesium hydroxide 400 mg.....	Antacid
Simethicone 40 mg.....	Antigas

Uses for the relief of ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms ■ pressure and bloating commonly referred to as gas

Warnings
Ask a doctor before use if you have
 ■ kidney disease ■ a magnesium-restricted diet
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.
When using this product do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician
Keep out of reach of children.

Directions
 ■ shake well before using ■ only use the dose cup provided ■ adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician ■ do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks ■ children under 12 years: consult a physician

Other information ■ each 10 mL contains: magnesium 175 mg ■ does not meet USP requirements for preservative effectiveness ■ store at 20-25°C (68-77°F) ■ protect from freezing

Inactive ingredients butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Drug Facts
(continued)

Questions or comments?
1-800-632-6900

QUALITY GUARANTEE
800-632-6900
www.kroger.com

CODE AREA

• no varnish • no color

: 85140 45 B8

NO COPY AREA

NO COPY AREA

ANTACID

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30 142-851
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0 T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0 T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 10 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3Q Y004S) (MAGNESIUM CATION - UNII:T6 V3LHY8 38, HYDRO XIDE ION - UNII:9 159 UV38 1P)	MAGNESIUM HYDRO XIDE	400 mg in 10 mL
DIMETHICONE (UNII: 9 2RU3N3Y1O) (DIMETHICONE - UNII:9 2RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
BUTYLPARABEN (UNII: 3QP1IU3FV8)	

CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
PEPPERMINT OIL (UNII: AV092KU4JH)	

Product Characteristics

Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30 142-851-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/10/2002	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	12/10/2002	

Labeler - Kroger Company (006999528)

Revised: 10/2019

Kroger Company