

**SEA SET AND PROTECT MINERAL SUNSCREEN BROAD SPECTRUM SPF 30  
TRANSLUCENT- titanium dioxide and zinc oxide powder  
SEA SET AND PROTECT MINERAL SUNSCREEN BROAD SPECTRUM SPF 30  
TRANSLUCENT DEEP- titanium dioxide and zinc oxide powder  
Tarte, Inc.**

-----  
**SEA set & protect mineral powder sunscreen Broad Spectrum SPF 30**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Titanium Dioxide 8.6%	Sunscreen
Zinc Oxide 10.0%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

**Stop use and ask doctor** if rash occurs.

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

### **Inactive ingredients**

Polymethylsilsesquioxane, silica, jojoba esters, caprylyl glycol, alumina, sodium dehydroacetate, phenoxyethanol, vanillin, caprylic/capric triglyceride, hexylene glycol, vanilla planifolia fruit extract, aluminum dimyristate, triethoxycaprylylsilane, disodium stearyl glutamate, mica, iron oxides. OX100FW000041.

Dist. by tarte, Inc. New York, NY 10018.

### **PRINCIPAL DISPLAY PANEL - 8 g Tube Carton - translucent**

tarte™  
SEA

set & protect

mineral powder  
sunscreen

Broad Spectrum SPF 30

net wt 8 g / 0.28 Oz.

translucent

### Drug Facts

#### Active Ingredients Purpose

Titanium Dioxide 8.6%.....Sunscreen  
Zinc Oxide 10.0%.....Sunscreen

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

**For external use only.**

**Stop use and ask doctor if rash occurs.**

**Do not use on damaged or broken skin.**

**When using this product keep out of eyes. Rinse with water to remove.**

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a ▶

### Drug Facts (continued)

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

#### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

#### Inactive Ingredients

Polymethylsilsesquioxane, silica, jojoba esters, caprylyl glycol, alumina, sodium dehydroacetate, phenoxyethanol, vanillin, caprylic/capric triglyceride, hexylene glycol, vanilla planifolia fruit extract, aluminum dimyristate, triethoxycaprylsilane, disodium stearyl glutamate, mica, iron oxides. OX100FW000041.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

tarte  
SEA



set & protect  
mineral powder  
sunscreen  
Broad Spectrum SPF 30

net wt 8g / 0.28 Oz.



SPF protection



sets makeup for 12 hours



mineral pigments



jojoba



dermatologist tested


#tartesea

@tartecosmetics

www.tarte.com



FG06832-02



**PRINCIPAL DISPLAY PANEL - 8 g Tube Carton - translucent deep**

tarte™

SEA

set & protect  
mineral powder sunscreen  
Broad Spectrum SPF 30

net wt 8 g / 0.28 Oz.

translucent deep

**Drug Facts**

**Active ingredients Purpose**  
Titanium Dioxide 8.6%.....Sunscreen  
Zinc Oxide 10.0%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a ▶

**Drug Facts (continued)**

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
-Limit time in the sun, especially from 10 a.m.-2 p.m.  
-Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

**Inactive ingredients**

Polymethylsilsesquioxane, silica, sodium dehydroacetate, jojoba esters, alumina, caprylyl glycol, phenoxyethanol, hexylene glycol, vanillin, caprylic/capric triglyceride, vanilla planifolia fruit extract, mica, aluminum dimyristate, triethoxycaprylylsilane, disodium stearoyl glutamate, ultramarines, iron oxides. OF100FW000211.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS: 7170 Manage, Belgium / London WC2H 9JQ, UK.

tarte™

SEA



SPF protection



sets makeup for 12 hours



mineral pigments



jojoba



dermatologist tested

set & protect  
mineral powder sunscreen  
Broad Spectrum SPF 30

#tartesea


@tartecosmetics

www.tarte.com

net wt 8 g / 0.28 Oz.



FG06899-01



# SEA SET AND PROTECT MINERAL SUNSCREEN BROAD SPECTRUM SPF 30 TRANSLUCENT

titanium dioxide and zinc oxide powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-236
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	86 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	100 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYDROGENATED JOJOBA OIL, RANDOMIZED</b> (UNII: Q47ST02F58)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>VANILLIN</b> (UNII: CHI530446X)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>VANILLA BEAN</b> (UNII: Q74T35078H)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 51060-236			

1	NDC:51060-230-01	1 in 1 CARTON	03/05/2020
1		8 mL in 1 TUBE; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	03/05/2020	

## SEA SET AND PROTECT MINERAL SUNSCREEN BROAD SPECTRUM SPF 30 TRANSLUCENT DEEP

titanium dioxide and zinc oxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-237
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	86 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	100 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>HYDROGENATED JOJOBA OIL, RANDOMIZED</b> (UNII: Q47ST02F58)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>VANILLIN</b> (UNII: CHI530446X)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>VANILLA BEAN</b> (UNII: Q74T35078H)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-237-01	1 in 1 CARTON	03/05/2020	
1		8 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	03/05/2020	

**Labeler** - Tarte, Inc. (027905186)

Revised: 12/2023

Tarte, Inc.