

DISCOUNT DRUG MART SEVERE NASAL- oxymetazoline hydrochloride spray
DISCOUNT DRUG MART

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Mart Severe Nasal Spray Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal Decongestant

Uses

temporarily relieves

- nasal congestion due to a cold, heavy fever, or other upper respiratory allergies
- Sinus congestion and pressure

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not exceed recommended dosage**
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

- symptoms persist

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away at (1-800-222-1222).

Directions

- **adults & children 6 years & older (with adult supervision):** 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- **Children 2 to under 6 years:** ask a doctor
- **Children 2 years:** ask a doctor

Shake well before use. Push down cap while turning counter-clockwise and remove cap. Remove clip under rim. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Replace clip under rim and secure cap after use.

Other information

- store at room temperature

Inactive ingredients

benzalkonium chloride, benzyl alcohol, camphor, edetate disodium, eucalyptol, menthol, polysorbate 80, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic.

Questions or comments?

1-866-467-2748

Principal Display Panel

DISCOUNT drug mart

FOOD FAIR

NDC# 53943-726-30

Compare to the active ingredient in Vicks® Sinex® Severe*

Severe Nasal Spray

OXYMETAZOLINE HCl 0.05%

NASAL DECONGESTANT

12 HOUR

Cold & allergy congestion

Sinus pressure

Ultra-Fine Mist

1 FL OZ (30 mL)

IMPORTANT: KEEP THE CARTON FOR FUTURE REFERENCE ON FULL LABELING

Distributed by:

Discount Drug Mart

211 Commerce Drive

Medina, OH 44256

www.discount-drugmart.com

SATISFACTION GUARANTEED. IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE MEDINA, OHIO 44256.

*This product is not manufactured or distributed by Procter and Gamble, the distributor of Vicks® Sinex®

TAMPER-EVIDENT: DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Drug Facts

Active ingredient	Purpose
Oxymetazoline hydrochloride 0.05%.....	Nasal decongestant

Uses temporarily relieves:

- nasal congestion due to a cold, hay fever, or other upper respiratory allergies
- sinus congestion and pressure

Warnings

Ask a doctor before use if you have

- heart disease
- thyroid disease
- enlarged prostate gland
- high blood pressure
- trouble urinating due to enlarged prostate gland
- diabetes

When using this product

- do not exceed recommended dosage
- do not use for more than 3 days. Use only as directed, or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children 2 to under 6 years: ask a doctor.
- children under 2 years: do not use

Shake well before use. Push down cap while turning counter-clockwise and remove cap. Remove clip under rim. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle rim between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Replace clip under rim and secure cap after use.

Other information

- store at room temperature

Drug Facts (continued)

Inactive ingredients
benzalkonium chloride, benzyl alcohol, camphor, edetate disodium, eucalyptol, menthol, polysorbate 80, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

Questions? 1-866-467-2748

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Vicks® Sinex®

IMPORTANT:
Keep this carton for future reference on full labeling.

Distributed by:
Discount Drug Mart
211 Commerce Drive
Medina, OH 44256
www.discount-drugmart.com

SATISFACTION GUARANTEED. IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

discount drug mart
FOOD FAIR

Severe Nasal Spray

OXYMETAZOLINE HCl 0.05% NASAL DECONGESTANT

NDC 53943-726-30

discount drug mart
FOOD FAIR

Severe Nasal Spray

OXYMETAZOLINE HCl 0.05% NASAL DECONGESTANT

12 HOUR

**Cold & Allergy Congestion
Sinus Pressure
Ultra Fine Mist**

Compare to the active ingredient in Vicks® Sinex® Severe®

1 FL OZ (30 mL)

72630DDMFC

LOT: UNVARNISHED AREA DO NOT PRINT

EXP: UNVARNISHED AREA DO NOT PRINT

How to use:
Push down cap while turning counter-clockwise and remove cap. Remove clip under rim. Secure cap after use.

DISCOUNT DRUG MART SEVERE NASAL

oxymetazoline hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-726
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
EUCALYPTOL (UNII: RV6J6604TK)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-726-30	1 in 1 CARTON	05/21/2019	
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/21/2019	

Labeler - DISCOUNT DRUG MART (047741335)