

**MEDI-FIRST HONEY LEMON COUGH DROPS- menthol 8.6 mg lozenge**  
**MEDI-FIRST PLUS HONEY LEMON COUGH DROPS- menthol 8.6 mg lozenge**  
**Unifirst First Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Medi-First Honey Lemon Cough Drop**

***Drug Facts***

***Active ingredient (in each drop)***

Menthol 8.6 mg

***Purpose***

Antitussive (cough suppressant)/oral anesthetic

***Uses***

**Temporarily relieves**

- cough as may occur with a cold or inhaled irritants
- occasional minor irritation and sore throat

***Warnings***

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These symptoms may be serious.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

**Stop use and ask a doctor if**

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore mouth does not improve in 7 days
- irritation, pain, or redness persists or worsens

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep this and all drugs out of the reach of children.**

***Directions***

- **do not use more than directed**

**Adults and children: (12 years and older)**

Allow 1 drop to dissolve slowly in the mouth. May be repeated every 2 hours as necessary or as directed by a doctor.

**Children under 12 years :**

Do not give to children under 12 years of age.

***Other information***

- 15 calories per drop
- store at 59°-86°F (15°-30°C)
- protect from moisture & heat

***Inactive ingredients***

corn syrup, eucalyptus oil, D&C yellow #10, FD&C yellow #6, honey, lemon oil, sucrose

***Questions or comments?***

1-800-634-7680

**Medi-First Cough Drop Label**

125

drops

Medi-First®

Honey Lemon

Cough Drops

Vapor Action

Pull to Open

Cough Suppressant • Menthol 8.6 mg

Compare active ingredients to:

Halls®

Registered Trademark of Warner-Lambert

Individually Wrapped Cough Drops

<b>Drug Facts</b>	<b>Drug Facts (continued)</b>
<b>Active ingredient (in each drop) Purpose</b> Menthol 8.6 mg.....Antitussive (cough suppressant)/oral anesthetic	If pregnant or breast-feeding, ask a health professional before use. <b>Keep this and all drugs out of the reach of children.</b>
<b>Uses</b> Temporarily relieves ■ cough as may occur with a cold or inhaled irritants ■ occasional minor irritation and sore throat	<b>Directions</b> ■ do not use more than directed <b>Adults and children: (12 years and older)</b> Allow 1 drop to dissolve slowly in the mouth. May be repeated every 2 hours as necessary or as directed by a doctor. <b>Children under 12 years:</b> Do not give to children under 12 years of age.
<b>Warnings</b> Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These symptoms may be serious.	<b>Other information</b> ■ 15 calories per drop ■ store at 59°-86°F (15°-30°C) ■ protect from moisture & heat
<b>Ask a doctor before use if you have</b> ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema ■ cough accompanied by excessive phlegm (mucus)	<b>Inactive ingredients</b> corn syrup, xanthan gum, D&C yellow #10, FD&C yellow #6, honey, lemon oil, sucrose
<b>Stop use and ask a doctor if</b> ■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. ■ sore mouth does not improve in 7 days ■ irritation, pain, or redness persists or worsens	<b>Questions or comments?</b> 1-800-634-7680

Retain carton for complete product information



**MEDI-FIRST®**  
**Honey Lemon Cough Drops**  
Pastillas para la tos sabor miel y limón

Vapor Action / Acción de vapor

✓ Cough Suppressant • Menthol 8.6mg  
Suprime la tos • Mentol 8.6mg


Compare active ingredient to:  
Compare el ingrediente activo con:  
**Halls®**  
Registered Trademark of Warner-Lambert  
Marca Registrada de Warner-Lambert

Individually Wrapped Cough Drops  
Individualmente envueto pastillas para la tos

<b>Información del Medicamento</b>	<b>Información del Medicamento (continuación)</b>
<b>Ingrediente activo (en cada pastilla)</b> Mentol 8.6 mg.....Antitussivo (suprime la tos)/anestésico oral	<b>Propiedad</b> Si está usted embarazada o en periodo de lactancia, consulte la opinión de un médico antes de consumir este producto.
<b>Usos</b> Para el alivio temporal ■ de la tos que pudiera ocurrir con un resfriado o al inhalar agentes irritantes ■ de esporádicos leves dolores de garganta	<b>Mantenga este y todos los demás medicamentos fuera del alcance de los niños.</b>
<b>Advertencias</b> Advertencia sobre el dolor de garganta: Si el dolor de la garganta es severo, persiste por más de 2 días, se presenta acompañado por fiebre o está última aparece posteriormente, dolor de cabeza, sarpullido, náusea o vómito, consulte rápido a un médico. Estos síntomas pudieran ser serios.	<b>Instrucciones</b> ■ no consuma más de lo que se indica <b>Adultos y niños: (para mayores de 12 años)</b> Permita que se disuelva lentamente una pastilla en la boca. Puede volver a repetir esto cada 2 horas cuando sea necesario o como lo recomende e indique su médico. <b>Niños menores de 12 años:</b> No se administre a niños menores de 12 años de edad.
<b>Consulte con el médico antes de tomar este medicamento si usted padece de</b> ■ los persistente o crónica como ocurre al fumar, con asma, o con enfisema ■ los acompañada con fiebre (mucosidad) excesiva	<b>Otra información</b> ■ 15 calorías por pastilla ■ almacenamiento: consérvase a temperatura de 59°-86°F (15°-30°C) ■ no lo exponga a la humedad y calor
<b>Deje de tomar este medicamento y consulte al médico si</b> ■ persiste la tos por más de 1 semana, tiende a ser recurrente o se presenta acompañada por fiebre, sarpullido o con dolor de cabeza persistente. Estos pudieran ser señales de una infección seria. ■ el dolor en la boca no mejora en 7 días ■ irritación, dolor o enrojecimiento persiste o empeora	<b>Ingredientes inactivos</b> jarabe de miel, aceite de eucalipto, amarillo D y C #10, amarillo FD y C #6, miel, aceite de limón, sacarosa
	<b>¿Tiene alguna pregunta o comentario?</b> Lláme al 1-800-634-7680

Conserve la caja para obtener la información completa del producto

**Medi-First Plus Honey Lemon Label**  
125 Drops  
Medi-First Plus®  
Honey Lemon  
Cough Drops  
Menthol 8.6 mg  
Pull to Open  
Cough Suppressant & Anesthetic  
with Vapor Action  
Compare active ingredients to:  
Halls®  
Registered Trademark of Warner-Lambert  
Individually Wrapped Cough Drops



**MEDI-FIRST® Plus**  
**Honey Lemon Cough Drops**  
Pastillas para la tos sabor miel y limón

Menthol / Mentol 8.6mg

Compare active ingredient to:  
Compare el ingrediente activo con:  
**HALLS®**  
Registered Trademark of Warner-Lambert  
Marca Registrada de Warner-Lambert

Individually Wrapped Cough Drops  
Individualmente envueto pastilla para la tos

<b>Drug Facts</b>	<b>Drug Facts (continued)</b>
<b>Active ingredient (in each drop) Purpose</b> Menthol 8.6 mg.....Antitussive (cough suppressant)/oral anesthetic	If pregnant or breast-feeding, ask a health professional before use. <b>Keep this and all drugs out of the reach of children.</b>
<b>Uses</b> Temporarily relieves ■ cough as may occur with a cold or inhaled irritants ■ occasional minor irritation and sore throat	<b>Directions</b> ■ do not use more than directed <b>Adults and children: (12 years and older)</b> Allow 1 drop to dissolve slowly in the mouth. May be repeated every 2 hours as necessary or as directed by a doctor. <b>Children under 12 years:</b> Do not give to children under 12 years of age.
<b>Warnings</b> Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. These symptoms may be serious.	<b>Other information</b> ■ 15 calories per drop ■ store at 59°-86°F (15°-30°C) ■ protect from moisture & heat
<b>Ask a doctor before use if you have</b> ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema ■ cough accompanied by excessive phlegm (mucus)	<b>Inactive ingredients</b> corn syrup, xanthan gum, D&C yellow #10, FD&C yellow #6, honey, lemon oil, sucrose
<b>Stop use and ask a doctor if</b> ■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. ■ sore mouth does not improve in 7 days ■ irritation, pain, or redness persists or worsens	<b>Questions or comments?</b> 1-800-634-7680

Retain carton for complete product information

<b>Información del Medicamento</b>	<b>Información del Medicamento (continuación)</b>
<b>Ingrediente activo (en cada pastilla)</b> Mentol 8.6 mg.....Antitussivo (suprime la tos)/anestésico oral	<b>Propiedad</b> Si está usted embarazada o en periodo de lactancia, consulte la opinión de un médico antes de consumir este producto.
<b>Usos</b> Para el alivio temporal ■ de la tos que pudiera ocurrir con un resfriado o al inhalar agentes irritantes ■ de esporádicos leves dolores de garganta	<b>Mantenga este y todos los demás medicamentos fuera del alcance de los niños.</b>
<b>Advertencias</b> Advertencia sobre el dolor de garganta: Si el dolor de la garganta es severo, persiste por más de 2 días, se presenta acompañado por fiebre o está última aparece posteriormente, dolor de cabeza, sarpullido, náusea o vómito, consulte rápido a un médico. Estos síntomas pudieran ser serios.	<b>Instrucciones</b> ■ no consuma más de lo que se indica <b>Adultos y niños: (para mayores de 12 años)</b> Permita que se disuelva lentamente una pastilla en la boca. Puede volver a repetir esto cada 2 horas cuando sea necesario o como lo recomende e indique su médico. <b>Niños menores de 12 años:</b> No se administre a niños menores de 12 años de edad.
<b>Consulte con el médico antes de tomar este medicamento si usted padece de</b> ■ los persistente o crónica como ocurre al fumar, con asma, o con enfisema ■ los acompañada con fiebre (mucosidad) excesiva	<b>Otra información</b> ■ 15 calorías por pastilla ■ almacenamiento: consérvase a temperatura de 59°-86°F (15°-30°C) ■ no lo exponga a la humedad y calor
<b>Deje de tomar este medicamento y consulte al médico si</b> ■ persiste la tos por más de 1 semana, tiende a ser recurrente o se presenta acompañada por fiebre, sarpullido o con dolor de cabeza persistente. Estos pudieran ser señales de una infección seria. ■ el dolor en la boca no mejora en 7 días ■ irritación, dolor o enrojecimiento persiste o empeora	<b>Ingredientes inactivos</b> jarabe de miel, aceite de eucalipto, amarillo D y C #10, amarillo FD y C #6, miel, aceite de limón, sacarosa
	<b>¿Tiene alguna pregunta o comentario?</b> Lláme al 1-800-634-7680

Conserve la caja para obtener la información completa del producto

## MEDI-FIRST HONEY LEMON COUGH DROPS

menthol 8.6 mg lozenge

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-840
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	8.6 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
CORN SYRUP (UNII: 9G5L16BK6N)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
HONEY (UNII: Y9H1V576FH)	
LEMON OIL (UNII: I9GRO824LL)	
SUCROSE (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	22mm
<b>Flavor</b>	HONEY (Lemon)	<b>Imprint Code</b>	P
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-840-25	125 in 1 BOX; Type 0: Not a Combination Product	03/18/2019	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part341	03/18/2019	

## MEDI-FIRST PLUS HONEY LEMON COUGH DROPS

menthol 8.6 mg lozenge

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-841	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)		MENTHOL	8.6 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
CORN SYRUP (UNII: 9G5L16BK6N)				
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
EUCALYPTUS OIL (UNII: 2R04ONI662)				
HONEY (UNII: Y9H1V576FH)				
LEMON OIL (UNII: I9GRO824LL)				
SUCROSE (UNII: C151H8M554)				
<b>Product Characteristics</b>				
<b>Color</b>	yellow	<b>Score</b>	no score	
<b>Shape</b>	OVAL	<b>Size</b>	22mm	
<b>Flavor</b>	HONEY (Lemon)	<b>Imprint Code</b>	P	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:47682-841-25	125 in 1 BOX; Type 0: Not a Combination Product	03/18/2019	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph final	part341	03/18/2019		

**Labeler** - Unifirst First Aid Corporation (832947092)

### Establishment

Name	Address	ID/FEI	Business Operations
Prestige Packaging		170837962	relabel(47682-840, 47682-841) , repack(47682-840, 47682-841)