

GOODSENSE PAIN RELIEF- lidocaine patch
Geiss, Destin & Dunn, Inc

GoodSense Pain Relief Patch 5 ct. Lidocaine 4% ZDP 838

Active ingredient Purpose

Lidocaine 4%.....Topical anesthetic.

Use

- temporarily relieves minor pain

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- at the same time as other topical analgesics
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- discontinue use at least 1 hour before a bath or shower
- do not use immediately after a bath or shower
- dispose of used patch in matter that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch

Stop use and ask a doctor if

- condition worsens
- redness is present
- symptoms persist for more than 7 days or clear up and occur again within a few days
- irritation develops
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children over 12 years:
- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle

- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours
- children 12 years or younger: ask doctor

Other information

- store at room temperature 20-25°C (68-77°F)

Inactive ingredients

alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate, tartaric acid, titanium dioxide

Distributed by:

Geiss, Destin & Dunn, Inc.

Peachtree City, GA 30269

Made in China



GOODSENSE PAIN RELIEF
lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-838
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALCOHOL (UNII: 3K9958V90M)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-838-05	5 in 1 CARTON	02/21/2019	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/21/2019	

Labeler - Geiss, Destin & Dunn, Inc (076059836)