

**PAIN RELIEVER PM- acetaminophen, diphenhydramine hcl tablet, coated  
WR Group, Inc.**

-----  
**Drug Facts**

**Active ingredients (in each caplet)**

**Acetaminophen 500 mg**

Diphenhydramine HCL 25 mg

**Purpose**

**Pain reliever**

Nighttime sleep-aid

**Uses**

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other products containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or last more than 10 days
- fever gets worse or last more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**
- adults and children 12 years and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years: do not use

**Other information**

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

**Inactive ingredients**

croscarmellose sodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone K30, pregelatinized starch, purified water, silicon dioxide,

sodium starch glycolate, talc, titanium dioxide

## Questions or comments?

### Principal Display Panel

†Compare to the active ingredient in Extra Strength Tylenol® PM

### Extra Strength

### Pain Reliever PM

### Acetaminophen 500 mg

Pain Reliever

Diphenhydramine HCL 25 mg

Nighttime Sleep Aid

For ages 12 years and over

CAPLETS

†This product is not manufactured or distributed by Kenvue Brands LLC., distributor of Extra Strength Tylenol® PM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed by: Kolbe & Schmitt®

2625 S. 16th St, Suite 150, Phoenix, AZ 85034

### Package Label

Lot No.: 8  
110791 036971  
Exp. Date: 1

#16458 • C25

**Kolbe + Schmitt**  
HEALTHCARE GROUP

PLD-A5698 F3093657

**24 CAPLETS**

**Extra Strength**  
**Pain Reliever PM**  
**Acetaminophen 500 mg**  
Pain reliever  
Diphenhydramine HCl 25 mg  
Nighttime sleep-aid

NDC 69607-8630-1

Compare to the active ingredients in Extra Strength Tylenol® PM

**24 CAPLETS**

Actual Size For ages 12 years and over

**Drug Facts**

**Active ingredients (in each caplet)**  
Acetaminophen 500 mg.....Pain reliever  
Diphenhydramine HCl 25 mg.....Nighttime sleep-aid

**Uses** temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:  

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  

- skin reddening
- blisters
- rash

 If a skin reaction occurs, stop use and seek medical help right away.  
**Do not use**  

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin

**Purposes**  
Pain reliever  
Nighttime sleep-aid

**Drug Facts (continued)**

- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.  
**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.**

**Drug Facts (continued)**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see Overdose warning)
- adults and children 12 years of age and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years of age: do not use

**Other information**

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

**Inactive ingredients** croscarmellose sodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hydroxypropylcellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone K30, pregelatinized starch, purified water, silicon dioxide, sodium starch glycolate, talc, titanium dioxide

\*This product is not manufactured or distributed by Kenvue Brands LLC, distributor of Extra Strength Tylenol® PM.

**Distributed by: Kolbe & Schmitt®**  
2825 S. 16th St, Suite 150, Phoenix, AZ 85034 USA

**Extra Strength**  
**Pain Reliever PM**  
**Acetaminophen 500 mg**  
Pain reliever  
Diphenhydramine HCl 25 mg  
Nighttime sleep-aid

**24 CAPLETS**

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.  
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**KOLBE & SCHMITT Extra Strength Pain Reliever PM**

**PAIN RELIEVER PM**

acetaminophen, diphenhydramine hcl tablet, coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69607-8630
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

**Product Characteristics**

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL (Oblong)	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	P525
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69607-8630-1	1 in 1 BOX	02/28/2025	
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/28/2025	

