TOPICALE- benzocaine patch Medical Products Laboratories, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topicale GelPatch

Active Ingredient

Benzocaine 18%

Oral Anesthetic

For the temporary relief of minor pain and irritation associated with minor injury of the mouth and gums, canker sores, minor dental procedures, minor irritation of the mouth and gums caused by dentures or orthodontic appliances

Methemoglobinemia warning:

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops pale, grey or blue colored skin (cyanosis), headache, rapid heart rate, shortness of breath, dizziness or lightheadedness, fatigue or lack of energy.

Contraindications:

- Do not use in large quantities or over large areas of body
- Do not use for Teething
- Do not use in children under 2 years of age

Allergy Alert:

Do not use if you have a history of allergy to local anesthetics such as benzocaine, butacaine, procaine or other "caine" anesthetics.

When using this product

Avoid contact with eyes

In case of accidental overdose, get medical help or contact a Poison Control Centre immediately.

Stop use and ask a doctor :

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, swelling, rash, nausea or vomiting If sore mouth symptoms do not improve in 7 days, or if irritation, pain or redness persists or worsens

• Do not use more than directed.

Adults and children 12 years or older - Apply to the affected area. Allow to remain in place at least one minute and the spit out. Use up to 4 times daily or as directed by a dentist or doctor.

Children 2-12 years of age - Should be supervised in the use of the product

Children under 2 years of age - Do not use

• Store at 68° to 77° F (20° - 25° C)

Benzalkonium Chloride (as a preservative), Gelatin Hydrolysate, Glycerin, Flavorings,FD&C Blue Dye # 1, FD&C Yellow Dye # 5, Mineral Oil, Purified Water

NDC 10733-173-01

Premier

Topicale GelPatch

Oral Anesthetic Suspension

Benzocaine, 18 %

REF 9007149 Contains: 25 - 0.2gm Packets

Mint

Made in U.S.A.

Manufactured for: Premier® Dental Products Company,

1710 Romano Drive, Plymouth Meeting, PA 19462 U.S.A.

Manufacturer: Medical Products Laboratories, Inc.

9990 Global Road Philadelphia, PA 19115 U.S.A.

0818017 Rev2 MPL 317932

Questions or Comments?


888.670.6100 or 610.239.6000

M-Th: 7:30a.m. - 5:30p.m., F: 7:30a.m. - 4:00p.m. EST

To obtain an SDS, contact Customer Service Department or visit www.premusa.com.

Retain drug facts for future reference.





TOPICALE				
benzocaine patch				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:10733		NDC:10733-173
Route of Administration	ORAL			
Active Increationst/Active	Malati			
Active Ingredient/Active	мојету			
Ingredient Name			Basis of Streng	gth Strength

Ingredient Name					St	rength
GELATIN HYDROLYS	ATE (PORCINE	SKIN, MW 3000) (UNII: 0K9R9	4573C)		
D&C YELLOW NO.	5 (UNII: 1753WB	2F1M)				
MINERAL OIL (UNII: ⁻	5L8T28FGP)					
VATER (UNII: 059QF)KO0R)					
GLYCERIN (UNII: PDC	6A3C0OX)					
BENZALKONIUM CH	LORIDE (UNII: I	5UM2KM3W7)				
D&C BLUE NO. 1 (JNII: H3R47K3TI	3D)				
Product Chara	teristics					
Color		Score				
Shape		Size				
lavor MINT		Imprint Code				
Contains						
Packaging						
# Item Code	Package Description		Marketing Start Date	Marketi Da	-	
1 NDC:10733-173- 01 5 g in 1 CARTON; Type 0: Not a Combination Product			05/06/2019			
	nformatio	on				
01		DN on Number or I Citation	Monograph	Marketing Start Date	Market Da	ing End ite

Labeler - Medical Products Laboratories, Inc. (002290302)

Revised: 7/2023

Medical Products Laboratories, Inc.