

**SHOPKO ANTI-WRINKLE AND FIRMING MOISTURIZER DAY BROAD SPECTRUM  
SPF18- avobenzone, octisalate, octocrylene cream  
Shopko Stores Operating Co., LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**SHOPKO® Anti-Wrinkle & Firming Moisturizer**

**Active ingredient**

Avobenzone, 2.0%  
Octisalate, 5.0%  
Octocrylene, 5.0%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (*see Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only.**

**Do not use on**

- damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

- if rash occurs.

**Keep Out of Reach of Children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor

- Reapply at least every 2 hours
- Use water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses

### Other Information

- protect the product in this container from excessive heat and direct sun

### Inactive Ingredients

water, cyclohexasiloxane, glycerin, titanium dioxide, glyceryl stearate, PEG-100 stearate, beeswax, myristyl myristate, stearic acid, palmitic acid, polyglyceryl-10 pentastearate, behenyl alcohol, sodium steroyl lactylate, tocopheryl acetate (vitamin E), butylene glycol, carbomer, polysorbate 20, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7, propylene glycol, diazolidinyl urea, methylparaben, propylparaben, cetyl alcohol, stearyl alcohol, hydrolyzed soy protein, dipalmitoyl hydroxyproline, fragrance, triethanolamine, glycine soja (soybean) protein, xanthan gum, retinyl palmitate (vitamin A), phenoxyethanol, PEG-20 stearate, potassium sorbate, sodium benzoate, phenethyl alcohol, alcohol denat., chlorphenesin, alcohol.

### Package/Label Principal Display Panel - Carton Label

SHOPKO®

\*Compare to active ingredients in L'Oreal® Revitalift® Anti-Wrinkle + Firming Day Cream

Anti-Wrinkle & Firming Moisturizer  
Day Cream / SPF 18 Broad Spectrum Sunscreen

with Pro-Vitamin A, Tetrapeptide Complex & Sepilift™

NET WT 1.7 OZ (48g)

### FIRMING & ANTI-WRINKLE: AN INNOVATIVE TECHNOLOGY

Now experience the advanced actions against the signs of skin aging. New Anti-Wrinkle & Firming Day Cream Broad Spectrum SPF18 Sunscreen, with effective encapsulated Pro-Vitamin A, Tetrapeptide Complex and Sepilift™ will increase cell turnover, reduce wrinkles, firm the skin, and provide 24 hour moisturization.

### FORMULA ESSENTIALS

- UV SPF18 sunscreen
- Non-Comedogenic
- Dermatologist tested for gentleness
- Non-greasy

\*This product is not manufactured or distributed by L'Oreal®, owner of the registered trademark Revitalift®.

Distributed by Shopko Stores  
Operating Co., LLC

700 Pilgrim Way, Green Bay, WI 54307  
 ©2014 Shopko Stores  
 Operating Co., LLC  
 www.shopko.com  
 Manufactured in Israel  
 37815 8C C1

**SHOPKO®**  
**Satisfaction Guaranteed**

**By Refund or Exchange**

**TRIPLE-ACTION TECHNOLOGY**

Advanced Anti-Wrinkle Action: Encapsulated Pro-Vitamin A and Sepilift™ will hasten skin renewal, reducing the amount of fine lines and wrinkles and their depth. Results can be seen in just two weeks. The new technology will continually act to help fight the signs of aging.

**Innovative Firming:** Tetrapeptide Complex has proven to show renewed elastin and collagen fiber<sup>+</sup>. Skin's surface is remodeled, becoming more resilient and toned.

**Continuous Moisturization & Skin Protection:** Provides 24 hour moisturization to soothe dry skin. Broad spectrum UVA/UVB SPF18 protects the skin and prevents skin damage by UV exposure.

**DIRECTIONS FOR USE:** Every day, smooth gently onto face and neck until thoroughly absorbed. Use in the AM, alone or under makeup.

**Results:** Skin's elasticity is improved, Visible reduction of wrinkles and skin looks smoother, Firmer skin

Sepilift™ is a registered trademark owned by Seppic.

<sup>+</sup> In-vitro testing

<p><b>FIRMING &amp; ANTI-WRINKLE: AN INNOVATIVE TECHNOLOGY</b>                  Now experience the advanced actions against the signs of skin aging. New Anti-Wrinkle &amp; Firming Day Cream Broad Spectrum SPF18 Sunscreen, with effective encapsulated Pro-Vitamin A, Tetrapeptide Complex and Sepilift™ will increase cell turnover, reduce wrinkles, firm the skin, and provide 24 hour moisturization.</p>	<p><b>SHOPKO®</b>                  *Compare to active ingredients in L'Oréal® Revitalift® Anti-Wrinkle + Firming Day Cream</p>	<p><b>TRIPLE-ACTION TECHNOLOGY</b>                  Advanced Anti-Wrinkle Action: Encapsulated Pro-Vitamin A and Sepilift™ will hasten skin renewal, reducing the amount of fine lines and wrinkles and their depth. Results can be seen in just two weeks. The new technology will continually act to help fight the signs of aging.</p>	<table border="1"> <tr> <th>Drug Facts</th> <th>Active ingredients</th> <th>Purpose</th> </tr> <tr> <td></td> <td>Hydroxyacetone, 3.7%</td> <td>Sunscreen</td> </tr> <tr> <td></td> <td>Octisalate, 5.1%</td> <td>Sunscreen</td> </tr> <tr> <td></td> <td>Octocrylene, 5.0%</td> <td>Sunscreen</td> </tr> <tr> <td><b>Uses</b></td> <td colspan="2">                 • Helps prevent sunburn                  • If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun.                  • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:                  • Avoid tanning in the sun, especially from 10 a.m. – 2 p.m.                  • Wear long-sleeved shirts, pants, hats and sunglasses.                  • Other information: protect the product in this container from excessive heat and direct sun.             </td> </tr> <tr> <td><b>Warnings</b></td> <td colspan="2">                 • Do not use on • irritated or broken skin                  • Avoid use on • eyes, face with water to remove.                  • Avoid use on • children if • not-occurring.             </td> </tr> <tr> <td><b>Directions</b></td> <td colspan="2">                 • Apply liberally 15 minutes before sun exposure • Rub in until no longer visible • Use water resistant sunscreen if swimming or sweating.                  • Do not use on • children if • not-occurring.             </td> </tr> <tr> <td><b>Other Information</b></td> <td colspan="2">                 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:                  • Avoid tanning in the sun, especially from 10 a.m. – 2 p.m.                  • Wear long-sleeved shirts, pants, hats and sunglasses.                  • Other information: protect the product in this container from excessive heat and direct sun.             </td> </tr> <tr> <td><b>Inactive Ingredients</b></td> <td colspan="2">                 water, cyclohexane, glycerin, stearic acid, glyceryl stearate, PEG-100 stearate, polysorbate-20, dimethyl siloxane, octyl palmitate, octyl decanoate, polypropylene-32, panthenol, sodium salicylate, sodium glyceryl lactate, hexophenyl acetate, vitamin E, butylated glycol, carotene, hydroxyethyl piperazine-1-carboxylate, 1-cyanoguanidine, propylene glycol, dimethyl siloxane, methylparaben, propylparaben, benzyl alcohol, hydroxyethyl piperazine, diphenyl ether, hydroxyethyl piperazine, octyl palmitate, octyl decanoate, PEG-20 stearate, potassium sorbate, sodium benzoate, dimethyl siloxane, acetyl-lysine, octylpalmitate.             </td> </tr> </table>	Drug Facts	Active ingredients	Purpose		Hydroxyacetone, 3.7%	Sunscreen		Octisalate, 5.1%	Sunscreen		Octocrylene, 5.0%	Sunscreen	<b>Uses</b>	• Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • Avoid tanning in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats and sunglasses. • Other information: protect the product in this container from excessive heat and direct sun.		<b>Warnings</b>	• Do not use on • irritated or broken skin • Avoid use on • eyes, face with water to remove. • Avoid use on • children if • not-occurring.		<b>Directions</b>	• Apply liberally 15 minutes before sun exposure • Rub in until no longer visible • Use water resistant sunscreen if swimming or sweating. • Do not use on • children if • not-occurring.		<b>Other Information</b>	• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • Avoid tanning in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats and sunglasses. • Other information: protect the product in this container from excessive heat and direct sun.		<b>Inactive Ingredients</b>	water, cyclohexane, glycerin, stearic acid, glyceryl stearate, PEG-100 stearate, polysorbate-20, dimethyl siloxane, octyl palmitate, octyl decanoate, polypropylene-32, panthenol, sodium salicylate, sodium glyceryl lactate, hexophenyl acetate, vitamin E, butylated glycol, carotene, hydroxyethyl piperazine-1-carboxylate, 1-cyanoguanidine, propylene glycol, dimethyl siloxane, methylparaben, propylparaben, benzyl alcohol, hydroxyethyl piperazine, diphenyl ether, hydroxyethyl piperazine, octyl palmitate, octyl decanoate, PEG-20 stearate, potassium sorbate, sodium benzoate, dimethyl siloxane, acetyl-lysine, octylpalmitate.	
Drug Facts	Active ingredients	Purpose																												
	Hydroxyacetone, 3.7%	Sunscreen																												
	Octisalate, 5.1%	Sunscreen																												
	Octocrylene, 5.0%	Sunscreen																												
<b>Uses</b>	• Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • Avoid tanning in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats and sunglasses. • Other information: protect the product in this container from excessive heat and direct sun.																													
<b>Warnings</b>	• Do not use on • irritated or broken skin • Avoid use on • eyes, face with water to remove. • Avoid use on • children if • not-occurring.																													
<b>Directions</b>	• Apply liberally 15 minutes before sun exposure • Rub in until no longer visible • Use water resistant sunscreen if swimming or sweating. • Do not use on • children if • not-occurring.																													
<b>Other Information</b>	• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • Avoid tanning in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats and sunglasses. • Other information: protect the product in this container from excessive heat and direct sun.																													
<b>Inactive Ingredients</b>	water, cyclohexane, glycerin, stearic acid, glyceryl stearate, PEG-100 stearate, polysorbate-20, dimethyl siloxane, octyl palmitate, octyl decanoate, polypropylene-32, panthenol, sodium salicylate, sodium glyceryl lactate, hexophenyl acetate, vitamin E, butylated glycol, carotene, hydroxyethyl piperazine-1-carboxylate, 1-cyanoguanidine, propylene glycol, dimethyl siloxane, methylparaben, propylparaben, benzyl alcohol, hydroxyethyl piperazine, diphenyl ether, hydroxyethyl piperazine, octyl palmitate, octyl decanoate, PEG-20 stearate, potassium sorbate, sodium benzoate, dimethyl siloxane, acetyl-lysine, octylpalmitate.																													
<p><b>FORMULA ESSENTIALS</b>                  • UV SPF18 sunscreen                  • Non-Comedogenic                  • Dermatologist tested for gentleness                  • Non-greasy                  * This product is not manufactured or distributed by L'Oréal®, owner of the registered trademark Revitalift®.                  Distributed by Shopko Stores Operating Co., LLC                  700 Pilgrim Way, Green Bay, WI 54307                  ©2014 Shopko Stores Operating Co., LLC                  www.shopko.com                  Manufactured in Israel                  37815 8C C1</p> <p><b>SHOPKO®</b>                  Satisfaction Guaranteed                  By Refund Or Exchange</p>	<p><b>Anti-Wrinkle &amp; Firming Moisturizer</b>  <b>Day Cream</b> SPF 18 Broad Spectrum Sunscreen                  with Pro-Vitamin A, Tetrapeptide Complex &amp; Sepilift™                  NET WT 1.7 OZ (48g)</p>	<p><b>Innovative Firming:</b> Tetrapeptide Complex has proven to show renewed elastin and collagen fiber<sup>+</sup>. Skin's surface is remodeled, becoming more resilient and toned.  <b>Continuous Moisturization &amp; Skin Protection:</b> Provides 24 hour moisturization to soothe dry skin. Broad spectrum UVA/UVB SPF18 protects the skin and prevents skin damage by UV exposure.  <b>DIRECTIONS FOR USE:</b> Every day, smooth gently onto face and neck until thoroughly absorbed. Use in the AM, alone or under makeup.  <b>Results:</b> Skin's elasticity is improved, Visible reduction of wrinkles and skin looks smoother, Firmer skin                  Sepilift™ is a registered trademark owned by Seppic.                  • In-vitro testing</p>																												

Carton Label

**SHOPKO ANTI-WRINKLE AND FIRMING MOISTURIZER DAY BROAD SPECTRUM SPF18**

avobenzone, octisalate, octocrylene cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:370 12-815
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>ROYAL JELLY</b> (UNII: L497I37F0C)	
<b>MYRISTYL MYRISTATE</b> (UNII: 4042ZC00DY)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95HI)	
<b>POLYGLYCERYL-10 STEARATE</b> (UNII: 90TF85HH91)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>SODIUM STEAROYL LACTYLATE</b> (UNII: IN99IT31LN)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4HIY)	
<b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>SOY PROTEIN</b> (UNII: R44IWB3RN5)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PEG-20 STEARATE</b> (UNII: NBX892EA57)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>PHENYLETHYL ALCOHOL</b> (UNII: ML9LGA7468)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:370 12-815-12	1 in 1 CARTON		
1		48 g in 1 JAR		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	05/01/2014		

**Labeler** - Shopko Stores Operating Co., LLC (023252638)

Revised: 4/2014

Shopko Stores Operating Co., LLC