

SENNOSIDES- sennosides tablet
PD-Rx Pharmaceuticals, Inc.

Senna 8.6mg

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Stimulant Laxative

Uses

- relieve occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

- **Laxative products for longer than 1 week unless directed by a doctor**

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Other information

- **each tablet contains: calcium 4 mg, sodium 3 mg**
- **store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)**
- **TAMPER EVIDENT: DO NOT USE IF SEAL IS BROKEN OR MISSING FROM BOTTLE.**

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, magnesium stearate, microcrystalline cellulose

Questions or comments?

Call 516-341-0666

8:30am-4:30pm ET. Mon-Fri

Directions

take preferably at bedtime or as directed by a doctor

do not exceed maximum dosage

age	starting dosage	maximum dosage
adults and children 12 years of age or older	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Sennosides 8.6 mg

Natural Vegetable Laxative

*Compare to the Active Ingredient in SENOKOT®

<p>Drug Facts</p> <p>Active Ingredient (in each tablet) Sennosides 8.6 mg</p> <p>Purpose Stimulant laxative</p> <p>Uses • relieves occasional constipation (irregularity) • this product generally produces a bowel movement in 6 - 12 hours</p> <p>Warnings Do not use • laxative products for longer than 1 week unless directed by a doctor</p> <p>Ask a doctor before use if you have • Stomach pain • nausea • vomiting • noticed a sudden change in bowel habits that continues over a period of 2 weeks</p> <p>Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after the use of a laxative. These may indicate a serious condition.</p> <p>If pregnant or breast-feeding, ask a healthcare professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p>Drug Facts (continued)</p> <p>Directions: • Take preferably at bedtime or as directed by a doctor • do not exceed maximum dosage</p> <table border="1"> <thead> <tr> <th>Age</th> <th>Starting Dosage</th> <th>Maximum Dosage</th> </tr> </thead> <tbody> <tr> <td>adults and children 12 years and over</td> <td>2 tablets once a day</td> <td>4 tablets twice a day</td> </tr> <tr> <td>children 6 to under 12 years</td> <td>1 tablet once a day</td> <td>2 tablets twice a day</td> </tr> <tr> <td>children 2 to under 6 years</td> <td>1/2 tablet once a day</td> <td>1 tablet twice a day</td> </tr> <tr> <td>children under 2 years</td> <td>ask a doctor</td> <td>ask a doctor</td> </tr> </tbody> </table> <p>Other information • each tablet contains: calcium 4 mg, sodium 3 mg • store at 25°C (77°F); excursions permitted between 15° - 30°C (59° - 86°F)</p> <p>Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, magnesium stearate, microcrystalline cellulose</p> <p>Questions or comments? Call (516) 341-0666 Mon-Fri 8:30am to 4:30pm EST</p> <p>GTIN: 00372789283302 SNO: J22D88000004 EXP: 02/2024 LOT: J22D88</p>	Age	Starting Dosage	Maximum Dosage	adults and children 12 years and over	2 tablets once a day	4 tablets twice a day	children 6 to under 12 years	1 tablet once a day	2 tablets twice a day	children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day	children under 2 years	ask a doctor	ask a doctor	<p>NDC 72789-283-30</p> <p></p> <p>Sennosides Natural Vegetable Laxative</p> <p>8.6 mg</p> <p>Marketed and Packaged By: PD-Rx Pharmaceuticals, Inc. Oklahoma City, OK 73127 1-405-942-3040 v.8.19.0</p> <p></p> <p>3 72789 28330 2</p> <p>30 Tablets TAMPER EVIDENT: DO NOT USE IF SEAL IS BROKEN OR MISSING FROM BOTTLE</p>
Age	Starting Dosage	Maximum Dosage															
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day															
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day															
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day															
children under 2 years	ask a doctor	ask a doctor															

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72789-283(NDC:69618-064)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES A AND B (UNII: 1B5FPI42EN) (SENNOSIDES A AND B - UNII:1B5FPI42EN)	SENNOSIDES A AND B	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	brown (light)	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	S5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72789-283-10	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/22/2022	
2	NDC:72789-283-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/24/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/01/2020	

Labeler - PD-Rx Pharmaceuticals, Inc. (156893695)

Registrant - PD-Rx Pharmaceuticals, Inc. (156893695)

Establishment

Name	Address	ID/FEI	Business Operations
PD-Rx Pharmaceuticals, Inc.		156893695	repack(72789-283)

Revised: 2/2025

PD-Rx Pharmaceuticals, Inc.